

CENTERLINE GLASS RAILING - NEW!


2.5" Post System

Mechanical/Welded Combo
Accepts 7/16" and 9/16" Glass
Tested & Engineered System



NOW OFFERING:
CARDINAL GLASS!


For more information:
glass@easternmetal.com



Engineering available by request


2.5" Glass Rail Inline Post x 24'

28-60-735 6005A-T61
Mates with 28-60-740; Fits the 2.5" Post System




2.5" Glass Rail Post Insert x 24'

28-60-740 6005A-T61
Fits the 2.5" Post System Mates with 28-60-735




2.5" Glass Rail Corner Post x 24'

28-60-730 6005A-T61
Fit the 2.5" Post System




2.5" x 4.9" Glass Rail 135° Post x 24'

28-60-770 6005A-T61
Fits the 2.5" Post System



Alternate Radius Glass Rail Top Cap x 24'


28-63-710 6063-T6
Fits the 2.5" Post System
28-63-710FEC End Cap



Top Cap End Caps 28-63-710FEC End Cap


Fits **28-63-710**

28-63-700FEC End Cap
Fits **28-63-700**




2" x 2.25" Intermediate Glass Rail x 24'

28-63-720 6063-T6
Fits the 2.5" & 3.5" Post Systems




3.5" Round Glass Rail Top Cap x 24'

28-63-700 6063-T6
Fits the 2.5" Post System
28-63-700FEC End Cap




Round Glass Rail Inner Sleeve x 10'

52-63-8915 6063-T6
Fits the 2.5" Post System Mates with 28-63-700




2" Centerline Glass Rail Bottom Channel x 24'

28-63-715 6063-T6
Fits the 2.5" & 3.5" Post Systems; Welded & Mechanical applications; Accepts 1 x 1 x 1/8 Angle 11-COLOR-222; Mates with 52-63-11327




2" Centerline Glass Rail Bottom Channel x 24'

28-63-716 6063-T6
Fits the 2.5" & 3.5" Post Systems; Welded & Mechanical applications; Accepts 1 x 1 x 1/8 Angle 11-COLOR-222; Mates with 52-63-11327



Cover Plate for Bottom Channel x 16'

52-63-11327 6063-T6
Fits the 2.5" & 3.5" Post Systems; Mates with 28-63-715, 28-63-716



CENTERLINE GLASS RAILING - **NEW!**

3.5" Post System


Mechanical/Welded Combo
Accepts 7/16" and 9/16" Glass
Tested and Engineered System



NOW OFFERING:

CARDINAL GLASS!

For more information:
glass@easternmetal.com




Engineering available by request

3.5" x 2" Glass Rail Inline Post x 24'

28-60-760 6005A-T61


*Fits the 3.5" Post System;
Mates with I-Bar Post
Insert 28-60-745*



3.5" Glass Rail Post Insert x 24'

28-60-745 6005A-T61

*Fits the 3.5" Post System;
Mates with 28-60-760*




3.5" Post Standard (shown) 28-60-760

Corner Option
28-60-765
(for perpendicular
attachment)

3.5" x 3.5" x .230" Glass Rail Corner Post x 24'

28-60-765 6005A-T61


*Fits the 3.5" Post System; Mates with
3" Sq Tube Post Insert 52-61-750*



3" Square Tube Post Insert x 18'

52-61-750 6061-T6


*Fits the 3.5" Post System;
Mates with 28-60-765*



3.5" x 5.47" Glass Rail **135°** Post x 24'

28-60-775 6005A-T61


Fits the 3.5" Post System



2" x 2.25" Intermediate Glass Rail x 24'

28-63-720 6063-T6


*Fits the 2.5" & 3.5" Post
Systems*



4.5" Round Glass Rail Top Cap x 24'

28-63-705 6063-T6

Fits the 3.5" Post System
28-63-705FEC End Cap



Top Cap End Cap **28-63-705FEC** End Cap


Fits **28-63-705**



2" Centerline Glass Rail Bottom Channel x 24'

28-63-716 6063-T6


*Fits the 2.5" & 3.5" Post Systems;
Welded & Mechanical applica-
tions; Accepts 1 x 1 x 1/8 Angle
11-COLOR-222; Mates with
52-63-11327*



Cover Plate for Bottom Channel x 16'

52-63-11327 6063-T6


*Fits the 2.5" & 3.5" Post
Systems; Mates with
28-63-715*



Cover Plate for Bottom Channel x 16'

52-63-11327 6063-T6

*Fits the 2.5" & 3.5" Post
Systems; Mates with
28-63-715, 28-63-716*



60" ROOFTOP CENTERLINE GLASS RAILING - **NEW!**

3.5" Post System

Mechanical/Welded Combo

Accepts 7/16" and 9/16" Glass

Tested and Engineered System



NOW OFFERING:

CARDINAL GLASS!


For more information:

glass@easternmetal.com

**See engineering for post
insert concrete
embedment depth*

3.5" x 3.5" x .230" Glass Rail Corner Post x 24' 28-60-765 6005A-T61 <i>Fits the 3.5" Post System; Mates with 3" Sq Tube Post Insert 52-61-750</i>	3" Square Tube Post Insert x 18' 52-61-750 6061-T6 <i>Fits the 3.5" Post System; Mates with 28-60-765</i>

4.5" Round Glass Rail Top Cap x 24' 28-63-705 6063-T6 <i>Fits the 3.5" Post System</i> 28-63-705FEC End Cap	Top Cap End Cap 28-63-705FEC End Cap <i>Fits 28-63-705</i>	2" Centerline Glass Rail Bottom Channel x 24' 28-63-715 6063-T6 <i>Fits the 2.5" & 3.5" Post Systems; Welded & Mechanical applications; Accepts 1 x 1 x 1/8 Angle 11-COLOR-222; Mates with 52-63-11327</i>	2" Centerline Glass Rail Bottom Channel x 24' 28-63-716 6063-T6 <i>Fits the 2.5" & 3.5" Post Systems; Welded & Mechanical applications; Accepts 1 x 1 x 1/8 Angle 11-COLOR-222; Mates with 52-63-11327</i>	Cover Plate for Bottom Channel x 16' 52-63-11327 6063-T6 <i>Fits the 2.5" & 3.5" Post Systems; Mates with 28-63-715, 28-63-716</i>



Engineering available by request




OFFSET GLASS RAILING - NEW!

2.5" Post System
Mechanical/Welded Combo
Accepts 7/16" and 9/16" Glass
Tested and Engineered System



NOW OFFERING:
CARDINAL GLASS!


For more information:
glass@easternmetal.com




2.5" Post - Standard (shown)
28-60-735
Corner Option 28-60-730
(for perpendicular attachment)

Engineering available
by request


2.5" Glass Rail
Inline Post x 24'
28-60-735 6005A-T61
Mates with 28-60-740; Fits
the 2.5" Post System




2.5" Glass Rail Post
Insert x 24'
28-60-740 6005A-T61
Fits the 2.5" Post System
Mates with 28-60-735




2.5" Glass Rail
Corner Post x 24'
28-60-730 6005A-T61
Fit the 2.5" Post System




2.5" x 4.9" Glass Rail 135°
Post x 24'
28-60-770 6005A-T61
Fits the 2.5" Post System




Welded Offset Glass Rail
Bottom Channel x 24'
28-63-771 6063-T6
Fits the 2.5" & 3.5" Post Systems




5" Radius Offset Glass Rail
Top Cap x 24'
28-63-760 6063-T6
Fits the 2.5" Post System
28-63-760FEC End Cap




Top Cap End Cap
28-63-760FEC End Cap
Fits **28-63-760**



Cover Plate for Offset
Bottom Channel x 24'
28-63-755 (Mechanical) 6063-T6
Fits the 2.5" & 3.5" Post Systems
Mates with 28-63-725



Mechanical Offset Glass Rail
Bottom Channel x 24'
28-63-725 6063-T6 Fits the 2.5" &
3.5" Post Systems; Mates with
28-63-755




OFFSET GLASS RAILING - NEW!

3.5" Post System
Mechanical/Welded Combo
Accepts 7/16" and 9/16" Glass
Tested and Engineered System




NOW OFFERING:
CARDINAL GLASS!

For more information:
glass@easternmetal.com




3.5" x 2" Glass Rail Inline Post x 24'
28-60-760 6005A-T61

*Fits the 3.5" Post System;
Mates with I-Bar Post Insert 28-60-745*




3.5" Glass Rail Post Insert x 24'
28-60-745 6005A-T61

*Fits the 3.5" Post System;
Mates with 28-60-760*




3.5" x 3.5" Glass Rail Corner Post x 24'
28-60-765 6005A-T61

Fits the 3.5" Post System; Mates with 3" Sq Tube Post Insert 52-61-750




3" Square Tube Post Insert x 18'
52-61-750 6061-T6

*Fits the 3.5" Post System;
Mates with 28-60-765*




3.5" x 5.47" Glass Rail 135° Post x 24'
28-60-775 6005A-T61

Fits the 3.5" Post System



6" Radius Offset Glass Rail Top Cap x 24'
28-63-750 6063-T6

*Fits the 3.5" Post System
28-63-750FEC End Cap*




Top Cap End Cap 28-63-750FEC
Fits 28-63-750




Cover Plate for Offset Bottom Channel x 24'
28-63-755 (Mechanical) 6063-T6

Fits the 2.5" & 3.5" Post Systems; Mates with 28-63-725




Mechanical Offset Glass Rail Bottom Channel x 24'
28-63-725 6063-T6

Fits the 2.5" & 3.5" Post Systems; Mates with 28-63-755



Welded Offset Glass Rail Bottom Channel x 24'
28-63-771 6063-T6

Fits the 2.5" & 3.5" Post Systems



Engineering available by request



GLASS RAILING GLAZING - NEW!

For 7/8 Glass Pockets using 7/16" and 9/16" Glass

Used with our Tested and Engineered Systems (Fence & Railing 10-14)

LAMINATED GLASS (sized by order) - *Now available from Eastern Metal Supply!*


- **7/16" Laminated Glass** with vertical polished edge
- 0.035 SGP between 3/16" Tempered Glass • Design Pressure = +/-130
- **9/16" Laminated Glass** with vertical polished edge
- 0.035 SGP between 1/4" Tempered Glass • Design Pressure = +/-190




NOW OFFERING:
CARDINAL
GLASS!

For more information:
glass@easternmetal.com

Centerline Glass Rail Glazing




Offset Glass Rail Glazing



**Preset Exterior
Sponge - 250' rolls**
WW-B090 (sponge)
Santoprene Gasket
.125 face clearance,
.250 centerline
9/16" Glass



**Preset Exterior
Sponge - 250' rolls**
WW-B140 (sponge)
Santoprene Gasket
.250 face clearance,
.250 centerline
7/16" Glass



**Interior Wedge
Gaskets - 250' rolls**
WW-W514
Santoprene Gasket
.187 face clearance,
.062 nub
Both Glass Types




**Centerline
Neoprene Setting
Block**
WW-BN02164
1/8 x 1 x 4




**Offset
Neoprene Setting
Block**
WW-BN04164
1/4 x 1 x 4




3" Round Glass Cap
MILL ORDER 52-63-12183 - GR104
 wall:0.125; with 1.500 deep glass pocket




3-1/2" Round Glass Cap X 24'
52-63-10740 - GR108
 wall:0.125; with 1.750 deep glass pocket
 Mates with GRS110




Glass Rail Inner Sleeve x 10' - RS110
52-63-8915 wall:0.090
 Mates with GR108




4" Round Glass Cap
MILL ORDER 52-63-9402 - GR116
 wall:0.125; with 1.250 deep glass pocket
 Accepts 2" Post




4-1/2" Round Top Cap
MILL ORDER 52-63-11470 - GR118
 wall:0.105; with 1.750 deep glass pocket
 Mates with GR312 (3.5" Post)




3-1/2" x 2-1/2" Rect Glass Top Cap
MILL ORDER 52-63-11065 - GR122
 wall:0.125; with 1.680 deep glass pocket
 Accepts 2.5" Post




4-1/2" Offset Oval Glass Cap
MILL ORDER 52-63-13034 - GR300
 wall:0.110; with 1.75 deep glass channel
 Accepts 2" Post




6-1/2" x 3-3/4" Offset Oval Glass Rail Cap - GR304
MILL ORDER 52-63-8500 wall:0.150
 with 2.00 deep glass channel; Mates with GR312 (3.5" Post)




Cover Plate x 16' - GRC214
52-63-11327 wall:0.090
 mates with GRC202, GRC204, GRC210
 and 28-63-715




2" x 1-1/2" Glass Bottom Channel x 24'
MILL ORDER 52-63-10348 - GRC202
 wall:0.090; with 0.687 deep glass pocket;
 mates with GRC214




2" x 1-1/2" Glass Bottom Channel x 24' - GRC204
52-63-10741 wall:0.090
 with 1" deep glass pocket; Can be used as a Mid Rail when inverted; mates with GRC214




2" x 1-1/2" Mid Rail Glass Channel x 24' - GRC210
MILL ORDER 52-63-9940 wall:0.090
 with 1.250 deep glass pocket; mates with GRC214




2" Centerline Glass Rail Bottom Channel x 24'
28-63-715 6005A-T61
 Mates with 52-63-11327




2" Centerline Glass Rail Bottom Channel x 24'
28-63-716 6063-T6
 Mates with 52-63-11327




2" x 1-5/8" Glass Bottom Channel
MILL ORDER 52-63-12101 - GRC206
 wall:0.125; with 0.875 deep glass pocket




2-1/4" x 2" Glass Channel
MILL ORDER 52-63-13991 - GRC213
 wall:0.125; with 1.500 deep glass pocket




3-1/2" x 2-1/2" Offset Bottom Channel
MILL ORDER 52-63-13138 - GR310
 wall:0.090; with 1.75 deep glass channel




2" x 1-5/8" Mid Rail Glass Channel
MILL ORDER 52-63-12798 - GRC212
 wall:0.125; with 1.500 deep glass pocket




3.325" x 4.75" Glass Base Shoe x 10'
28-63-077
 with 3.980 deep glass pocket




2.75" x 4.125" Glass Base Shoe x 20'
51-63-327
 with 3.125 deep glass pocket




2.50" x 4" Glass Base Shoe x 20'
51-63-325
 with 3.125 deep glass pocket




2.25" x 3" Glass Glass Base Shoe
MILL ORDER 52-63-10157
 wall:0.625 with 2.063 deep glass pocket




2.50" x 4" Glass Base Shoe x 20'
51-63-326 (TX)
 with 3.125 deep glass pocket
 Pre-Fabbed with 20 Holes



Glass Rail Post x 24'
20-61-270
 2 x 2-1/2 x 1/8 Rect Tube 6061 T6




3.5" x 2" Heavy Duty Glass Rail Post
MILL ORDER 52-61-2056 - GR312
 wall:0.094; Receives 3/8" x 3" flat bar; Mates with GRC302 & GRC304




Glass Rail Post
 19-61-208 2 x .188 (6061-T6)
 19-61-212 2 x .250 (6061-T6)
 19-63-210 2 x .125
 19-61-210 2 x .125 (6061-T6)
 52-61-936 2 x .125 (6061-T6)
 19-63-211 2 x .188
 52-61-1128 2 x .188 w/rad (6061-T6)
 28-60-735 2.50 x .125/.375 (6005A-T61)
 28-60-730 2.50 x .375 (6005A-T61)
 MILL ORDER 2.50 x .188 (52-61-3402)
 28-60-760 3.50 x 2.00 x .125/.375 (6005A-T61)
 28-60-765 3.50 x .125 (6005A-T61)

2" Square Post Stiffener x 12'
52-61-2163 for 2" x .125 Sq Tube



2" Square Post Stiffener x 12'
52-61-4452 for 2" x .188 Sq Tube



NOW OFFERING:
CARDINAL GLASS!
 For more information:
glass@easternmetal.com