



Bertha™ HV™ Accordion Shutters

Product Features & Benefits:

- Durable powder coated paint finish
- Universal components • Blade Options: HV1 & HV2 (Hi-Rise)
- Designed for standard openings
- Direct mount starters for fast installation
- Applications for metal stud, keystone & plywood Install
- Curved and Radius Tracks available
- Insurance discounts

Specifications:

- Code Approvals: FBC HVHZ; FBC Non-HVHZ, IBC/IRC, TDI, Miami Dade NOA
- Maximum Size: 16' (HV1) & 18' (HV2) high x unlimited width

HV® Accordion Window Features: (shown)

- Tested and approved: FBC - HVHZ & Non-HVHZ
- Up to 5 windows per blade
- Retrofit installations with HV hand punch tool

Locking Systems Available:

- Heavy duty stainless steel lock (shown) • Push button lock
- T-handle lock • Saltwater lock



BERTHA HV® ACCORDION SHUTTER - BLADES 1 & 2

Code Approvals: FBC (non-HVHZ), FBC (HVHZ), IBC/IRC


BERTHA HV® BLADE #1

41-COLOR-400 x 14' 6"

41-COLOR-405 x 16' 6"

41-COLOR-410 x 18'

Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)
(10 Pcs/Sub; 120 Pcs/Master)




Covered under US Patents #5,458,179; #6,779,582

BERTHA HV® BLADE #2

41-COLOR-406 x 16' 6"

41-COLOR-411 x 18' (Ivory, Bronze & Beige SPECIAL ORDER)


Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)
(10 Pcs/Sub; 120 Pcs/Master)



Covered under US Patents #5,458,179; #6,779,582

BERTHA HV® UNIVERSAL FLOATER x 18'

41-COLOR-450 (Ivory, Bronze & Beige SPECIAL ORDER)



ACCORDION TRACK FELT (.320/.270)

41-HV-320 Black Felt Roll x 2000'




Copyright 2007-2020 Eastern Metal Supply, Inc. HV™, BERTHA HV®, BERTHA® are all trademarks of Eastern Metal Supply, Inc. ASSA® is a trademark of the American Shutter Systems Association. All rights reserved.

BERTHA HV® CEILING HEADER #1 x 20'

41-COLOR-424


Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)
(4 Pcs/Sub) Felt: 41-HV-320



BERTHA HV® 3/8" BUILD OUT HEADER #1 x 20'

41-COLOR-425


Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)
(4 Pcs/Sub) Felt: 41-HV-320



BERTHA HV® 1" BUILD OUT HEADER #1 x 20'

41-COLOR-426


Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)
(4 Pcs/Sub) Felt: 41-HV-320



BERTHA HV® 2" BUILD OUT HEADER #1 x 20'

41-COLOR-433

Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)
(4 Pcs/Sub) Felt: 41-HV-320



EASTERN METAL SUPPLY

HURRICANE 09
02/02/24

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061


BERTHA HV® ACCORDION SHUTTER - BLADES 1 & 2

Code Approvals: FBC (non-HVHZ), FBC (HVHZ), IBC/IRC

BERTHA HV® HD CEILING HEADER #2 x 20'

41-COLOR-430


Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)
(4 Pcs/Sub) Felt: 41-HV-320



BERTHA HV® HD 3/8" BUILD OUT HEADER #2 x 20'

41-COLOR-431


Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)
(4 Pcs/Sub) Felt: 41-HV-320



BERTHA HV® HD 1" BUILD OUT HEADER #2 x 20'

41-COLOR-432


Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)
(4 Pcs/Sub) Felt: 41-HV-320



BERTHA HV® SHD™ CEILING HEADER x 20'

41-WH-470 White (10 Pcs/Sub)


Felt: 41-HV-320



BERTHA HV® 3/8" DIRECT MOUNT STARTER x 20'

41-COLOR-427


Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)
(4 Pcs/Sub)



BERTHA HV® 1" DIRECT MOUNT STARTER x 20'

41-COLOR-428


Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)
(6 Pcs/Sub)



BERTHA HV® 2" DIRECT MOUNT STARTER x 20'

41-COLOR-434


Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)
(6 Pcs/Sub)



BERTHA HV® 90/180 STARTER x 20'

41-COLOR-415

Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)
(14 Pcs/Sub)



Copyright 2007-2020 Eastern Metal Supply, Inc. HV™, BERTHA HV®, BERTHA® are all trademarks of Eastern Metal Supply, Inc. ASSAB is a trademark of the American Shutter Systems Association. All rights reserved.



EASTERN METAL SUPPLY

HURRICANE 10
03/14/23

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061




BERTHA HV® ACCORDION SHUTTER - BLADES 1 & 2

Code Approvals: FBC (non-HVHZ), FBC (HVHZ), IBC/IRC

BERTHA HV® ADJUSTABLE TRACK w/FELT x 20'

41-COLOR-423


Available in White (WH), Ivory (IV),
Bronze (MB) and Beige (BG)
(6 Pcs/Sub) Felt: 41-HV-320



BERTHA HV® SILL ADAPTOR W/LIP x 20'

90-COLOR-012


Available in White (WH), Ivory (IV),
Bronze (MB) and Beige (BG)
(6 Pcs/Sub)



BERTHA HV® WALKOVER TRACK x 20'


41-COLOR-440

Available in White (WH), Ivory (IV),
Bronze (MB) and Beige (BG)
(6 Pcs/Sub) Felt: 41-HV-320
Accepts Vinyl Inserts (p15)



BERTHA HV® ANODIZED TRENCH TRACK x 20'


41-63-437 Silver Anodized
Felt: 41-HV-320



BERTHA HV® CORNER CENTERMATE #3 X 20'

41-COLOR-429


Available in White (WH), Ivory (IV),
Bronze (MB) and Beige (BG)
(6 Pcs/Sub)



BERTHA HV® CENTERMATE #1 x 20'

41-COLOR-421 Self Mating


Available in White (WH), Ivory (IV),
Bronze (MB) and Beige (BG)
(6 Pcs/Sub)



BERTHA HV® FLOATING CENTERMATE #2 x 20'

41-COLOR-422


Available in White (WH), Ivory (IV),
Bronze (MB) and Beige (BG)
(4 Pcs/Sub)



BERTHA HV® FLAT CENTERMATE x 20'


41-COLOR-420 Self Mating

Available in White (WH), Ivory (IV),
Bronze (MB) and Beige (BG)




BERTHA HV® MALE T LOCK x 20'

41-WH-437 White (4 Pcs/Sub)
Ivory (IV), Bronze (MB) and Beige (BG)
available as SPECIAL ORDER



BERTHA HV® FEMALE T LOCK x 20'

41-WH-438 White (4 Pcs/Sub)
Ivory (IV), Bronze (MB) and Beige (BG)
available as SPECIAL ORDER



Copyright 2007-2020 Eastern Metal Supply, Inc. HV™, BERTHA HV®, BERTHA® are all trademarks of Eastern Metal Supply, Inc. ASSA® is a trademark of the American Shutter Systems Association. All rights reserved.



EASTERN METAL SUPPLY

HURRICANE 11
02/02/24

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

BERTHA HV® ACCORDION SHUTTER - BLADES 1 & 2


Code Approvals: FBC (non-HVHZ), FBC (HVHZ), IBC/IRC

BERTHA HV® HD™ CENTERMATE

WITHOUT RODS x 20'

41-COLOR-439

Available in White (WH),
Ivory (IV), Bronze (MB)
and Beige (BG)




BERTHA HV® HD™ CENTERMATE

WITH RODS x 20'

41-COLOR-435

Available in White (WH),
Ivory (IV), Bronze (MB)
and Beige (BG)



BERTHA HV® HD™

INSERT x 20'

41-COLOR-436

Available in White (WH),
Ivory (IV), Bronze (MB)
and Beige (BG)




Mates with BERTHA
HV® HD™ Centermates

BERTHA HV® RAINGUARD x 17'

41-COLOR-460 (10 Pcs.)

Available in White (WH),
Ivory (IV), Bronze (MB)
and Beige (BG)




BERTHA HV® BUILD-OUT ANGLE x 20'

2 x 5 x .190 x 20' With Inside Radius

11-COLOR-413 6063-T6

Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)




BERTHA HV® BUILD-OUT ANGLE x 20'

2-1/2 x 7 x .190 x 20' With Inside Radius

11-COLOR-420 6063-T6

Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)



BERTHA HV® VINYL INSERTS

Mates with Walkover Track 41-COLOR-440


41-WH-Insert2 White x 8'

41-IV-Insert2 Ivory x 8'

41-MB-Insert2 Bronze x 8'

41-BG-Insert2 Beige x 8'

41-BK-Insert Black x 12'



BERTHA HV® COMBO BLADE LABEL

LABEL-3

(250 per Roll)

Warning:

During periods of hurricane warnings, homeowner, tenant or others must properly close all BERTHA HV® & HD centermates and engage or lock all BERTHA HV® & HD locks.

Copyright 2007-2020 Eastern Metal Supply, Inc. HV™, BERTHA HV®, BERTHA® are all trademarks of Eastern Metal Supply, Inc. ASSAB is a trademark of the American Shutter Systems Association. All rights reserved.



EASTERN METAL SUPPLY

HURRICANE 12
02/02/24

www.easternmetal.com


FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

NOW AVAILABLE!**HV® ESSENTIAL ACCORDION SHUTTER**


Code Approvals: FBC (non-HVHZ), FBC (HVHZ)

NOW AVAILABLE!**BERTHA HV™ Blade #1**


41-COLOR-400 x 14' 6"
 41-COLOR-405 x 16' 6"
 41-COLOR-410 x 18'
 (10 Pcs/Sub; 120 Pcs/Master)

**HV® Flat Center Mate x 20'**


41-COLOR-420
 (6 Pcs/Sub)

**HV® Essential Ceiling Header x 20'**


41-COLOR-478
 Felt: 41-HV-320


**HV® Essential
 3/8" Build Out x 20'**
 41-COLOR-480







Felt: 41-HV-320


**HV® Essential
 1" Build Out x 20'**
 41-COLOR-482

Felt: 41-HV-320


**HV® Essential
 2" Build Out x 20'**
 41-COLOR-484

Felt: 41-HV-320


**HV® Essential
 3/8" Direct Mount x 20'**
 41-COLOR-472

**HV® Essential
 1" Direct Mount x 20'**
 41-COLOR-474

**HV® Essential
 2" Direct Mount x 20'**
 41-COLOR-476

**HV® Essential .080 Adjustable
 Adapter With Lip x 20'**
 41-COLOR-486

**HV® Essential Adjustable
 Track With Felt x 20'**
 41-COLOR-488
**HV® Holdback Clip**

For Flat Centermates

41-HV-HBCLIPWH

White (shown)

41-HV-HBCLIPBL

Black



COLOR = Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)




Copyright 2007-2023 Eastern Metal Supply, Inc. HV™, BERTHA HV®, BERTHA® are all trademarks of Eastern Metal Supply, Inc. ASSA® is a trademark of the American Shutter Systems Association. All rights reserved.

**EASTERN METAL SUPPLY**
HURRICANE 15
 01/26/23
www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061



HV[®] ACCORDION FLAT CENTERMATE STACKING GUIDE



NOTE! COVERAGE DIMENSIONS ARE APPROXIMATELY 1" LESS THAN TRACK MINUS STACK DIMENSIONS

BLADE	COVERAGE	STACK	TRACK
1	3.25	2.75	7.25
3	9.25	3.25	13.75
5	15.00	3.75	20.00
7	21.00	4.50	26.50
9	26.75	5.00	32.75
11	32.50	5.50	39.25
13	38.50	6.00	45.50
15	44.25	6.50	52.00
17	50.25	7.00	58.25
19	56.00	7.50	64.75
21	61.75	8.00	71.00
23	67.75	8.50	77.50
25	73.50	9.00	83.75
27	79.50	9.50	90.25
29	85.25	10.00	96.50
31	91.25	10.75	103.00
33	97.00	11.25	109.25
35	102.75	11.75	115.75
37	108.75	12.25	122.00
39	114.50	12.75	128.50
41	120.50	13.25	134.75
43	126.25	13.75	141.25
45	132.25	14.25	147.50
47	138.00	14.75	154.00
49	143.75	15.25	160.25
51	149.75	15.75	166.75
53	155.50	16.25	173.00
55	161.50	16.75	179.50
57	167.25	17.50	185.75
59	173.00	18.00	192.25
61	179.00	18.50	198.50
63	184.75	19.00	205.00
65	190.75	19.50	211.25
67	196.50	20.00	217.75
69	202.50	20.50	224.00
71	208.25	21.00	230.50

BLADE	COVERAGE	STACK	TRACK
73	214.00	21.50	236.75
75	220.00	22.00	243.25
77	225.75	22.50	249.50
79	231.75	23.00	256.00
81	237.50	23.75	262.25
83	243.50	24.25	268.75
85	249.25	24.75	275.00
87	255.00	25.25	281.50
89	261.00	25.75	287.75
91	266.75	26.25	294.25
93	272.75	26.75	300.50
95	278.50	27.25	307.00
97	284.25	27.75	313.25
99	290.25	28.25	319.75
101	296.00	28.75	326.00
103	302.00	29.25	332.50
105	307.75	29.75	338.75
107	313.75	30.50	345.25
109	319.50	31.00	351.50
111	325.25	31.50	358.00
113	331.25	32.00	364.25
115	337.00	32.50	370.75
117	343.00	33.00	377.00
119	348.75	33.50	383.50
121	354.50	34.00	389.75
123	360.50	34.50	396.25
125	366.25	35.00	402.50
127	372.25	35.50	409.00
129	378.00	36.00	415.25
131	384.00	36.75	421.75
133	389.75	37.25	428.00
139	395.50	37.75	434.50
141	401.50	38.25	440.75
143	407.25	38.75	447.25
145	413.25	39.25	453.50

THESE ARE CALCULATED WIDTHS ONLY
PLEASE VERIFY ACTUAL WIDTHS! REV 01/08/21

BLADE	COVERAGE	STACK	TRACK
147	419.00	39.75	460.00
149	425.00	40.25	466.25
151	430.75	40.75	472.75
153	436.50	41.25	479.00
155	442.50	41.75	485.50
157	448.25	42.25	491.75
159	454.25	42.75	498.25
161	460.00	43.50	504.50
163	465.75	44.00	511.00
165	471.75	44.50	517.25
167	477.50	45.00	523.75
169	483.50	45.50	530.00
171	489.25	46.00	536.50
173	495.25	46.50	542.75
175	501.00	47.00	549.25
177	506.75	47.50	555.50
179	512.75	48.00	562.00
181	518.50	48.50	568.25
183	524.50	49.00	574.75
185	530.25	49.75	581.00
187	536.25	50.25	587.50
189	542.00	50.75	593.75
191	547.75	51.25	600.25
193	553.75	51.75	606.50
195	559.50	52.25	613.00
197	565.50	52.75	619.25
199	571.25	53.25	625.75
201	577.00	53.75	632.00
203	583.00	54.25	638.50
205	588.75	54.75	644.75
207	594.75	55.25	651.25
209	600.50	55.75	657.50
211	606.50	56.50	664.00
213	612.25	57.00	670.25
215	618.00	57.50	676.75
217	624.00	58.00	683.00



EASTERN METAL SUPPLY

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061




BERTHA HV® ACCORDION WINDOW

Code Approvals: FBC (non-HVHZ), FBC (HVHZ)

HV® WINDOW PUNCH

SPECIAL ORDER

HVPUNCH



HV® WINDOW HAND TOOL

HV-TOOL



BERTHA HV® ACCORDION WINDOW

41-HV-WINDOW

Patent Pending



3 HOLES - HV® BLADE # 1 X 6'

Punched Window 3 Holes

SPECIAL ORDER 41-COLOR-72P3


Contact your Sales Rep for availability

Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)

3" Diameter Viewports on Blade (3 each)

42-1/2" End of Blade to centerline of first opening

Spacing @ 5-3/4" On Center



3 HOLES - HV® BLADE # 1 X 8'

Punched Window 3 Holes

SPECIAL ORDER 41-COLOR-96P3


Contact your Sales Rep for availability

Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)

3" Diameter Viewports on Blade (3 each)

42-1/2" End of Blade to centerline of first opening

Spacing @ 5-3/4" On Center



5 HOLES - HV® BLADE # 1 X 8'

Punched Window 5 Holes

SPECIAL ORDER 41-COLOR-96P5


Contact your Sales Rep for availability

Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)

3" Diameter Viewports on Blade (3 each)

42-1/2" End of Blade to centerline of first opening

Spacing @ 5-3/4" On Center



HVPUNCH-1 (PIC at Right)

Top Row Components Left to Right:

Hex Bit Socket 3/8 Sq Drive with 1/4" Hex to 3/8 Sq Drive
2" long / Base Die / Grade 8 Hex Screw & Washer

Center Row Components Left to Right:

Slug Knockout Tool / HV Window Hand Tool

Bottom Row Components Left to Right:

Cutting Die with Thrust Bearing / 1" Hole Saw



Copyright 2007-2020 Eastern Metal Supply, Inc. HV™, BERTHA HV®, BERTHA® are all trademarks of Eastern Metal Supply, Inc. ASSAB is a trademark of the American Shutter Systems Association. All rights reserved.



EASTERN METAL SUPPLY

HURRICANE 13
02/17/22

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061



BERTHA HV® ACCORDION SHUTTER SAMPLES

BERTHA HV® ACCORDION KIT

HV-KIT

Includes Mini Sample;
Boxed 6" HV Blade 1
Components

SPECIAL ORDER HV-KIT3

Includes Mini Sample;
Boxed 6" HV Blade 3
Components



BERTHA HV® CENTERMATE SAMPLE

HV-SAMPLE

17" x 30"

Top Track:
1" Build-Out Header

Bottom Track:
Walkover

Centermate:
BERTHA HV® Centermate



BERTHA HV® "HEAVY DUTY" CENTERMATE SAMPLE

HD-SAMPLE

17" x 30"

Top Track:
1" Build-Out Header

Bottom Track:
Walkover

Centermate:
"HD" Centermate



BERTHA HV® "T-LOCK" CENTERMATE SAMPLE

SPECIAL ORDER

17" x 30"

HT-SAMPLE

Top Track:
1" Build-Out Header

Bottom Track:
Walkover

Centermate:
"T Lock" Centermate



BERTHA HV® ACCORDION SHUTTER RADIUS TRACK


HV® Accordion Shutter Radius Track

IN STOCK - HD Tracks Ceiling/Ceiling

52-COLOR-145	(Inside/HD) 45°	Color*
52-WH-190	(Inside/HD) 90°	White
52-MB-190	(Inside/HD) 90°	Bronze

*Available in White (WH), Ivory (IV), Beige (BG) and Bronze (MB)

Ideal for Large Balconies or Bay Windows
Covered under US Patents 5458179 and 6779585



SPECIAL ORDER - Call for more information

Custom Sizes & Lengths are Also Available

Available for HD™ Tracks and SHD™ Tracks (High Rise)

Track	Radius		HD Tracks Ceiling/Ceiling	Ceiling/Sill/Adaptor
HD	Inside	22.5°	52-COLOR-122	52-COLOR-522
HD	Inside	30°	52-COLOR-130	52-COLOR-530
HD	Inside	45°	52-COLOR-145	52-COLOR-545
HD	Inside	60°	52-COLOR-160	52-COLOR-560
HD	Inside	90°	52-COLOR-190	52-COLOR-590
HD	Outside	22.5°	52-COLOR-222	52-COLOR-622
HD	Outside	30°	52-COLOR-230	52-COLOR-630
HD	Outside	45°	52-COLOR-245	52-COLOR-645
HD	Outside	60°	52-COLOR-260	52-COLOR-660
HD	Outside	90°	52-COLOR-290	52-COLOR-690
SHD	Inside	22.5°	52-COLOR-322	52-COLOR-722
SHD	Inside	30°	52-COLOR-330	52-COLOR-730
SHD	Inside	45°	52-COLOR-345	52-COLOR-760
SHD	Inside	60°	52-COLOR-360	52-COLOR-772
SHD	Inside	90°	52-COLOR-390	52-COLOR-730
SHD	Outside	22.5°	52-COLOR-422	52-COLOR-822
SHD	Outside	30°	52-COLOR-430	52-COLOR-830
SHD	Outside	45°	52-COLOR-445	52-COLOR-845
SHD	Outside	60°	52-COLOR-460	52-COLOR-860
SHD	Outside	90°	52-COLOR-490	52-COLOR-890

Copyright 2007-2020 Eastern Metal Supply, Inc. HV™, BERTHA HV®, BERTHA® are all trademarks of Eastern Metal Supply, Inc. ASSA® is a trademark of the American Shutter Systems Association. All rights reserved.



EASTERN METAL SUPPLY




HURRICANE 16
03/06/22

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061



*****To Order Accordion Components Contact ALL POINTS Directly*****
1-800-226-5555 • info@allpointsscrew.com

HV Accordion Screws 14D275TUW4/HV 14 x 2-3/4" Long 14D175TUW4/HV 14 x 1-3/4" Long 10N275TUW4/HV 10 x 2-3/4" Long 	HV Bushings (boxes of 100) HVLONG1 Long White HVLONG2 Long Black HVSHORT1 Short White HVSHORT2 Short Black HVHAT1 Hat White Only 	HV Wheel Carriage WC10 
HV Push Button Lock LOHV/WH White LOHV/BZ Bronze LOHV/BE Beige LOHV/IV Ivory 	HV Egress Lock LOHVT/WH White LOHVT/BZ Bronze LOHVT/BE Beige LOHVT/IV Ivory LOHVT (cylinder only) 	HV Saltwater Lock & HV Thumbscrews HVPLATE - Stainless Steel Plate 31C100MTPB/HV Black Thumbscrew 31C100MTPW/HV White Thumbscrew 
HD Lock LOHRHB Hook Bolt Mortise Lock –SS LOBRCL Key cylinder – Brass/SS LOBRTT Thumb turn cylinder – brass/SS 	HV T-Handle Lock with J-Clip LO/WH White LO/BZ Bronze LO/IV Ivory LO/BE Beige J-Clip EA-J-CLIP 	HV Locking Pins Please specify 1/4-20 Stainless or 3/8-16 Nylon thumbscrew. 
HV Holdback Clip HVCLIP/BZ Black HVCLIP/WH White HVCLIPFC/WH White (for Flat Centermates) HVCLIPFC/BK Black (for Flat Centermates) 	HV 3/8 X 3/4 Acetel® Thumb Screw 37C75MTSN White 37C75MTSN/B Black please specify white or black 	