



Fence & Railing

We have an extensive stock of extrusions for the fabrication of Mechanical & Welded Railing as well as Glass & Cable Railing. We also carry railing channel, pipe brackets, square tube for pickets and an assortment of Castings to finish off any railing project.

• Mechanical Fence & Railing	pages 01-03
• Welded Railing	pages 04-06
• Dixie Cap Railing	pages 07
• Railing Channel	page 08
• Pipe & Wall Brackets	page 09
• Glass Railing	pages 10-17
• Glass Base Shoe	page 18
• Cable Railing	pages 19-20
• Castings	Castings 01-04

Proud
Members:




Mechanical Fence & Railing

Top Cap - HR-1

HR-1-WH	White x 20'
HR-1-BR	Bronze x 20'
HR-1-BR (MO)	MO Bronze x 20'
HR-1-MF (MO)	Mill Finish x 20'
HR-1-TB (MO)	Textured Black x 20'
52-63-5578	Black x 25'

mates with HR-2, HR-2C; 8 pc sub-bundles




Accepts Castings:

End Cap #75: [21-00-100](#)
Wall Mount #56: [21-00-187](#)

Top Cap - HR-8

HR-8-WH	White x 20'
HR-8-BR	Bronze x 20'

mates with HR-2, HR-2C; 4 pc sub-bundles




Accepts Castings:

End Cap #96: [21-00-131](#)
Wall Mount #63: [21-00-063](#)

Top Cap - HR-10

HR-10-WH	White x 20'
HR-10-BR	Bronze x 20'
HR-10-BK	Black x 20'

*mates with HR-11A;
6 pc sub-bundles*




Accepts Castings:

End Cap #34: [21-00-105](#)
Flat End Cap #34F: [52-00-147](#)
Wall Mount #13: [21-00-186](#)

Top Cap - HR-14

HR-14-WH	White x 20'
HR-14-BR	Bronze x 20'
HR-14-BK	Black x 20'

*mates with HR-2, HR-2C;
8 pc sub-bundles*




Accepts Castings:

End Cap #188: [21-00-114](#)
Wall Mount #62: [21-00-155](#)

Top Cap - HR-17

MILL ORDER HR-17-WH

*mates with HR-2, HR-2C;
6 pc sub-bundles*



EASTERN METAL SUPPLY


FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

RAILING & FENCE 01
09/19/22

www.easternmetal.com




Bottom Channel - HR-3
HR-3-WH White x 19' 6"
HR-3-BR Bronze x 19' 6"
HR-3-BR (MO) MO Bronze x 19' 6"
HR-3-BK Black x 19' 6"
HR-3-TB (MO) Textured Black x 19' 6"
HR-3-MF (MO) Mill Finish x 19' 6"
All mate with HR-2; 8 pc sub-bundles



Accepts Casting:

Wall Mount #54: 21-00-316


Snap Channel - HR-12
HR-12-WH White x 19' 6"
HR-12-BR Bronze x 19' 6"
HR-12-BK Black x 19' 6"
12 pc sub-bundles



Accepts Casting:

Wall Mount #39: 21-00-185


Bottom Channel - HR-12A x 19' 6"
HR-12A-BR Bronze - **CLOSEOUT**
12 pc sub-bundles
White available as a SPECIAL ORDER



Accepts Casting:

Wall Mount #68: 21-00-183


Bottom Channel - HR-12B
HR-12B-WH White x 19' 6"
HR-12B-BR Bronze x 19' 6"
HR-12B-BK Black x 19' 6"
12 pc sub-bundles




Accepts Casting:

Wall Mount #68: 21-00-183


Snap Plate HR-2
52-63-6147 White x 19' 6" (FL)
52-63-6149 Bronze x 19' 6" (FL)
HR-2-MF (MO) Mill Finish x 20'
HR-2-WH White x 21' 1"
HR-2-BR Bronze x 21' 1"
HR-2-BR (MO) MO Bronze x 21' 1"
HR-2-BK Black x 21' 1"
HR-2-TB (MO) Textured Black x 21' 1"
HR-2-WH-2 White x 23'
HR-2-BR-2 Bronze x 23'
HR-2-BK-2 Black x 23'
All mate with HR-1, 3, 4, 4A, 4C, 6, 7, 8, 14
12 pc sub-bundles




Snap Plate - HR-2C - CLOSEOUT
HR-2C-WH White x 20'
HR-2C-BK Black x 20'
All mate with HR-1, HR-3, HR-8, HR-14, HR-17; All use Pickets HR-5 and HR-13
10 pc sub-bundles




Snap Plate - HR-11A
HR-11A-WH White x 20'
HR-11A-BR Bronze x 20'
HR-11A-BK Black x 20'
All mate with HR-10; All use Pickets HR-5 and HR-13; 12 pc sub-bundles



Snap Plate - HR-15
HR-15-WH-1 White x 18' 6"
mates with HR-16; 16 pc sub-bundles




Snap Post - HR-4
52-63-6146 White x 19' 6"
52-63-6148 Bronze x 19' 6"
HR-4-WH White x 21' 1"
HR-4-BR Bronze x 21' 1"
HR-4-BK Black x 21' 1"
HR-4-WH-2 White x 23'
HR-4-BR-2 Bronze x 23'
HR-4-BK-2 Black x 23'
mates with HR-2
6 pc sub-bundles



Accepts Casting:

Floor Flange #40: 21-00-210

Snap Post - HR-4A
HR-4A-WH White x 21' 1"
HR-4A-BR Bronze x 21' 1"
HR-4A-BR (MO) MO Bronze x 21' 1"
HR-4A-TB (MO) Textured Black x 21' 1"
HR-4A-BK Black x 25'
mates with HR-2; 6 pc sub-bundles




Accepts Casting:

Floor Flange #50: 21-00-195





Floor Flange #50HD 21-00-196

Snap Post - HR-16
HR-16-WH-1 White x 18' 6"
mates with HR-15; 8 pc sub-bundles



Accepts Casting:

Floor Flange #42: 21-00-309

1" Picket - HR-5 200-WH-075 White x 19'10" 200-MB-075 Bronze x 19'10" HR-5-WH White x 23' HR-5-BR Bronze x 23' HR-5-BK Black x 23' 6" HR-5-TB (MO) Textured Black x 23' HR-5-MF (TX) Mill Finish x 23' 20 pc sub-bundles 	1" Oval Picket MILL ORDER - 52-63-12344 	3/4" Picket - HR-13 HR-13-WH-1 White x 19' 1" HR-13-BR-1 Bronze x 19' 1" HR-13-BK Black x 19' 1" HR-13-WH White x 22' 5" HR-13-BR Bronze x 22' 5" 20 pc sub-bundles 	3/4" Picket w/radius HR-13R (.120 Radius) HR-13R-WH20 White x 20' HR-13R-BR20 Bronze x 20' HR-13R-WH (MO) White x 24' HR-13R-BR (MO) Bronze x 24' HR-13R-TB (MO) Text Black x 24' 20 pc sub-bundles 	3/4" Spears 19-63-105PS1 .062 x 58" 19-63-105PS2 .062 x 70" 1" Spears 19-63-130PS1 .060 x 58" 19-63-130PS2 .060 x 70" 
---	---	--	--	---

Aluminum Posts & Pickets

Painted Square Tube - 6063-T6

Stock Code **Size in Inches** **Approx. Wt/Lin ft.**

19-WH-204	2 x .093 x 24' White	0.851
19-MB-204	2 x .093 x 24' Bronze	0.851
19-BK-204	2 x .093 x 24' Black	0.851
19-IV-300	2 x .125 x 24' Ivory	1.125
19-WH-305	2 x .125 x 24' 6" White	1.125
19-MB-305	2 x .125 x 24' 6" Bronze	1.125
19-BG-305	2 x .125 x 24' 6" Beige	1.125
19-COLOR-212	2 x .250 x 24' **	2.100

19-WH-003	3 x .093 x 24' White	1.298
19-MB-003	3 x .093 x 24' Bronze	1.298
19-63-231TB (MO)	3 x .093 x 24' Textured Black	1.298
200-WH-027	3 x .093 x 30' White	1.298
200-MB-027	3 x .093 x 30' Bronze	1.298
19-WH-225	3 x .125 x 20' White	1.726
19-WH-220	3 x .125 x 24' White	1.726
19-MB-235	3 x .125 x 24' Bronze	1.726
19-IV-235	3 x .125 x 24' Ivory	1.726
19-BG-235	3 x .125 x 24' Beige	1.726
19-BK-235	3 x .125 x 24' Black	1.726
19-COLOR-240	3 x .250 x 24' **	3.300
52-COLOR-4424	3.50 x .125 x 24' **	2.024

19-WH-245	4 x .125 x 20' White	2.325
19-WH-400	4 x .125 x 24' White	2.325
19-MB-246	4 x .125 x 24' Bronze	2.325
19-IV-400	4 x .125 x 24' Ivory	2.325
19-BG-400	4 x .125 x 24' Beige	2.325
19-BK-400	4 x .125 x 24' Black	2.325
200-WH-028	4 x .125 x 30' White	2.325
200-MB-028	4 x .125 x 30' Bronze	2.325
19-WH-2500	4 x .250 x 20' White	4.500
19-MB-2500	4 x .250 x 24' Bronze	4.500
19-IV-2500	4 x .250 x 24' Ivory	4.500
19-BG-2500	4 x .250 x 24' Beige	4.500
19-WH-2501	4 x .250 x 24' 6" White	4.500

3" Scalloped Square Tube

42-WH-003 (MO)	3" x 20' White	0.757
200-WH-017	3" x 24' White	0.757
200-MB-017	3" x 24' Bronze	0.757
200-WH-018	3" x 30' White	0.757
200-MB-018	3" x 30' Bronze	0.757

**COLOR - Available in White (WH), Bronze (MB), Ivory (IV), and Beige (BG)

Aluminum Woven Wire Mesh - **NEW!**

Alloy 1350 - H16

ID Size	Stock Code	Size in Inches	Approx. Wt/Sheet
2.00 ID	50-2X2WM-4896	.236 x 48 x 96	17.60
2.00 ID	50-2X2WM-48120	.236 x 48 x 120	21.78
1.75" ID; 2.25" OD			Alloy 1350 - H16 - CLOSEOUT!
50-WWM-4896	(MO)	.236 x 48 x 96	20.60



Woven Wire Mesh Framing Options

see **Stiffeners, Enclosures & Gates 11** for schematic

13-63-205	1/2 x 3/4 x 1/8 Channel x 20' (6063-T52)
60-00-205	MP-1A (1 x 1 x 24')
59-63-002 (TX)	MP-1A (1 x 1 x 24')


Hard-Rok 5 Gallon Bucket
61-00-007 Anchoring Cement
Contains no gypsum or chlorides;
Quick setting anchoring cement;



Quik Rok 5 Gallon Bucket
61-00-001 Anchoring Cement
NEVER to be used to anchor
balcony railing or any similar human
life safety structures




45° Post x 20' #2
52-63-2033 wt/ft: 1.041
Wall: .085/.150 6061-T6




16 oz Touch Up Spray Paint

Stock Code	Color
35-00-100	White
35-00-100G	White Gloss
35-00-105	Bronze
35-00-105G	Bronze Gloss
35-00-110	Ivory Gloss
35-00-115 (TX)	Beige
35-00-115G	Beige Gloss
35-00-120	Black
35-00-120G	Black Gloss

Mechanical Railing - HR-1 Schematic





ADDITIONAL MECHANICAL RAILING EXTRUSIONS AND CASTINGS ALSO AVAILABLE




www.easternmetal.com • info@easternmetal.com v 11/23

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

Mechanical Railing - HR-10 Schematic




ADDITIONAL MECHANICAL RAILING EXTRUSIONS AND CASTINGS ALSO AVAILABLE




www.easternmetal.com • info@easternmetal.com v 11/23

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

Mechanical Railing - HR-14 Schematic




ADDITIONAL MECHANICAL RAILING EXTRUSIONS AND CASTINGS ALSO AVAILABLE




www.easternmetal.com • info@easternmetal.com v 11/23

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

Mechanical Railing - Post to Post Schematic




ADDITIONAL MECHANICAL RAILING EXTRUSIONS AND CASTINGS ALSO AVAILABLE




www.easternmetal.com • info@easternmetal.com v 11/23

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

Mechanical Railing - Midrail Schematic





ADDITIONAL MECHANICAL RAILING EXTRUSIONS AND CASTINGS ALSO AVAILABLE




















www.easternmetal.com • info@easternmetal.com v 11/23









FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

CASTINGS

HR1 End Cap <u>21-DC-100</u> Die Cast	HR10 Flat End Cap <u>52-00-147</u> Sand Cast	HR14 End Cap <u>21-00-114</u> Sand Cast	Handicap Rail End Cap <u>21-DC-114</u> Die Cast	2-1/4" x 6" End Cap <u>21-00-150</u> Sand Cast																																		
																																						
Accepts: Top Cap - HR-1-COLOR	Accepts: Top Cap - <u>HR-10-COLOR</u>	Accepts: Top Cap - <u>HR-14-COLOR</u>	Accepts: Top Cap - <u>HR-14-COLOR</u>	Accepts: Top Cap - <u>28-63-260</u>																																		
2-5/8" x 1" End Cap <u>21-00-135</u> Die Cast	2-5/8" x 1-1/2" Flat End Cap <u>21-00-140F</u> Sand Cast	2-5/8" x 1-1/2" 5052 Flat End Cap <u>21-5052-140</u> <i>Fabricated from Aluminum Sheet</i>	3" Oval End Cap <u>21-00-000</u> Sand Cast	End Cap RW-29 2-5/8 x 1 Dixie End Cap <u>21-00-235</u> Sand Cast																																		
																																						
Accepts: Hollow Cap #129 - <u>28-63-210</u> Hollow Cap #130 - <u>28-63-200</u>	Accepts: Hollow Cap #135 - <u>28-63-215</u>	Accepts: Hollow Cap #135 - <u>28-63-215</u>	Accepts: Top Cap #147 - <u>28-63-267</u>	Accepts: Hollow Dixie Cap - <u>28-63-290</u>																																		
End Cap RW-30 2-5/8 x 1-1/2 Dixie Cap <u>21-00-245</u> Die Cast	Flat End Cap RW-30 2-5/8 x 1-1/2 Dixie Cap <u>21-00-245F</u> Sand Cast	3" Round 5052 Flat End Cap <u>21-5052-120</u> <i>Fabricated from Aluminum Sheet</i>																																				
																																						
Accepts: Hollow Dixie Cap - <u>28-63-295</u>	Accepts: Hollow Dixie Cap - <u>28-63-295</u>	Accepts: Top Cap #149 - <u>28-63-265</u>																																				
1-1/4" SCH 40 End Plug <u>21-00-180</u> Die Cast	1-1/2" SCH 40 End Plug <u>21-00-181</u> Sand Cast	SCH 40 Aluminum Pipe End Caps <table><tr><th>Mill Finish</th><th>Pipe Size</th></tr><tr><td>APC-100-MF</td><td>1</td></tr><tr><td>APC-125-MF</td><td>1-1/4</td></tr><tr><td>APC-150-MF</td><td>1-1/2</td></tr><tr><td>APC-200-MF</td><td>2</td></tr></table> <table><tr><th>Anodized</th><th>Pipe Size</th></tr><tr><td>APC-750</td><td>3/4</td></tr><tr><td>APC-100</td><td>1</td></tr><tr><td>APC-125</td><td>1-1/4</td></tr><tr><td>APC-150</td><td>1-1/2</td></tr><tr><td>APC-200</td><td>2</td></tr></table> 	Mill Finish	Pipe Size	APC-100-MF	1	APC-125-MF	1-1/4	APC-150-MF	1-1/2	APC-200-MF	2	Anodized	Pipe Size	APC-750	3/4	APC-100	1	APC-125	1-1/4	APC-150	1-1/2	APC-200	2	SCH 40 Aluminum Pipe Flat End Caps <table><tr><th>Mill Finish</th><th>Pipe Size</th></tr><tr><td>FEC-100-MF</td><td>1"</td></tr></table> 	Mill Finish	Pipe Size	FEC-100-MF	1"	SCH 40 Black Plastic End Caps <table><tr><th>Mill Finish</th><th>Pipe Size</th></tr><tr><td>RN1DBK1</td><td>3/4"</td></tr><tr><td>RN1-1/4DBK1</td><td>1"</td></tr><tr><td>RN1625DBK1</td><td>1-1/4"</td></tr></table> 	Mill Finish	Pipe Size	RN1DBK1	3/4"	RN1-1/4DBK1	1"	RN1625DBK1	1-1/4"
Mill Finish	Pipe Size																																					
APC-100-MF	1																																					
APC-125-MF	1-1/4																																					
APC-150-MF	1-1/2																																					
APC-200-MF	2																																					
Anodized	Pipe Size																																					
APC-750	3/4																																					
APC-100	1																																					
APC-125	1-1/4																																					
APC-150	1-1/2																																					
APC-200	2																																					
Mill Finish	Pipe Size																																					
FEC-100-MF	1"																																					
Mill Finish	Pipe Size																																					
RN1DBK1	3/4"																																					
RN1-1/4DBK1	1"																																					
RN1625DBK1	1-1/4"																																					


HR1 Wall Mount <u>21-00-187</u> Die Cast	HR3 Wall Mount <u>21-00-316</u> Die Cast	HR10 Wall Mount <u>21-00-186</u> Sand Cast	HR12 Wall Mount <u>21-00-185</u> Die Cast	HR12A Wall Mount <u>21-DC-183</u> Die Cast	
					
Accepts: Top Cap - HR-1-COLOR	Accepts: Bottom Channel - HR-3-COLOR	Accepts: Top Cap - <u>HR-10-COLOR</u>	Accepts: Snap Channel HR-12-COLOR	Accepts: Bottom Channel - HR-12A Bottom Channel - HR-12B Channel - 13-63-300	
HR14 Wall Mount <u>21-DC-155</u> Die Cast	2" x 1" Channel Wall Mount <u>21-00-190</u> Die Cast	2" x 1" Double Ear Channel Wall Mount <u>21-00-191</u> Die Cast	2" x 2" Wall Mount <u>21-00-266</u> Die Cast	2-1/4" x 4" Wall Mount <u>21-00-190W</u> Sand Cast with Radius	
					
Accepts: Top Cap - <u>HR-14-COLOR</u>	Accepts: Channel - 13-63-266 Channel - 13-63-267 Mid Rail Tube - 52-63-11317	Accepts: Channel - 13-63-266 Channel - 13-63-267 Mid Rail Tube - 52-63-11317	Accepts: HR4; 2 x 2	Accepts: Top Cap #140 - 28-63-256	
2-5/8" x 1" Wall Mount <u>21-00-302</u> Die Cast	2-5/8" x 1-1/2" Wall Mount <u>21-00-160</u> Sand Cast	2-5/8" x 1" Dixie Cap Wall Mount RW-29 <u>21-00-230</u> Sand Cast	2-5/8" x 1-1/2" Dixie Cap Wall Mount RW-30 <u>21-00-240</u> Sand Cast	3" Round Cap Wall Mount Special Order <u>21-00-1850</u> Sand Cast	
					
Accepts: Hollow Cap #129 - <u>28-63-210</u> Solid Cap #130 - <u>28-63-200</u>	Accepts: Top Cap #135 - 28-63-215	Accepts: Hollow Dixie Cap <u>28-63-290</u>	Accepts: Hollow Dixie Cap - 28-63-295	Accepts: Top Cap #149 - 28-63-265	
1-1/2" Square Floor Flange <u>21-00-3090</u> Sand Cast	2" Square Floor Flange <u>21-00-210</u> Sand Cast	2" Square Floor Flange <u>21-00-210TM</u> Sand Cast	HR #4A Floor Flange HD <u>21-DC-196</u> Die Cast	HR #4A Floor Flange Special Order <u>21-00-195</u> Sand Cast	1-1/4" SCH 40 Floor Flange <u>21-00-48</u> Sand Cast
					
Accepts: 1.5" Sq Tube; Snap Post <u>HR-16-WH-1</u>	Accepts: 2" Sq Tube; Snap Post <u>HR-4-COLOR</u>	Accepts: 2" Sq Tube; Snap Post <u>HR-4-COLOR</u>	Accepts: Snap Post <u>HR-4A-COLOR</u>	Accepts: Snap Post <u>HR-4A-COLOR</u>	Accepts: 1-1/4 SCH 40 Pipe 18-63-230
					
					Accepts: 1-1/4 SCH 40 Pipe 18-63-230



1-1/2" Square Post Cap <u>21-00-174</u> Die Cast 	2" Square Post Cap <u>21-00-175</u> Die Cast 	3" Flush Mount Square Post Cap (Inside Insert) <u>21-00-763</u> Sand Cast .125 Wall <i>Used with Universal Enclosure System</i> 	3" Square Post Cap <u>21-00-170</u> Die Cast 	3" Flat Pyramid Post Cap <u>21-FT-170</u> Die Cast 
4" Square Post Cap <u>51-00-137</u> Sand Cast 	4" Square Flat Top Pyramid Post Cap <u>51-FT-137</u> Die Cast 	5" Post Cap Casting <u>21-00-255</u> Sand Cast 6" Post Cap Casting <u>21-00-264</u> Sand Cast 	6" Flat Top Post Cap <u>21-FT-264</u> Die Cast 	4" Ball Top for 3" Post <u>21-00-410</u> Sand Cast <i>Round Base for Flag Post Outside Sleeve for 3" OD Post</i> 
2-1/4" Ball Top for 3" Post <u>21-00-097</u> Sand Cast <i>Outside Sleeve for 3" Post</i> 	2-1/4" Ball Top for 4" Post Special Order <u>21-00-355</u> Sand Cast <i>Outside Sleeve for 4" Post</i> 	4" Ball Post Cap <u>21-00-600</u> Sand Cast <i>Outside Sleeve for 4" Post</i> 	2" Ball Post Cap <u>21-00-139</u> Sand Cast <i>Outside Sleeve for 2" Post</i> 	
3/4" Spear <u>21-00-307</u> Die Cast 4.875" exposed height 0.750" insert depth 	1" Spear <u>21-00-444</u> Die Cast 4.875" exposed height 0.750" insert depth 	3/4" Spear (Round Top) <u>21-00-306</u> Die Cast 4.125" exposed height 0.680" insert depth 	1" Spear (Round Top) <u>21-00-325</u> Die Cast 4.50" exposed height 1.00" insert depth 	
Accepts: 3/4" x .063 Square Tube	Accepts: 1" x .063 Square Tube	Accepts: 3/4" x .063 Square Tube	Accepts: 1" x .063 Square Tube	

Decorative Aluminum Rings Castings

Die Cast

21-00-374 3-1/2" (2-3/4" ID)21-00-377 3-3/4" (2-3/4" ID)21-00-415 5" (3-7/8" ID)**4" Decorative Aluminum Ring
0.5" x .062" Formed from Extruded
Square Tube**21-00-380 (3.75 OD)21-00-375 (3.90 OD; 3" ID)**1" Deco Knot**21-00-1400 Die Cast**Bullet Rail End Cap**21-00-715**Hard-Rok****61-00-007**Contains no gypsum or chlorides; Quick setting
anchoring Cement;
5 Gallon Bucket**Quik Rok****61-00-001**Anchoring Cement;
**NEVER to be used to anchor balcony railing
or any similar human life safety structures**
5 Gallon Bucket**Mark 5 Gate Hinge**52-63-8793 (Heavy Duty)
with base plate**Mark 4 Gate Hinge**52-63-9150 (Heavy Duty)
without base plate**Gate Hinge Bearing**GATE-BEARING 1 piece
For use with Mark 4 and Mark 5 Gate Hinges