


2" x 3" Welded Enclosure System

2" x 3" Gate Frame x 24'

52-63-7983

Accepts 40-63-728, 40-63-727, 41-63-729




2" x 3" Gate Frame Mullion x 24'

52-63-14391

Horizontal Applications


Accepts 40-63-728, 40-63-727, 41-63-729



2" x 6" Gate Frame x 24'

52-63-14390


Accepts 40-63-728, 40-63-727, 41-63-729



0.938" x 3.5" Tongue & Groove Slat x 24'

40-63-728


self mating; Also mates with 40-63-727, 41-63-729; Fits 52-63-7983, 52-63-14391 & 52-63-14390



0.938" x 3.5" Tongue & Groove Slat x 24'

40-63-727


self mating; Also mates with 40-63-727, 41-63-729; Fits 52-63-7983, 52-63-14391 & 52-63-14390



0.938" x 6" Tongue & Groove Slat x 24'

41-63-729

self mating; Also mates with 40-63-727, 41-63-729; Fits 52-63-7983, 52-63-14391 & 52-63-14390





ALSO AVAILABLE:

1" x 4" Tongue & Groove Slat x 21'

52-63-7686

self mating

Fits 52-63-7983, 52-63-14390, 52-63-14391



Features and Benefits:

- Sturdy Self-Mating & Interlocking panels (see reverse)
- Versatile products give a variety of fabrication options
- Tongue & Groove System can be used for total privacy
- Can mix multiple width slats to achieve unique designs

Applications:

- Commercial Dumpsters
- Industrial Air Conditioning Enclosures
- Residential or Commercial Gates and Fencing

Screw receivers can be utilized for different applications.

1/2" Corner Molding x 12'
52-63-13545



Gate Hinge (Heavy Duty)

52-63-8793 Mark 5*

(with base plate)

52-63-9150 Mark 4

(without base plate)




*up to 800 lb load

3" Universal Enclosure System - Insert Panels

0.938" x 3.5" Tongue & Groove Starter x 24'

40-63-728

Mates with 40-63-727, 41-63-729;
Fits 3" Universal Post & Panel/Enclosure System
Also fits 2 x 3 Rectangular Frame




0.938" x 3.5" Tongue & Groove Slat x 24'

40-63-727

SELF MATING

Also mates with 40-63-728, 41-63-729;
Fits 3" Universal Post & Panel/Enclosure System
Also fits 2 x 3 Rectangular Frame




0.938" x 6" Tongue & Groove Slat x 24'

41-63-729

SELF MATING

Also mates with 40-63-727, 40-63-728;
Fits 3" Universal Post & Panel/Enclosure System
Also fits 2 x 3 Rectangular Frame




1" x 4" Tongue & Groove Slat x 21'

52-63-7686

SELF MATING

Fits 3" Universal Post & Panel/Enclosure System
Also fits 2 x 3 Rectangular Frame




Vented Wall Panel x 16'6"

65-63-100

SELF MATING

Pre-punched for air circulation
Fits 3" Universal Post & Panel/Enclosure System
Also fits 2 x 3 Rectangular Frame




2" Fixed Bahama Triple Blade x 12'

41-63-700

SELF MATING

Fits 3" Universal Post & Panel/Enclosure System
Also fits 2 x 3 Rectangular Frame




3" Radius Tube x 24'

40-63-722

6063 T6 M/F

Fits 3" Universal Post & Panel/Enclosure System
Also fits 2 x 3 Rectangular Frame




4" Radius Tube x 24'

40-63-724

6063 T6 M/F

Fits 3" Universal Post & Panel/Enclosure System
Also fits 2 x 3 Rectangular Frame




5" Radius Tube x 24'

40-63-723

6063 T6 M/F


Fits 3" Universal Post & Panel/Enclosure System
Also fits 2 x 3 Rectangular Frame



5" Shadow Box Panel x 24'

56-63-905

Fits 3" Universal Post & Panel/Enclosure System
Also fits 2 x 3 Rectangular Frame




6" Hardy Plank x 24'

40-63-729

SELF MATING

Fits 3" Universal Post & Panel/Enclosure System
Also fits 2 x 3 Rectangular Frame



ENDECK PVC Decking - 1" x 5.5"

Cedar

Chestnut

Sequoia

Coastal Grey

Ashwood

Slate

Beechwood

Olivewood

Aluminum Woven Wire Mesh - NEW!

Typical Uses: Railing Projects • Parking Garages
Security Cages • Decorative Screening & More!

2.00" ID (2.50" OD) Alloy 1350 - H16

Stock Code **Size in Inches** **Approx. Wt/Sheet**

50-2X2WM-4896 .236 x 48 x 96 17.60

50-2X2WM-48120 .236 x 48 x 120 21.78

Framing Options:


13-63-205 1/2 x 3/4 x 1/8 Channel x 20'

60-00-205 MP-1A (1 x 1 x 24')

59-63-002 (TX) MP-1A (1 x 1 x 24')



2 x 2 x .80 Corner Key inserted into MP-1A mechanically fastened



Wire Mesh Framed out with 1" MP-1A



Wire Mesh Framed out with 1" MP-1A and inserted into 3" Universal Enclosure Post



VALUE ADDED SERVICES • SOLUTIONS • EXPERIENCE • INVENTORY • CREATIVITY • ASSURANCE • OPPORTUNITIES

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061




Welded Enclosure/Fence & Gate Systems; Privacy & Sound Barriers

Multi-slat .938 Tongue and Groove System

2" x 3" Gate Frame x 24'

52-63-7983

Accepts 40-63-728, 40-63-727, 41-63-729




2" x 3" Gate Frame Mullion x 24'

52-63-14391

Horizontal Applications


Accepts 40-63-728, 40-63-727, 41-63-729



2" x 6" Gate Frame x 24'

52-63-14390

Accepts 40-63-728, 40-63-727, 41-63-729




0.938" x 3.5" Tongue & Groove Slat x 24'

40-63-728

self mating; Also mates with 40-63-727

41-63-729; Fits 52-63-7983, 52-63-14391 & 52-63-14390




0.938" x 3.5" Tongue & Groove Slat x 24'

40-63-727

self mating; Also mates with 40-63-727

41-63-729; Fits 52-63-7983, 52-63-14391 & 52-63-14390




0.938" x 6" Tongue & Groove Slat x 24'

41-63-729

self mating; Also mates with

40-63-727, 41-63-729; Fits 52-63-7983, 52-63-14391 & 52-63-14390





ALSO AVAILABLE:

1" x 4" Tongue & Groove Slat x 21'

52-63-7686

self mating

Fits 52-63-7983, 52-63-14390, 52-63-14391



Features and Benefits:


- Sturdy Self-Mating & Interlocking panels
- Versatile products give a variety of fabrication options
- Tongue & Groove System can be used for total privacy
- Can mix multiple width slats to achieve unique designs

Applications:

- Commercial Dumpster Enclosures
- Industrial Air Conditioning Enclosures
- 1• Residential or Commercial Gates and Fencing

Screw receivers can be utilized for different applications.

1/2" Corner Molding x 12'
52-63-13545



Gate Hinge (Heavy Duty)

52-63-8793 Mark 5*
(with base plate)
52-63-9150 Mark 4
(without base plate)



*up to 800 lb load


Welded Enclosure/Fence & Gate Systems; Privacy & Sound Barriers

Self Mating Vented Slat System

2" x 3" Gate Frame x 24'

52-63-7983

Accepts: 65-63-100




2" x 3" Gate Frame Mullion x 24'

52-63-14391

Horizontal Applications


Accepts 65-63-100



2" x 6" Gate Frame x 24'

52-63-14390


Accepts 65-63-100



Vented Wall Panel x 16'6" Mill Finish

65-63-100 self mating

Fits 52-63-7983 & 52-63-14390, 52-63-14391




Features and Benefits:

- Sturdy Self-Mating & Interlocking panels
- Versatile products give a variety of fabrication options
- Vented System utilizes pre-punched vents to allow air flow

Applications:

- Commercial Dumpster Enclosures
- Industrial Air Conditioning Enclosures
- Residential or Commercial Gates and Fencing

Screw receivers can be utilized for different applications.



1/2" Corner Molding x 12'
52-63-13545



Gate Hinge (Heavy Duty)

52-63-8793 Mark 5*

(with base plate)

52-63-9150 Mark 4

(without base plate)



*up to 800 lb load

Welded Enclosure/Fence & Gate Systems; Privacy & Sound Barriers

Radius Tube System 3", 4" or 5" slats

2" x 3" Gate Frame x 24'

52-63-7983


Accepts

40-63-722

40-63-724

40-63-723

56-63-905



2" x 3" Gate Frame Mullion x 24'


52-63-14391

Horizontal Applications

Accepts 40-63-722

40-63-724, 40-63-723

56-63-905



2" x 6" Gate Frame x 24'

52-63-14390


Accepts

40-63-722

40-63-724

40-63-723

56-63-905




3" Radius Tube x 24'

40-63-722

6063 T6 M/F

Fits 52-63-7983, 52-63-14390, 52-63-14391




4" Radius Tube x 24'

40-63-724

6063 T6 M/F

Fits 52-63-7983, 52-63-14390, 52-63-14391




5" Radius Tube x 24'

40-63-723

6063 T6 M/F

Fits 52-63-7983, 52-63-14390, 52-63-14391





End Cap x 20'

1-1/4 x 1-1/4 x 1/8 x 20' Architectural Channel

13-63-230

6063 T5 M/F



Features and Benefits:


- Versatile products give a variety of fabrication options
- Radius Tube System utilizes spacing to create views and air flow
- System utilizes same slats as EMS Board & Batten Colonial Shutter

Applications:

- Commercial Dumpster Enclosures
- Industrial Air Conditioning Enclosures
- Residential or Commercial Gates & Fencing
- Screw receivers can be utilized for different applications.

1/2" Corner Molding x 12'

52-63-13545




5" Shadow Box Panel x 24'

ALSO AVAILABLE!

56-63-905

Fits 52-63-7983 &

52-63-14358



Gate Hinge (Heavy Duty)

52-63-8793 Mark 5*

(with base plate)

52-63-9150 Mark 4

(without base plate)

*up to 800 lb load



Welded Enclosure/Fence & Gate Systems; Privacy & Sound Barriers


Self Mating Hardy Board System

2" x 3" Gate Frame x 24'

52-63-7983

Accepts 40-63-729

41-63-700




2" x 3" Gate Frame Mullion x 24'

52-63-14391

Horizontal Applications

Accepts 40-63-729


41-63-700



2" x 6" Gate Frame x 24'

52-63-14390

Accepts 40-63-729 & 41-63-700





6" Hardy Plank x 24'

40-63-729

self mating

Fits 52-63-7983, 52-63-14390, 52-63-14391



Features and Benefits:

- Ability to match existing structure's siding
- Sturdy Self-Mating & Interlocking panels

Applications:


- Commercial Dumpster Enclosures • Industrial Air Conditioning Enclosures
- Residential or Commercial Gates and Fencing

ALSO AVAILABLE: 2" Fixed Bahama Triple Blade x 12'


41-63-700

self mating; Mill Finish

Fits 52-63-7983 & 52-63-14358



1/2" Corner Molding x 12'
52-63-13545



Gate Hinge (Heavy Duty)

52-63-8793 Mark 5*

(with base plate)

52-63-9150 Mark 4

(without base plate)



*up to 800 lb load


Aluminum Woven Wire Mesh - **NEW!**

2.00" ID; 2.50" OD Alloy 1350 - H16;

Stock Code	Size in Inches	Approx. Wt/Sheet
50-2X2WM-4896	.236 x 48 x 96	17.60
50-2X2WM-48120	.236 x 48 x 120	21.78
1.75" ID; 2.50" OD Alloy 1350 - H16; - CLOSEOUT!		
50-WWM-4896 (MO)	.236 x 48 x 96	20.60

Typical Uses:

Railing Projects • Parking Garages
Security Cages • Decorative Screening




Framing Options:

13-63-205	1/2 x 3/4 x 1/8 Channel x 20'
60-00-205	MP-1A (1 x 1 x 24')
59-63-002 (TX)	MP-1A (1 x 1 x 24')

2 x 2 Angle cut down to 0.800 can be used as
Corner Key for Mechanical Installations



Wire Mesh
Framed
out with
1" MP-1A




Wire Mesh Framed out with 1" MP-1A and
inserted into 3" Universal Enclosure; Can be
used in the 2 x 3 Welded Enclosure as well

1.25" Aluminum Blade Lattice System - **NEW!**

Prefabricated and Ready for Assembly


1.25" Blade x 12'

prefabbed
holes 3.25" OC
LATTICE-834



1" x 1" x .125"

Channel x 12'
13-63-220
Accepts assembled lattice



Black Plastic

Grommet
GROMMET1
(bags of 200)



Typical Uses:

Lattice applications • Trellis & Pergolas • Security Cages • Decorative
Screening

Framing Options:

Blades can be framed out using a 1" x 1" x .125 Channel (13-63-220)
which can be inserted into the 3" Universal and the 2" x 3" Welded
Enclosure Systems and 2 x 3 Welded Enclosure Systems (pic at far right).

