




Welded Railing

2-5/8" Hollow Cap x 25' 10" - 129

28-63-210 wt/ft: 0.573

accepts 3/4" Picket with 2" Post; Mates w/#133



Accepts Castings:


End Cap #28: 21-00-135

Wall Mount #52: 21-00-302

2-5/8" Solid Cap x 25' 10" - 130

28-63-200 wt/ft: 0.530

accepts 3/4" Picket w/2" Post; Mates w/#133



Accepts Castings:


End Cap #28: 21-00-135

Wall Mount #52: 21-00-302

Outside Sleeve x 20' - 133

28-63-220 wt/ft: 0.732


mates with #129 and #130



2" x 1" Hollow Cap x 20' - 131

28-63-275 wt/ft: 0.437

accepts 3/4" Picket with 1-1/2" Post



Accepts Castings:


End Cap #261: MILL ORDER - 21-00-330

Wall Mount #329: MILL ORDER

3" Oval Top Cap x 25' - 147

28-63-267 wt/ft: 0.635

accepts 3/4" Picket with 2" Post; Mates w/#147




Accepts Castings:


Wall Mount: MILL ORDER: 21-00-19

Outside Sleeve for 3" Oval Top Cap 148


Mill Order **52-63-8767** wt/ft: 0.941

mates with #147





2-5/8" Hollow Cap x 25' 10" 135**28-63-215 wt/ft: 0.670**accepts 3/4" and 1" Pickets with 2" Post;
Mates w/ #136 and #137**Accepts Castings:**End Cap #18: 21-00-140, Flat End Cap #18F:
21-00-140F; 5052 Flat End Cap: 21-5052-140
Wall Mount #271: 21-00-160**2-5/8" Inner Splice x 10' 136****28-63-208 wt/ft: 0.344**




mates with #135 (28-63-215)

**2-5/8" Outside Sleeve x 20' 137****28-63-225 wt/ft: 0.840**



mates with #135 (28-63-215)







**4 x 2 Oval Top Cap x 24' - 152****28-63-285 wt/ft: 1.172**accepts 3/4" Picket ; accepts 1-1/2"
and 2" Post**Accepts Castings:**End Cap #167: MILL ORDER - 21-00-313
Wall Mount #680: MILL ORDER - 21-00-680**4 x 2 Inner Splice x 12'****52-63-13204 wt/ft: 0.655**

mates with #152 (28-63-285)

**Top Cap x 24' - 139****28-63-255 wt/ft: 1.477**(less radius)
accepts 3/4" Picket
with 2" Post**Accepts Castings:**End Cap #14: 21-00-146
Wall Mount #24: 21-00-165**Top Cap x 24' - 140****28-63-256 wt/ft: 1.274**(more radius)
accepts 3/4" Picket
with 2" Post**Accepts Castings:**End Cap #70: 21-00-145
Wall Mount #190W: 21-00-190W**Top Cap x 24' - 144****MILL ORDER 28-63-260****wt/ft: 1.740**

accepts 3/4" Picket & 2" Post


**3" Round Top Cap x 24' - 149****28-63-265 wt/ft: 1.001**accepts 3/4" and 1" Pickets
& 2" Post; mates with
#150 and #151**Accepts Castings:**End Cap #97 21-00-120, 5052 Flat End
Cap: 21-5052-120
Wall Mount #185: 21-00-1850

Inside Sleeve x 10' 40-63-701 <i>mates with #149</i> 150 wt/ft: 0.718 	Outside Sleeve x 10' 28-63-263 <i>mates with #149</i> 151 wt/ft: 1.042 	3" Round Top Cap - Heavy Wall MILL ORDER - 52-63-12353 wt/ft: 1.489 <i>accepts 3/4" Picket & 2" Post; mates with 52-63-12354</i>  3.000 Accepts Castings: End Cap #97 21-00-120, 5052 Flat End Cap: 21-5052-120 Wall Mount #185: 21-00-1850
2-1/2" Colonial Top Rail x 20' 28-63-063 (DE) wt/ft: 0.600 Wood Style <i>Accepts 3/4" Picket</i>  2.500 1.250	2-1/4" Colonial Bottom Channel x 20' 28-63-062 (DE) wt/ft: 0.557 Wood Style  2.250 1.500	Inside Sleeve for 3" Round Top Cap MILL ORDER 52-63-12354 wt/ft: 0.690 <i>mates with MILL ORDER 52-63-12353</i> 
2" x 1.120" Colonial Top Rail x 20' 7849-10 (NC/DE) wt/ft: 0.584 Wood Style <i>Accepts 1" Picket</i>  2.000 1.120	3" x 1.535" Colonial Top Rail x 20' 28-63-305 (NC) wt/ft: 0.878 Wood Style <i>Accepts 1" Picket</i>  3.000 1.535	Handicap Grip Rail x 20' - 132 52-63-1641 wt/ft: 0.665 <i>accepts 3/4" Picket with 1-1/4" Post</i>  1.500 1.218 Accepts Castings: End Cap #294 21-00-294


Welded Railing: Dixie Caps




Dixie Cap x 20' - 154
28-63-100 wt/ft: 0.516
 accepts 1" & 1-1/4" Channels




Dixie Cap x 20'
28-63-103 wt/ft: 0.786
 accepts 1" & 1-1/4" Channel




Dixie Cap x 20' - 158
28-63-230 wt/ft: 1.180
 accepts 1-1/4" & 1-1/2" Channels




Dixie Cap x 20' - 155
28-63-105 wt/ft: 0.413
 accepts 1-1/2" Channel




Dixie Cap x 20' - 156
28-63-110 wt/ft: 0.668
 accepts 1", 1-1/4" & 1-1/2" Channel



2-1/4" Dixie Cap x 20'
28-63-111 wt/ft: 0.722
 with screw boss; accepts 1-1/2" Channel




2-5/8" x 1" Hollow Dixie Cap x 25' 10"
28-63-290 wt/ft: 0.558
 accepts 3/4" & 1" Pickets; 2 x 7/16" Channel; 2" Post
 mates with 28-63-291




Accepts Castings:
 End Cap #RW-29: 21-00-235
 Wall Mount #RW-29: 21-00-230

2-5/8" x 1-1/2" Hollow Dixie Cap x 25' 10"
28-63-295 wt/ft: 0.569
 accepts 3/4" & 1" Pickets; 2 x 7/16" Channel; 2" Post; mates with 28-63-296




Accepts Castings:
 End Cap #RW-30: 21-00-245
 Wall Mount #RW-30: 21-00-240













Outside Sleeve x 20'
28-63-291 wt/ft: 0.500
 mates with 28-63-290



Outside Sleeve x 20'
28-63-296 wt/ft: 0.571
 mates with 28-63-295



Railing Channel

1.5 x 1 (.093/.056) Railing Channel x 25' 13-63-300 wt/ft: 0.332 6063-T5 Receives .750 picket; Mates with 13-63-305  Accepts Casting: Wall Mount HR-12A #68: 21-00-183	1.75 x .75 (.093/.062) Railing Channel x 24' 13-63-264 wt/ft: 0.330 6063-T5 Receives .750 picket; 	2 x 1 (.093/.056) Railing Channel x 25' 13-63-266 wt/ft: 0.395 6063-T5 Receives .750 picket; Mates with 13-63-227 	2 x 1 (.090/.056) Railing Channel x 25' 13-63-267 wt/ft: 0.395 6063-T5 Receives 1" picket; Mates with 13-63-227  Accepts Casting: Wall Mount #15: 21-00-190
1.5" Railing Channel Cover Plate x 20' 13-63-305 wt/ft: 0.146 6063-T5 Mates with 13-63-300 	2" Railing Channel Cover Plate x 16' 13-63-227 wt/ft: 0.175 6063-T5 Mates with 13-63-266 & 13-63-267 	2 x 7/16 x .093 Railing Channel x 25' 2" 13-63-261 wt/ft: 0.294 6063-T5 No Legs 	2 x .75 (.125/.093) Railing Channel x 23' 10" 13-63-262 wt/ft: 0.440 6063-T5 No Legs 
2 x 1 x .125 Channel x 20' 13-63-265 13-63-274 x 24' wt/ft: 0.563 6063-T5 	2 x 1 Mid Rail Tube x 24' 52-63-11317 wt/ft: 0.858 6063-T52  Accepts Casting: Wall Mount #15: 21-00-190	2.252 x 1.280 Outside Sleeve x 12' 52-63-4808 wt/ft: 0.562 6063-T6 Sleeves 2 x 1 Channel and Rectangular Tube 	2 x 2 x .125 Channel x 20' 13-63-272 wt/ft: 0.861 6063-T5 

Pre-Punched Arch Aluminum Railing Channel (Mill Finish 6063-T6)

Stock Code	Size in Inches	Picket
13-63-26620P*	2 x 1 x .093/.056 x 20'	3/4"
13-63-265P	2 x 1 x .125 x 20' (6063 T5)	3/4"






3.75" spacing between holes inside edge to inside edge

13-63-26720P*	2 x 1 x .093/.056 x 20'	1"
13-63-274PP	2 x 1 x .125 x 24'	1"

*with welding legs **for pickets with radius corners


Stairwell Punched Channels (Mill Finish 6063-T6)

13-63-26620SWP	2 x 1 x .093/.056 x 20'	3/4"
13-63-265SWP1	2 x 1 x .125 x 20' (6063 T5)	3/4"
13-63-26720SWP	2 x 1 x .093/.056 x 20'	1"
13-63-265SWP2	2 x 1 x .125 x 20' (6063 T5)	1"



Picket Spears (Mill Finish 6063-T52)

19-63-105PS1	3/4 x .062 x 58"	3/4" & 1" Spears
19-63-105PS2	3/4 x .062 x 70"	
19-63-130PS1	1 x .060 x 58"	
19-63-130PS2	1 x .060 x 70"	



3.75 Decorative Aluminum Rings Casting
21-00-377

Custom sizes and hole locations available as **SPECIAL ORDER**

Mill Order Items: Not in Stock - Custom Sizes & Lengths Available Minimum Order Required



EASTERN METAL SUPPLY







RAILING & FENCE 08
02/02/24

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061



Pipe Brackets (See Standards 23-24 for full selection of Pipe)

	2.25" x 3.875" Centerline Projected Pipe Bracket x 16' 31-63-135 163 wt/ft: 1.940 	2.50" x 3.875" Centerline Projected Pipe Bracket x 16' 31-63-120 162 wt/ft: 2.012 																																									
2.875" x 3.50" Centerline Projected Pipe Bracket x 16' <u>31-63-105</u> 160 wt/ft: 1.853 	2.50" x 4.375" Centerline Projected Pipe Bracket x 16' <u>31-63-140</u> 164 wt/ft: 2.154 	3.080" x 3.875" Centerline Projected Pipe Bracket x 16' 31-61-145 165 wt/ft: 2.1815 	3.125" x 4.375" Centerline Projected Pipe Bracket x 12' <u>31-61-150</u> wt/ft: 2.264 <i>Meets NFPA 101 Life Safety Code</i> 																																								
Grip Rail Polished & Anodized <table><tr><th>Stock Code</th><th>Length</th></tr><tr><td>GR-12</td><td>12"</td></tr><tr><td>GR-14</td><td>14"</td></tr><tr><td>GR-18</td><td>18"</td></tr><tr><td>GR-24</td><td>24"</td></tr><tr><td>GR-36</td><td>36"</td></tr></table> 	Stock Code	Length	GR-12	12"	GR-14	14"	GR-18	18"	GR-24	24"	GR-36	36"	Grip Rail Mill Finish <table><tr><th>Stock Code</th><th>Length</th></tr><tr><td>GRM-12</td><td>12"</td></tr><tr><td>GRM-14</td><td>14"</td></tr><tr><td>GRM-18</td><td>18"</td></tr><tr><td>GRM-24</td><td>24"</td></tr><tr><td>GRM-36</td><td>36"</td></tr></table> 	Stock Code	Length	GRM-12	12"	GRM-14	14"	GRM-18	18"	GRM-24	24"	GRM-36	36"	Mark 5 Gate Hinge* 52-63-8793 (Heavy Duty) with base plate *up to 800 lb load 	Mark 4 Gate Hinge 52-63-9150 (Heavy Duty) without base plate 	Gate Hinge Bearing GATE-BEARING 1 piece For use with Mark 4 and Mark 5 Gate Hinges 															
Stock Code	Length																																										
GR-12	12"																																										
GR-14	14"																																										
GR-18	18"																																										
GR-24	24"																																										
GR-36	36"																																										
Stock Code	Length																																										
GRM-12	12"																																										
GRM-14	14"																																										
GRM-18	18"																																										
GRM-24	24"																																										
GRM-36	36"																																										
SCH 40 Aluminum Pipe End Caps <table><tr><th>Mill Finish</th><th>Pipe Size</th></tr><tr><td><u>APC-100-MF</u></td><td>1</td></tr><tr><td><u>APC-125-MF</u></td><td>1-1/4</td></tr><tr><td><u>APC-150-MF</u></td><td>1-1/2</td></tr><tr><td><u>APC-200-MF</u></td><td>2</td></tr></table>  <table><tr><th>Anodized</th><th>Pipe Size</th></tr><tr><td>APC-750</td><td>3/4</td></tr><tr><td><u>APC-100</u></td><td>1</td></tr><tr><td>APC-125</td><td>1-1/4</td></tr><tr><td><u>APC-150</u></td><td>1-1/2</td></tr><tr><td>APC-200</td><td>2</td></tr></table>  Black Plastic <table><tr><td><u>RN1-1/4DBK1</u></td><td>1</td></tr></table> 		Mill Finish	Pipe Size	<u>APC-100-MF</u>	1	<u>APC-125-MF</u>	1-1/4	<u>APC-150-MF</u>	1-1/2	<u>APC-200-MF</u>	2	Anodized	Pipe Size	APC-750	3/4	<u>APC-100</u>	1	APC-125	1-1/4	<u>APC-150</u>	1-1/2	APC-200	2	<u>RN1-1/4DBK1</u>	1	SCH 40 Pipe x 24' - T4 Temper (for bending) <table><tr><th>Stock Code</th><th>Size in Inches</th></tr><tr><td>18-63-231</td><td>1-1/4 x 1.660 OD x 1.380 ID x .140 Wall</td></tr><tr><td><u>18-T4-500</u></td><td>1-1/2 x 1.900 OD x 1.610 ID x .145 Wall</td></tr></table> Many other Pipe sizes, Alloys & Temper are Available Pipe Inserts (6063-T52) <table><tr><td>18-63-259</td><td>1-1/4</td><td>SCH 40 x 10'</td></tr><tr><td>18-63-260</td><td>1-1/2</td><td>SCH 40 x 10'</td></tr><tr><td><u>51-00-051</u></td><td>1-3/8</td><td>Serrated Tube x 20' (insert for 1-1/4 pipe)</td></tr></table> SCH 40 Inserts  Serrated Insert 			Stock Code	Size in Inches	18-63-231	1-1/4 x 1.660 OD x 1.380 ID x .140 Wall	<u>18-T4-500</u>	1-1/2 x 1.900 OD x 1.610 ID x .145 Wall	18-63-259	1-1/4	SCH 40 x 10'	18-63-260	1-1/2	SCH 40 x 10'	<u>51-00-051</u>	1-3/8	Serrated Tube x 20' (insert for 1-1/4 pipe)
Mill Finish	Pipe Size																																										
<u>APC-100-MF</u>	1																																										
<u>APC-125-MF</u>	1-1/4																																										
<u>APC-150-MF</u>	1-1/2																																										
<u>APC-200-MF</u>	2																																										
Anodized	Pipe Size																																										
APC-750	3/4																																										
<u>APC-100</u>	1																																										
APC-125	1-1/4																																										
<u>APC-150</u>	1-1/2																																										
APC-200	2																																										
<u>RN1-1/4DBK1</u>	1																																										
Stock Code	Size in Inches																																										
18-63-231	1-1/4 x 1.660 OD x 1.380 ID x .140 Wall																																										
<u>18-T4-500</u>	1-1/2 x 1.900 OD x 1.610 ID x .145 Wall																																										
18-63-259	1-1/4	SCH 40 x 10'																																									
18-63-260	1-1/2	SCH 40 x 10'																																									
<u>51-00-051</u>	1-3/8	Serrated Tube x 20' (insert for 1-1/4 pipe)																																									