



RAILING & GLASS




GLASS RAILING POST SYSTEMS

- Centerline
- Offset
- Centerline & Offset Railing Accessories
- EMS AGR System
- 316SS / 2205SS

60" ROOFTOP CENTERLINE GLASS RAILING

3.5" POST SYSTEM

Mechanical/ Welded Combo. Accepts 7/16" and 9/16" Glass. Tested & Engineered System.




NOW OFFERING:
CARDINAL GLASS!
Formore information:
glass@easternmetal.com

Engineering available
by request

OFFSET GLASS RAILING

2.5" POST SYSTEM

Mechanical/ Welded Combo. Accepts 7/16" and 9/16" Glass. Tested & Engineered System.



NOW OFFERING:
CARDINAL GLASS!
Formore information:
glass@easternmetal.com

Engineering available
by request

EAGR SYSTEM PRE-FABRICATED ALUMINUM GLASS RAIL




36"
Guardrail Post


42"
Guardrail Post

**Posts quoted on
project by project.**
Please provide a drawing
with measurements.


Aluminum Glass Rail DIY – Tube & Components for Post Fabrication (MILL Finish Only) & EMS AGR – Top/Hand Rail Components (Powder Coating Available)




Tube - 24' Sticks
UPC: 52-61-1520
2 x .250 (6061-T6-w/.250 Radius)
END/Corner Post



**ACR Fixed Flat Top Post
Corner Saddle-Alum**
UPC: 68-FCS-093
2" x 2"




Tube
UPC: 20-63-227
1 x 2 x .093 (w/radius) —
24' Stick
Powder Color 20-63-227-XXX*
Replace XXX with 3-digit code
on Pg. 22



**ACR Handrail Tap
Connector-Alum**
UPC: 68-80-093
1.99" x 0.99" x 3/32"



**ACR Adjustable Flat Top
Post Saddle-Alum**
UPC: 68-AFS-093
2" x 2"




**ZINC Raw
(Sold in packs of 4)**
UPC: Z-SQF-42




**ACR Rectangular
Corner Connector
90 Degree-Alum**
UPC: 68-90-093
1.99" x 0.99" x 3/32"
Powder Color 68-90-093-XXX*
Replace XXX with 3-digit code
on Pg. 22



**2" x 1" Double Ear
Channel Wall Mount**
UPC: 21-00-191
Die cast
Powder Color 21-00-191-XXX*
Replace XXX with 3-digit code
on Pg. 22




**ACR 5x5x
Aluminum Flange**
UPC: 68-55-093
5" x 5"




**PIN-42
(Sold in packs of 4)**
UPC: PIN-42




**ACR Adjustable Elbow
Connector Male-Alum**
UPC: 68-90-A93
1.99" x 0.99" x 3/32"
Powder Color 68-90-A93-XXX*
Replace XXX with 3-digit code
on Pg. 22



**ACR Flange Canopy
-Alum**
UPC: 68-55-C93
5" x 5"



**Glass Grips Rubbers
(Sold in packs of 8)**
UPC: R-425
1/2" mono 12mm
UPC: R-425L
1/2" laminated 12.76mm
UPC: R-424
3/8" mono 10mm




ACR Flat End Cap-Alum
UPC: 68-50-093
1.99" x 0.99" x 3/32"
Powder Color 68-50-093-XXX*
Replace XXX with 3-digit code
on Pg. 22




316SS PRE-FABRICATED GLASS RAIL POSTS & PRE-FABRICATED CABLE RAILING

1.5" & 2" Square (All posts come as pictured - completely fabricated - etc.)




Posts quoted on project by project.
Please provide a drawing with measurements.


1.67 Round Posts



36" Standard 42" Guardrail




4 Post Positions Available




FRAMELESS/BASE SHOE SYSTEMS

SMART Base Shoe
PRIME Base Shoe
MAX Base Shoe


Frameless & Base Shoe Options



SMART/PRIME/MAX
Shoe Top Mount




SMART/PRIME/MAX
Fascia Shoe



SMART/PRIME/MAX
Fascia Cladding -
Brushed Anodized 20'




SMART/PRIME/MAX
Glass Spacer Rubber 8.2'



SMART/PRIME/MAX
Top Mount Corner



SMART/PRIME/MAX
Fascia Mounted End Caps



SMART/PRIME/MAX
Q-Disc Kit for 20'



410SS Red Head
Anchor Bolts - 100pk



A. B.
SMART/PRIME/MAX
Top Mounted End Caps



SMART/PRIME/MAX
Fascia Stair End Caps



Disc Tool



520 Various
Size Shim Kit

ALUMINUM & 2205SS DUPLEX CAP RAIL

Glass Cap Rail - Fitting & Wall Brackets

Round Cap Rail Fittings – 2205SS Duplex Satin Finish (316SS Substitute)



Round Cap Rail
x 16.4' (Stainless)
UPC: 68-CR-T6




90° Conn - 2pk
UPC: 68-FE-C6



Adj Down
Connector - 2pk
UPC: 68-CR-D66



Adj Up Connector - 2pk
UPC: 68-CR-U66



Connector - 2pk
UPC: 68-TC-C6



End Cap - 2pk
UPC: 68-CR-EC6



Wall Flange - 2pk
UPC: 68-CR-WF6




Rubber for Cap Rail
x 16.4'
205-50-11: 1/2" - 9/16" Glass
205-50-17: 5/8" - 11/16" Glass
205-50-22: 13/16" - 27/32" Glass


Square Cap Rail Fittings – 2205SS Duplex Satin Finish (316SS Substitute)



Square Cap Rail
x 16.4' (Stainless)
UPC: 68-SQ-CAP



90° Conn - 2pk
UPC: 68-90-SQC



Up & Down
Adj Connector - 2pk
UPC: 68-CR-DSQ



Connector - 2pk
UPC: 68-TC-CSQ



End Cap - 2pk
UPC: 68-SQ-EC



Wall Flange - 2pk
UPC: 68-CR-WFSQ




Rubber for Cap Rail
x 16.4'
205-50-11: 1/2" - 9/16" Glass
205-50-17: 5/8" - 11/16" Glass
205-50-22: 13/16" - 27/32" Glass

2205SS Duplex Glass Cap Rail



Edge Protection
x 10' (Stainless)




U-Profile
x 10' (Stainless)




Rubber for
Cap Rail x 16.4'


Aluminum Cap Rail Options



U-Profile x 16.4'
(Brush Anodized
Aluminum)



1.66" Round
Cap Rail x 16.4'
(Aluminum)




End Cap
(Aluminum)



Rubber for
Cap Rail x 16.4'

STANDOFFS, BASE CLAMPS, & GLASS GRIPS

Standoffs & Base Clamps
Glass Grips.....



Standoff Glass Holder

68-ST-30	H 1- 3/16"	1/2"-1" (12-25.52mm) Glass
68-ST-40	H 1- 9/16"	5/16"-1" (8-25.52mm) Glass
68-ST-50	H 1- 31/32"	5/16"-1" (8-25.52mm) Glass

*3/8" (M10) bolt needed for mounting




C Spanner Tool

UPC: 77-ST-TL
For Standoff Glass Holder




Base Clamp (2205SS)

UPC: 68-SPV (25.S)-FAE
Adjustable for easy leveling and
glass aligning
1/2" - 11/16" glass thickness




Glass Grips (316SS)

UPC: 68-SQF-42
Sold in packs of 4



Glass Grips (ZINC Raw)


UPC: Z-SQF-42
Sold in packs of 4



Glass Grips Rubbers


Sold in packs of 8

R-425 1/2" Mono 12mm
R-425L 1/2" Laminated 12.76mm
R-424 3/8" Mono 10mm



PIN-42

UPC: PIN-42
Sold in packs of 4




Glass Grips (316SS)

UPC: 68-SQF-24
Sold in packs of 4



Glass Grips Rubbers

UPC: R-249
Sold in packs of 8
9/16" Laminated 13.52mm



PIN-24

UPC: PIN-24
Sold in packs of 4

Additional products available. Ask your representative.



CABLE RAIL


EMS ACR System
316SS Pre-Fabricated 1.5" & 2" Cable Rail Square Posts
316SS Cable Kits & Components

EMS ALUMINUM CABLE RAIL SYSTEM – DIY Post – (MILL Finish Only)




Pre-Fabricated Floor Mounted Cable Posts

ALL POSTS – .250 wall with radius edges.
Posts will be fabricated on order and require fabrication time.
Stair posts will be drilled at 34°.



Tube - 24' Sticks

UPC: 52-61-1520
2 x .250 (6061-T6-w/.250 Radius)
END/Corner Post




ACR Flange Canopy -Alum

UPC: 68-55-C93
5" x 5"




ACR Adjustable Flat Top Post Saddle-Alum

UPC: 68-AFS-093
2" x 2"



ACR 5x5x Aluminum Flange


UPC: 68-55-093
5" x 5"



ACR Fixed Flat Top Post Corner Saddle-Alum


UPC: 68-FCS-093
2" x 2"

EMS ACR – Top/Hand Rail Components (Powder Coating Available)




Tube

UPC: 20-63-227
1 x 2 x .093 (w/radius) —
24' Stick
Powder Color 20-63-227-XXX*
Replace XXX with 3-digit code on Pg. 56



ACR Handrail Tap Connector-Alum

UPC: 68-80-093
1.99" x 0.99" x 3/32"



ACR Rectangular Corner Connector 90 Degree-Alum

UPC: 68-90-093
1.99" x 0.99" x 3/32"
Powder Color 68-90-093-XXX*
Replace XXX with 3-digit code on Pg. 56




2" x 1" Double Ear Channel Wall Mount

UPC: 21-00-191
Die cast
Powder Color 21-00-191-XXX*
Replace XXX with 3-digit code on Pg. 56



ACR Adjustable Elbow Connector Male-Alum

UPC: 68-90-A93
1.99" x 0.99" x 3/32"
Powder Color 68-90-A93-XXX*
Replace XXX with 3-digit code on Pg. 56



ACR Flat End Cap-Alum

UPC: 68-50-093
1.99" x 0.99" x 3/32"
Powder Color 68-50-093-XXX*
Replace XXX with 3-digit code on Pg. 56



316SS CABLE KITS AND COMPONENTS



Cable Kits

1/8" kits and 3/16" kits available.



Cable Release Tools

Cable release tools for 1/8" and 3/16" cable kits available.



Stair Washers

1/8" & 3/16" (34-degree angle)

Also Available:
Cable Railing, Glass Railing, Glass Base Shoe, Welded & Mechanical Railing Systems, Enclosures, ENDECK PVC Decking & More!



Individual Fittings

Pull Lock Fitting

Stud

Tension Fitting



Individual Fittings

1/8" and 3/16" available.

Straight/Stair Lag – Wood Swedgeless Cable Fittings

1/8" or 3/16" anchor or tensioning wood lag fittings.

Lag Bolt Fitting Drive Socket

316SS Protective Sleeve - 12pk

Formed protective sleeve

Cable Spools 1x19 316SS

1/8" and 3/16" available.

2205SS DUPLEX TUBE/HANDRAIL AND ACCESSORIES

1-1/2" Tubing


68-10-081	8.2"
68-10-161	16.4"

Tube Tap Connector - 2pk

68-80-001



90° Soft Elbow - 2pk
UPC: 68-91-001



90° Elbow - 2pk
UPC: 68-90-001




Adj Connector - 2pk
UPC: 68-90-A01



Wall Flange - 2pk
UPC: 68-05-WF1



Adj Wall Flange - 2pk
UPC: 68-A-WF1



Blind Wall Flange - 2pk
UPC: 68-00-WF1



Bevel Endcap - 2pk
UPC: 68-5R-001



LG Bevel Endcap - 2pk
UPC: 68-50-001



Radius Wall Return - 2pk
UPC: 68-ES-01



Wall Bracket - 2pk
UPC: 68-03-AW31





Wall Bracket - 2pk
UPC: 68-03-AW01

60 x 20 (2.36"x.78") Tubing


68-10-082	8.2"
68-10-162	16.4"

60 x 20 Tube Tap Connector - 2pk


68-80-002




Adj Connector - 2pk
UPC: 68-90-A62



90° Connector - 2pk
UPC: 68-90-062



Flat Endcap - 2pk
UPC: 68-50-002



Blind Wall Flange - 2pk
UPC: 68-00-WF2




316SS Saddle Bracket
Machine Screws - 50pk
UPC: 68-00-111



Hanger Bolt
for Wall Bracket - 50pk
UPC: 68-00-086



CHECK OUT OUR OTHER PRODUCTS



DELIVERING MORE

FL • NC • TX • MO • DE • GA • OH • LA • IN
www.easternmetal.com • endeck.com