


Boat Trailer Aluminum I-Beam - FULL SIZE

Size in Inches (E x M x S / A) - 6061-T6 Full Radius

4 x 3 x .285 / .170 16-64-205 x 18' 6" 16-64-207 x 20'	2.774 #/ft 51.319 #/pc 55.480 #/pc	7 x 4.5 x .380 / .230 16-64-255 x 28' 16-64-259 x 31'	5.499 #/ft 153.97 #/pc 170.47 #/pc
6 x 4 x .350 / .210 16-64-240 x 25' 16-64-245 x 28'	4.681 #/ft 117.00 #/pc 131.04 #/pc	10 x 6 x .500 / .290 16-64-330 x 40' 16-64-340 x 45'	10.286 #/ft 411.44 #/pc 462.87 #/pc
8 x 5 x .410 / .250 16-64-300 x 30' 16-64-308 x 32' 16-64-310 x 35' 52-61-1711 x 37' 16-64-320 x 40' 52-61-1436 x 45'	7.020 #/ft 210.60 #/pc 224.64 #/pc 245.70 #/pc 259.74 #/pc 280.80 #/pc 315.90 #/pc	12 x 7 x .620/.310 16-64-445 x 45' 16-64-450 x 50' 16-64-455 x 55'	14.098 #/ft 634.41 #/pc 704.90 #/pc 775.39 #/pc



Boat Trailer Aluminum I-Beam - HALF SIZE

Size in Inches (E x M x S / A) - 6061-T6 Full Radius

3.5 x 2.5 x .25 / .15 52-61-4205B x 18' 6" 52-61-2489B x 25'	2.033 #/ft 37.611 #/pc 50.825 #/pc	3.570 x 3 x .260/.175 MILL ORDER x 16' 16-61-307 (NC)	2.478 #/ft 39.648 #/pc
4.5 x 3 x .260/.175 16-61-289 x 13' 16-61-290 x 14' 16-61-295 x 15' 16-61-300 x 16' 16-61-308 x 17' 16-61-310 x 18' 16-61-320 x 18' 6" 16-61-325 x 19' (TX) 16-61-330 x 20' 16-61-335 x 21' 16-61-340 x 22' 16-61-345 x 30'	2.713 #/ft 35.269 #/pc 37.982 #/pc 40.695 #/pc 43.408 #/pc 46.121 #/pc 48.834 #/pc 50.191 #/pc 51.547 #/pc 54.260 #/pc 56.973 #/pc 59.686 #/pc 81.39 #/pc	5.5 x 3.5 x .280/.195 16-61-380 x 16' 16-61-390 x 18' 16-61-395 x 19' 16-61-400 x 20' 16-61-410 x 21' 16-61-415 x 22' 16-61-420 x 23' 16-61-430 x 25' 16-61-435 x 30'	3.524 #/ft 56.384 #/pc 63.432 #/pc 66.956 #/pc 70.480 #/pc 74.004 #/pc 77.528 #/pc 81.052 #/pc 88.100 #/pc 105.72 #/pc
6.5 x 4 x .310/.220 52-61-4587 x 19' 16-61-490 x 20' 16-61-495 x 21' 16-61-500 x 22' 16-61-510 x 23' 16-61-520 x 25' 16-61-525 x 26' 16-61-530 x 27' 16-61-535 x 28' 16-61-540 x 30'	4.561 #/ft 86.659 #/pc 91.220 #/pc 95.781 #/pc 100.342 #/pc 104.903 #/pc 114.025 #/pc 118.586 #/pc 123.147 #/pc 127.708 #/pc 136.830 #/pc	7.5 x 4.375 x .350/.230 16-61-600 x 25' 16-61-605 x 26' 52-61-1379 x 27' 16-61-608 x 28' 16-61-610 x 30' 16-61-620 x 32' 52-61-1339 x 33' 16-61-630 x 35' 16-61-635 x 38'	5.584 #/ft 139.600 #/pc 145.184 #/pc 150.768 #/pc 156.352 #/pc 167.520 #/pc 178.688 #/pc 184.272 #/pc 195.440 #/pc 212.192 #/pc



I-Beam Tie Strap (7/16" holes)

52-63-9356	8-1/2 x 2 x 1/4
52-63-9355	7-3/4 x 2 x 1/4
52-63-9354	6-3/4 x 2 x 1/4
Special Order	5-7/8 x 2 x 1/4

Miscellaneous Fender Brackets
& Tie Plate Spacers are available upon
request

Items marked as MILL ORDER
are non stock but available.
Product codes listed on MILL ORDER
items are for die reference only.
Customer must specify
length, alloy & temper.



EASTERN METAL SUPPLY

STANDARDS 26
06/06/23

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061



Boat Trailer Components

Structural Channel (Aluminum Association - 6061-T6)

Stock Code	Size in Inches	Appr. Wt/Lin ft
13-61-562	8 x 3-3/4 x .410 /.250 (x 32')	5.787
13-61-564	8 x 3-3/4 x .410 /.250 (x 40')	5.787
13-61-571	10 x 3-1/2 x .410 /.250 (x 40')	6.136
13-61-572	10 x 3-1/2 x .410 /.250 (x 45')	6.136
13-61-580	12 x 4 x .470 /.290 (x 50')	8.274

Radius Rectangular Tube - 6061-T6

52-61-1045	1-1/2 x 1/4 x 18'	1.461
20-61-279	2 x 3 x 1/4 x 24'	2.636
52-61-1040	2.45 x 1/4 x 18'	2.640

3" x 3" Straight Cross Members 6061-T6

52-61-749	3 x 3/16 x 18'	2.502
52-61-750	3 x 1/4 x 18'	3.204
52-61-778C	3 x 1/4 x 52-1/2"	3.204
52-61-779	3 x 1/4 x 59-1/2"	3.204
52-61-778A	3 x 1/4 x 71-1/2"	3.204
52-61-778B	3 x 1/4 x 79-1/2"	3.204

3" x 3" Straight Cross Members (6063-T6 for bending)

Available in various lengths and cuts, mitre or straight, for Mill Order quantities

52-63-8188	3 x 3/16 x 25' (.188 radius)	2.502
MILL ORDER	3 x 1/4 x 60" (w/19° Ends - 6061 T6) 52-61-1359	3.204
51-63-897	3 x 1/4 x 18' 3"	3.204
52-63-8441	3 x 1/4 x 25'	3.204

3" x 3" x 3/16" Bent Cross Members (6063-T6) - NEW!

90° End Cut, 2-3/4" depth bend

275-188-59	3 x 3/16 x 59"
275-188-72	3 x 3/16 x 72"
275-188-80	3 x 3/16 x 80"
275-188-100	3 x 3/16 x 100"

6063-T6 for bending
2-3/4" depth



3" x 3" x 1/4" Bent Cross Members (6063-T6)

90° End Cut, 2-3/4" depth bend

275-90-59	3 x 1/4 x 59"
275-90-72	3 x 1/4 x 72"
275-90-80	3 x 1/4 x 80"
275-90-100	3 x 1/4 x 100"
275-90-104	3 x 1/4 x 104"

6063-T6 for bending
3-1/2" depth
19° end cut

19° End Cut, 3-1/2" depth bend; pre-drilled

350-19-63	3 x 1/4 x 63"
350-19-72.5	3 x 1/4 x 72-1/2"
350-19-80.5	3 x 1/4 x 80-1/2"




Grip Rail - NEW!

Stock Code	Description
GR-12	12" Polished & Anodized
GR-14	14" Polished & Anodized
GR-18	18" Polished & Anodized
GR-24	24" Polished & Anodized
GR-36	36" Polished & Anodized



Grip Rails


GRM-12	12" Mill Finish
GRM-14	14" Mill Finish
GRM-18	18" Mill Finish
GRM-24	24" Mill Finish
GRM-36	36" Mill Finish



Cross Members (Straight & Bent)


Double Hollow x 24'

1-00-007 6061 T6 Mill Finish
3 x 3 x .188/.140
0-24" Tongue Projection:
Max Load: 225 lbs
25-30" Tongue Projection:
Max Load: 150 lbs




Standard Double Hollow/Tongue x 24'

52-61-3817 6005A T61 Mill Finish
3 x 4 x .200/.150
0-24" Tongue Projection:
Max Load: 400 lbs
25-30" Tongue Projection:
Max Load: 275 lbs




Standard Double Hollow/Tongue x 24'

52-61-3815 6005A T61 Mill Finish
3 x 5 x .260/.180
0-24" Tongue Projection:
Max Load: 750 lbs
25-30" Tongue Projection:
Max Load: 600 lbs



Heavy Double Hollow/Tongue x 24'

52-61-3816 6005A T61 Mill Finish
3 x 5 x .325/.180
6005A T61 Mill Finish
0-24" Tongue Projection:
Max Load: 850 lbs
25-30" Tongue Projection:
Max Load: 675 lbs



Items marked as MILL ORDER are non stock but available.
Product codes listed on MILL ORDER items are for die reference only.
Customer must specify length, alloy & temper.



EASTERN METAL SUPPLY








STANDARDS 27
08/18/22

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061



BOAT TRAILERS - Bunks, Pads, End Caps & Brackets

4" Universal Bunk 6063-T6 Mill Finish (Flat, 19°, 24°, 28°) 40-63-2716 x 6' 40-63-2718 x 8' 40-63-27112 x 12' 40-63-271 x 24' Prefabbed with Bunk Pad 40-63-271F x 6' 40-63-271F8 x 8' 40-63-271F12 x 12'	8" Universal Bunk 6063-T6 Mill Finish (Flat, 19°, 24°, 28°) 40-63-280 x 10' 40-63-273 x 12' 40-63-274 x 14' 40-63-276 x 16' 40-63-275 x 24' Prefabbed with Bunk Pad 40-63-270F x 8' 40-63-280F x 10' 40-63-273F x 12' 40-63-274F x 14' 40-63-276F x 16'	10" Universal Bunk 6063-T6 Mill Finish (Flat, 19°, 24°, 28°) 40-63-282 x 10' 40-63-281 x 12' 40-63-279 x 14' 40-63-277 x 16' 40-63-278 x 24' Prefabbed with Bunk Pad 40-63-2816F x 6' - NEW! 40-63-278F8 x 8' 40-63-282F x 10' 40-63-281F x 12' 40-63-279F x 14' 40-63-277F x 16' 40-63-283F x 18'	10" HD Universal Bunk 6005A-T61 Mill Finish (Flat, 19°, 24°, 28°) 40-05-277 x 16' 40-05-278 x 24' Prefabbed with Bunk Pad 40-05-277F x 16'		
					
Universal Bunk Pad x 12' 2" - NEW! HDPE Special 40-HDPE-0516 x 16' 40-HDPE-0520 x 20' For Boat Trailers Only 	Universal Bunk Pad End Caps UNVBUNK Left and Right Universal Bunk End Caps Black Nylon 	2 x 4 Flat Bunk COMING SOON 1-00-003 6005A-T61 Mill Finish For Boat Trailers & Lifts Accepts #8 SS Flat Head Screws 	2 x 4 Flat Bunk End Cap COMING SOON 	2 x 4 Flat Bunk Pad COMING SOON HDPE Special 40-HDPE-2416 x 16' 40-HDPE-2420 x 20' For Boat Trailers Only Can be used with 2 x 4 Wood as well! 	Flat Bunk Mounting Kit Channel - NEW! For Boat Trailers Only 
Adjustable Bunk Bracket with 4 Holes Accepts 2" Sq. Tube 52-61-0025 x 5" 52-61-002 x 12' 3" 	.300 x 5" Bunk Bracket Angle 40-63-430 2 x 2-1/2 40-63-225 2 x 5-3/4 40-63-220 2 x 8 40-63-218 2 x 10 .375 x 5" Bunk Bracket Angle 40-63-212 2.5 x 12 For Boat Trailers Only 	2 x 6 Flat Bunk x 24' 2" - NEW! 1-00-001 6005A-T61 Mill Finish For Boat Trailers & Lifts Accepts #8 SS Flat Head Screws 	2 x 6 Flat Bunk End Cap COMING SOON 	2 x 6 Flat Bunk Pad x 12' - NEW! HDPE Special 40-HDPE-2616 x 16' 40-HDPE-2620 x 20' For Boat Trailers Only Can be used with 2 x 6 Wood as well! 	Flat Bunk Mounting Kit Square Tube - NEW! For Boat Trailers Only 

Fenders - Single, Tandem and Triple Axle

.100 Tread Brite

	Size in Inches		
Single Axle	(Width x Tip-to-Tip x Height)	Wheel Size	
50-00-027571EZ	8 x 31.5 x 14	13"/14"	
50-00-306	9 x 28-1/2 x 13-3/4	13"/14"	
50-00-302+	9 x 31 x 15+	13"/14"	
50-00-308	9 x 33-1/4 x 17-1/2	13"/14"	
50-00-303	10 x 31 x 16	14"/15"	
Tandem Axle			
50-00-309	9 x 60 x 15 (14" Radius)	13"/14"	
50-00-304	9 x 62 x 14 (14" Radius)	13"/14"	
50-00-311*	10 x 64 x 13 (12-1/2" Radius)*	14"/15"/16"	
	<i>*2 oblong holes to attach to knurled step pad</i>		
50-00-311NH**	10 x 64 x 13 (12-1/2" Radius)**	14"/15"/16"	
	**NO HOLES		
50-00-310+	10 x 68 x 16 (14-1/2" Radius)+	14"/15"/16"	
	<i>+ Also available with sharper side radius</i>		
50-00-403	10 x 72 x 18	14"/15"/16"	
Triple Axle			
50-00-312	10 x 103 x 18 (15" Radius)	14"/15"/16"	
50-00-412	10 x 110 x 18 (15" Radius)	14"/15"/16"	
Tear Drop			
50-TD-309	9 x 60 x 15 (14" Radius)	13"/14"	
50-TD-310	10 x 68 x 16 (14" Radius)	14"/15"/16"	
Jeep Style			
50-00-501	10 x 32 x 14	13"/14"	
50-00-502	10 x 68 x 16	13"/14"	
50-00-403J	10 x 72 x 18	14"/15"/16"	
50-00-312J	10 x 103 x 18	14"/15"/16"	

Tear Drop Conversion Insert (Tread Brite)

50-00-600 Tear Drop conversion insert for 9"/10" Tandem/Triple Fenders

Angled Step Pads (for use with Round Fenders above):

Stock Code	Size in Inches	Approx. Wt/Lin ft	
52-61-2814	4 x 1-1/2 x 15"	1.375	
16-61-800	4 x 1-1/2 x 12'	1.375	
52-61-1857* (TX)	4 x 1-1/2 x 25'	1.538	<i>*with 3rd Leg/Stiffener</i>

90° Knurled Step Pads (for use with Jeep Style

Box Type Fenders & some Round Fenders):


16-61-900	4 x 2 x 13"	1.591
16-61-905	4 x 2 x 15"	1.591
16-61-955	4 x 2 x 15' 5"	1.591

Guide Poles - Single, Tandem and Triple Axle


52-63-9962	1-1/2" x 1/8" x 66" Sq. Tube w/Radius; w/Welded Tab (33" height from tab)
52-63-9963	1-1/2" x 1/8" x 88" Sq. Tube w/Radius; w/Welded Tab (55" height from tab)




Single Axle Fender



Tandem Axle Fender



Tri-Axle Fender



Tear Drop Fender



Tandem Jeep Style Fender




Tear Drop Conversion Insert
(Tread Brite)



Turn your standard 9"/10"
Double/Triple Axle Fender into
Tear Drop Fenders



Angled Step Pad



Angled Step Pad
3rd Leg Stiffener



90° Knurled
Step Pad



Guide Pole with Welded Tab

Miscellaneous Fender Brackets & Tie Plate
Spacers Available Upon Request

Items marked as MILL ORDER are non stock but available. Product codes listed on MILL ORDER items are for die reference only. Customer must specify length, alloy & temper.



EASTERN METAL SUPPLY

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

STANDARDS 29
04/26/23


www.easternmetal.com



Aluminum Boat Lift Extrusions

Structural I-Beam - Aluminum Association

6061-T6 x 25' Stock Code	Size in Inches (E x M x S / T1)	Approx. Wt/Lin ft.
MILL ORDER	3.00 x 2.50 x .20 / .13 (16-61-2001 NC)	1.637
16-61-205	3.00 x 2.50 x .26 / .15	2.030
16-61-210	4.00 x 3.00 x .23 / .15	2.331
52-61-3219	4.00 x 3.00 x .29 / .17	2.793
16-61-220	5.00 x 3.50 x .32 / .19 (25')	3.700
16-61-225	6.00 x 4.00 x .29 / .19	4.030
52-61-2036	6.00 x 4.00 x .35 / .21 (11')	4.700
16-61-230	6.00 x 4.00 x .35 / .21	4.700
25-61-599	Pulley Ear Bracket x 12' (6005; for 6 x 4 I-Beams)	
16-61-235	7.00 x 4.50 x .38 / .23	5.800
52-61-1700	8.00 x 5.00 x .35 / .23 (12' 6")	6.307
16-61-240	8.00 x 5.00 x .35 / .23	6.307
52-61-2026	8.00 x 5.00 x .41 / .25 (12' 6")	7.023
52-61-775	8.00 x 5.00 x .41 / .25	7.023
52-61-4255	8.00 x 5.00 x .41 / .25 (26')	7.023
52-61-791	8.00 x 5.00 x .41 / .25 (30')	7.023
52-61-4409	8.00 x 5.00 x .41 / .25 (32')	7.023
52-61-2312	8.00 x 5.00 x .41 / .25 (40')	7.023
25-61-600	Pulley Ear Bracket x 12' (6005; for 8 x 5 I-Beams)	
16-61-262	9.00 x 5.50 x .44 / .27	8.360
52-61-3121	10.00 x 6.00 x .41 / .25 (14')	8.646
52-61-1408	10.00 x 6.00 x .41 / .25 (16')	8.646
16-61-263	10.00 x 6.00 x .41 / .25 (25')	8.646
16-61-264	10.00 x 6.00 x .41 / .25 (28')	8.646
16-61-265	10.00 x 6.00 x .41 / .25 (32')	8.646
52-61-911	10.00 x 6.00 x .50 / .29 (25')	10.286
52-61-1410	10.00 x 6.00 x .50 / .29 (32')	10.286
52-61-1389	10.00 x 6.00 x .50 / .29 (40')	10.286
25-61-601	Pulley Ear Bracket x 12' (6005; for 10 x 6 I-Beams)	
52-61-2382	12.00 x 7.00 x .47 / .29	11.672
52-61-1171	12.00 x 7.00 x .62 / .31 (20')	14.292
52-61-1855	12.00 x 7.00 x .62 / .31	14.292
52-61-2301	12.00 x 7.00 x .62 / .31 (32')	14.292
52-61-2872	12.00 x 7.00 x .62 / .31 (40')	14.292
16-61-266	12.00 x 7.00 x .62 / .31 (50')	14.292
16-61-270 - NEW!	14.00 x 8.00 x .60 / .30 (30')	15.967



Structural Channel - Aluminum Association (continued)

13-61-560	8 x 3 x .350 / .190	4.147
52-61-4329	8 x 3 x .350 / .190 (40')	4.147
52-61-1707	8 x 3.75 x .410 / .250 (x 14' 9")	5.787
13-61-561	8 x 3.75 x .410 / .250 (15')	5.787
52-61-1503	8 x 3.75 x .410 / .250 (x 16' 9")	5.787
13-61-563	8 x 3.75 x .410 / .250	5.787
13-61-562	8 x 3.75 x .410 / .250 (32')	5.787
13-61-564	8 x 3-3/4 x .410 / .250 (40')	5.787
MILL ORDER	9 x 3.25 x .350 / .230 (13-61-585 - NC)	4.983
MILL ORDER	9 x 4 x .440 / .240 (13-61-590 - NC)	6.970
13-61-571	10 x 3.5 x .410 / .250 (40')	6.136
13-61-572	10 x 3.5 x .410 / .250 (45')	6.136
MILL ORDER	10 x 4-1/4 x .500 / .310 (52-61-2272)	8.360
MILL ORDER	12 x 4 x .470 / .290 (13-61-580 - TX)	8.274
MILL ORDER	12 x 5 x .620 / .350 (51-61-107)	11.822

Structural Channel - American Standard








6061-T6 x 25' Stock Code	(E x M x S) Size in Inches	Approx. Wt/Lin ft.
13-61-200	3 x 1.41 x .170	1.417
13-61-205	3 x 1.498 x .258	1.729
13-61-210	3 x 1.596 x .356	2.074
13-61-215	4 x 1.58 x .180	1.846
13-61-220 (TX)	4 x 1.647 x .247	2.161
13-61-216	4 x 1.72 x .320	2.504
13-61-230	5 x 1.75 x .190	2.316
13-61-235	5 x 1.885 x .325	3.108
MILL ORDER 52-61-802	5 x 2.032 x .472	3.975
13-61-245	6 x 1.920 x .200	2.826
13-61-250 (NC)	6 x 1.945 x .225	3.002
52-61-1080	6 x 2.034 x .314	3.631
MILL ORDER 52-61-419	6 x 2.157 x .437	4.498
MILL ORDER 13-61-265 (NC)	7 x 2.110 x .230	3.541
MILL ORDER 52-61-4138	7 x 2.194 x .314	4.232
13-61-275	8 x 2.29 x .250	4.252
MILL ORDER 13-61-280 (NC)	8 x 2.343 x .303	4.951
MILL ORDER 13-61-285 (NC)	8 x 2.435 x .395	5.617
13-61-290	8 x 2.527 x .487	6.484
MILL ORDER	9 x 2.43 x .230	4.604
MILL ORDER 13-61-668 (NC)	9 x 2.648 x .448	6.911
13-61-310	10 x 2.6 x .240	5.278
MILL ORDER 52-61-561	10 x 2.739 x .379	6.915
13-61-320	10 x 2.886 x .526	8.641
13-61-325	12 x 2.960 x .300	7.415
52-61-455	12 x 3.047 x .387	8.644
MILL ORDER 52-61-420	12 x 3.17 x .510	10.374
MILL ORDER 52-61-025	15 x 3.40 x .400	11.708

Structural Channel - Aluminum Association

6061-T6 x 25' Stock Code	Size in Inches (E x M x S / F)	Approx. Wt/Lin ft.
13-61-500	2 x 1 x .130 / .130	0.577
13-61-503	2 x 1.25 x .260 / .170 (20')	1.071
13-61-510	3 x 1.50 x .200 / .130	1.135
13-61-515	3 x 1.75 x .260 / .170	1.597
13-61-520	4 x 2 x .230 / .150	1.738
13-61-525	4 x 2.25 x .290 / .190	2.331
52-61-3728	5 x 2.25 x .260 / .150 (x 12' 9")	2.212
52-61-440	5 x 2.25 x .150 / .260 (20')	2.212
13-61-530	5 x 2.25 x .260 / .150	2.212
13-61-535	5 x 2.75 x .320 / .190	3.089
13-61-540	6 x 2.50 x .290 / .170	2.834
52-61-3427	6 x 2.50 x .290 / .170 (x 12' 6")	2.834
13-61-541	6 x 2.50 x .290 / .170 (14' 6")	2.834
52-61-3729	6 x 3.25 x .350 / .210 (x 12' 9")	4.030
13-61-545	6 x 3.25 x .350 / .210	4.030
13-61-575	7 x 2.75 x .290 / .170	3.205
52-61-1450	7 x 2.75 x .290 / .170 (15' 6")	3.205
52-61-0017	7 x 2.75 x .290 / .170 (x 17')	3.205
52-61-593	7 x 3.50 x .380 / .210	4.715



BOAT LIFTS - Bunks, Pads & End Caps

4" Universal Bunk 6063-T6 Mill Finish (Flat, 19°, 24°, 28°) 40-63-2716 x 6' 40-63-2718 x 8' 40-63-27112 x 12' 40-63-271 x 24' Prefabbed with Bunk Pad 40-63-271F x 6' 40-63-271F8 x 8' 40-63-271F12 x 12'  Universal BOAT LIFT Bunk Pad x 100' 40-63-2401 Black Vinyl Fits All Universal Bunks For Boat Lift Applications Only 	8" Universal Bunk 6063-T6 Mill Finish (Flat, 19°, 24°, 28°) 40-63-280 x 10' 40-63-273 x 12' 40-63-274 x 14' 40-63-276 x 16' 40-63-275 x 24' Prefabbed with Bunk Pad 40-63-270F x 8' 40-63-280F x 10' 40-63-273F x 12' 40-63-274F x 14' 40-63-276F x 16' 	10" Universal Bunk 6063-T6 Mill Finish (Flat, 19°, 24°, 28°) 40-63-282 x 10' 40-63-281 x 12' 40-63-279 x 14' 40-63-277 x 16' 40-63-278 x 24' Prefabbed with Bunk Pad 40-63-2816F x 6' - NEW! 40-63-278F8 x 8' 40-63-282F x 10' 40-63-281F x 12' 40-63-279F x 14' 40-63-277F x 16' 40-63-283F x 18' 	10" HD Universal Bunk 6005A-T61 Mill Finish (Flat, 19°, 24°, 28°) 40-05-277 x 16' 40-05-278 x 24' Prefabbed with Bunk Pad 40-05-277F x 16' 
Universal BOAT LIFT Bunk Pad x 100' 40-63-2401 Black Vinyl Fits All Universal Bunks For Boat Lift Applications Only Universal Bunk End Caps UNVBUNK Left & Right Black Nylon 	3.6 x 1.5 Flat Bunk 6063-T6 Mill Finish 1-00-005 x 24' 	2 x 4 Flat Bunk x 24' 2" 0-00-0000 6005A-T61 Mill Finish For Boat Trailers & Lifts COMING SOON 	2 x 6 Flat Bunk x 24' 2" 1-00-001 6005A-T61 Mill Finish For Boat Trailers & Lifts NEW! 
19° Extruded Bunk x 24' 6063-T6 Mill Finish 40-63-235 52-63-6513F Prefabbed with Bunk Pad x 12' 	Bunk Pads x 100' 40-63-2400 Black Vinyl Fits 19° Bunk, 3.6 x 1.5 Flat Bunk and 3.5 x 6 Lift Bunk 	2 x 4 Flat Bunk End Cap COMING SOON 	2 x 6 Flat Bunk End Cap COMING SOON 
3.5 x 6 Lift Bunk 6005A-T61 Mill Finish 52-61-4130 x 12' 52-61-4131 x 16' 52-61-1801 x 20' 	Lift Bunk End Cap - NEW! 200400 	2 x 4 Flat Bunk Pad x 12' Black Vinyl - COMING SOON For Boat Lifts Only Can be used with 2 x 4 Wood as well! 	2 x 6 Flat Bunk Pad x 12' Black Vinyl - COMING SOON For Boat Lifts Only Can be used with 2 x 6 Wood as well! 

Boat Lift Extrusions and Accessories

Bunk Pad

Stock Code

40-63-2400

40-63-2401

Description

Black Vinyl x 100' coils

Universal Black Vinyl x 100' (Flat, 19°, 24°, 28°)



Bunk Bracket, Bunk and Bunk Pad

Universal Bunk End Caps

UNVBUNK

Left and Right; Black Nylon

Bunk Bracket

40-63-430

4" Universal x 5"

40-63-225

2 x 5-3/4 x .300 x 5"

40-63-220

2 x 8 x .300 x 5"

40-63-218

2 x 10 x .300 x 5"

52-61-002

Adjustable x 12'

52-61-0025

Adjustable x 5" (with 4 holes)



4" Universal Bunk Bracket

3-1/2" x 16" Walkboard - the Widest Walkboard on the Market!

Custom Lengths Available; Sandblasted Finish Available as Special Order

30-61-312

x 12'

30-61-314

x 14'

30-61-316

x 16'

30-61-318

x 18'

30-61-320

x 20'

30-61-324

x 24'

30-61-330

x 30'

30-EC-000


16" End Cap x 12' 3" UV Black Plastic

31-61-STIFFE

16" Stiffener (.090 x 16" x 16") Predrilled with 1/4" holes

7' - 8' Free Span Application Requires 2 Stiffeners 16" apart • 8' to 10' Free Span Application Requires 3 Stiffeners 16" apart


Start the first Stiffener 1" from the end of span to allow for End Cap.



Flooring

30-63-112

12" Dock Flooring x 24' 1" (6005-T5 MF Knurled)



Bleacher Planks

52-63-7632

9-1/2" x 21'

52-63-5888

9-1/2" x 30'

52-63-4283

11-1/2" x 16'

52-63-13304

11-1/2" x 24'

52-63-6118


11-1/2" x 20'

52-63-13658

11-1/2" x 32'

52-63-6786

End Cap x 12' (fits both 9-1/2 and 11-1/2 planks)



Pully Brackets

Stock Code

25-61-599

Description

6" x 12' (6005; use with all 6" I-Beams)

25-61-611

8" x 11' (6005; use with all 8" I-Beams)

25-61-601

10" x 12' (6005; use with all 10" I-Beams)

PULLEY-BRACK-6

6" (Machined; 6005; use with all 6" I-Beams)

PULLEY-BRACK-8

8" (Machined; 6005; use with all 8" I-Beams)

PULLEY-BRACK-10

10" (Machined; 6005; use with all 10" I-Beams)

PULLEY-COMBO-6

6" (Machined; 6005) with Pulley & Bolt

PULLEY-COMBO-8

8" (Machined; 6005) with Pulley & Bolt

PULLEY-COMBO-10

10" (Machined; 6005) with Pulley & Bolt

PULLEY-4DIA

4" Pulley w/bronze oil lite bushing

PULLEY-BOLT

3/4" x 3-1/2" Stainless Axle Bolt w/ Zerk grease fitting



Pulley Brackets



Pulley Combos



4" Pulley



Axle Bolt

Cable Winders

Please check with your EMS Sales Rep for other available sizes

CWL

2" x 15-3/4" (Left Hand)

CWL-18


2" x 18" (Left Hand, 1 hole at each end)

CWR

2" x 15-3/4" (Right Hand)

CWR-18

2" x 18" (Right Hand, 1 hole at each end)



15-3/4" Cable Winders
(Top: LEFT; Bottom: RIGHT)

Aluminum Tubes for Cable Winders

52-61-3149

3" OD x 2.415" ID x 20' (6061-T6)

2.986

25-61-300

3" OD x 1.920" ID x 20' (6061-T6)

5.000



FOREST SERIES

Capped Cellular PVC Deck Board & Fascia - Variegated Colors

1" x 5.5" Deck Boards: 60 pc Master Bundles

7/16" x 11-7/8" Fascia: 39 pc Master Bundles

No Need to Paint Endeck! Information provided for matching items you may wish to paint.

FOREST SERIES COLOR MATCHING

CEDAR - BEHR ULTRA BASE: UL 203 (8 oz)

CLRNT	EL	FL	KXL	TL
OZ	0	0	0	0
384th	49	87	9	189

Bar Code: 634617392260

CHESTNUT - BEHR ULTRA BASE: UL 203 (8 oz)

CLRNT	EL	FL	KXL	TL
OZ	0	0	0	0
384th	107	73	75	80

Bar Code: 634617392293

SEQUOIA - BEHR ULTRA BASE: UL 203 (8 oz)

CLRNT	EL	FL	KXL	TL
OZ	0	0	0	0
384th	119	71	45	101

Bar Code: 634617391625

COASTAL GREY - BEHR ULTRA BASE: UL 200 (8 oz)

CLRNT	BL	CL	RL
OZ	0	0	0
384th	30	11	4

Bar Code: 634617391627

SLATE - BEHR BASE: PP104 (8 oz)

CLRNT	DL	EL	FL
OZ	0	0	0
384th	51	95	89

Bar Code: 634617391621

WOODLAND SERIES

Capped Cellular PVC Deck Board & Fascia - Solid, Non-Variegated Colors

1" x 5.5" Deck Boards: 60 pc Master Bundles

7/16" x 11-7/8" Fascia: 39 pc Master Bundles

No Need to Paint Endeck! Information provided for matching items you may wish to paint.

WOODLAND SERIES COLOR MATCHING

ASHWOOD - BEHR ULTRA BASE: UL 200 (8 oz)

CLRNT	BL	CL	RL
OZ	0	0	0
384th	30	11	4

Bar Code: 634617391627

BEECHWOOD - BEHR ULTRA BASE: UL 204 (8 oz)


CLRNT	AXL	LL	RL
OZ	0	0	0
384th	26	73	2

Bar Code: 634617391628

OLIVEWOOD - BEHR ULTRA BASE: UL 203 (8 oz)

CLRNT	CL	EL	RL
OZ	0	0	0
384th	86	23	51

Bar Code: 634617392259

	CEDAR 1" x 5.5" Deck Boards FS-CD-144 Board x 12' FS-CD-192 Board x 16' FS-CD-240 Board x 20' 7/16" x 11-7/8" Fascia FSFB-CD-144 Fascia x 12'
	CHESTNUT 1" x 5.5" Deck Boards FS-CN-144 Board x 12' FS-CN-192 Board x 16' FS-CN-240 Board x 20' 7/16" x 11-7/8" Fascia FSFB-CN-144 Fascia x 12'
	SEQUOIA 1" x 5.5" Deck Boards FS-SQ-144 Board x 12' FS-SQ-192 Board x 16' FS-SQ-240 Board x 20' 7/16" x 11-7/8" Fascia FSFB-SQ-144 Fascia x 12'
	COASTAL GREY 1" x 5.5" Deck Boards FS-CG-144 Board x 12' FS-CG-192 Board x 16' FS-CG-240 Board x 20' 7/16" x 11-7/8" Fascia FSFB-CG-144 Fascia x 12'
	SLATE 1" x 5.5" Deck Boards FS-SL-144 Board x 12' FS-SL-192 Board x 16' FS-SL-240 Board x 20' 7/16" x 11-7/8" Fascia FSFB-SL-144 Fascia x 12'
	ASHWOOD 1" x 5.5" Deck Boards WS-AW-144 Board x 12' WS-AW-192 Board x 16' WS-AW-240 Board x 20' 7/16" x 11-7/8" Fascia WSFB-AW-144 Fascia x 12'
	BEECHWOOD 1" x 5.5" Deck Boards WS-BW-144 Board x 12' WS-BW-192 Board x 16' WS-BW-240 Board x 20' 7/16" x 11-7/8" Fascia WSFB-BW-144 Fascia x 12'
	OLIVEWOOD 1" x 5.5" Deck Boards WS-OW-144 Board x 12' WS-OW-192 Board x 16' WS-OW-240 Board x 20' 7/16" x 11-7/8" Fascia WSFB-OW-144 Fascia x 12'



Endeck Capped Cellular PVC Decking



Headcote® Deck Screws

305 Stainless Steel - #10 x 2-1/2"

Each Pack Includes Screws and 1 Tool

Color	305 SS (350 pcs)	305 SS (1050 pcs)	305 SS (1750 pcs)
Cedar	CD2305350	CD23051050	CD23051750
Chestnut	CN2305350	CN23051050	CN23051750
Sequoia	SQ2305350	SQ23051050	SQ23051750
Coastal Grey	CG2305350	CG23051050	CG23051750
Slate	SL2305350	SL23051050	SL23051750
Ashwood	AW2305350	AW23051050	AW23051050
Beechwood	BW2305350	BW23051050	BW23051750
Olivewood	OW2305350	OW23051050	OW23051750

316 Stainless Steel Available by Request



305 Stainless Steel
Headcote® Deck Screws
#10 x 2-1/2"

Screw Depth Setter

Code	Description
BDA565A	Screw Depth Setter - Flush (1 Tool)



Screw Depth
Setter


Headcote® Trim Head Fascia Screws

305 Stainless Steel - #7 x 1-5/8"

350 pc Packs Include Screws and 1 Bit

Color	100 pcs	350 pcs
Cedar	CD3305100	CD3305400
Chestnut	CN3305100	CN3305400
Sequoia	SQ3305100	SQ3305400
Coastal Grey	CG3305100	CG3305400
Slate	SL3305100	SL3305400
Ashwood	AW3305100	AW3305400
Beechwood	BW3305100	BW3305400
Olivewood	OW3305100	OW3305400

316 Stainless Steel Available by Request



305 Stainless Steel
Headcote® Fascia Screws
#7 x 1-5/8"

Pro-Plug® Kits (Plugs and Screws)

305 Stainless Steel - #10 x 2-1/2"

Each Kit Includes Screws, Plugs and 1 Tool

Color	350 Screws	1050 Screws
Cedar	CD1305350	CD13051050
Chestnut	CN1305350	CN13051050
Sequoia	SQ1305350	SQ13051050
Coastal Grey	CG1305350	CG13051050
Slate	SL1305350	SL13051050
Ashwood	AW1305350	AW13051050
Beechwood	BW1305350	BW13051050
Olivewood	OW1305350	OW13051050




Pro-Plug® Kit

Pro-Plug® Screw Depth Setter

Code	Description
BDA580	Pro-Plug® Screw Depth Setter - Plug Depth (1 Tool)

Pro-Plug®
Screw Depth
Setter



DECK AREA COVERAGE	
Deck Screws & Pro-Plug	
Based on 16" Joist Spacing	
Pack Size	Coverage
350	100 SF
1050	300 SF
1750	500 SF

Fascia Screws	
Pack Size	Coverage
100	40 LF
350	140 LF



EASTERN METAL SUPPLY

STANDARDS 34
02/20/23

www.endeck.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061



PLUS SERIES



SURE-STEP PLUS PANELS - 1.20" x 12.00"

• 148 pieces per pallet (all sizes)


Color	Sure Step x 36"	Sure Step x 48"	Sure Step x 60"
GRAY	SSP-GR-1236	SSP-GR-1248	SSP-GR-1260
KHAKI	SSP-KA-1236	SSP-KA-1248	SSP-KA-1260
TAN	SSP-TN-1236	SSP-TN-1248	SSP-TN-1260

White available as a SPECIAL ORDER


2' x 1' and 6' x 1' Panels Also available as a SPECIAL ORDER



GRAY



KHAKI



TAN

SURE-STEP PLUS STARTER BOARDS - 1.20" x 12.00"

• 24 pieces per pallet (all sizes)

Color	Sure Step x 36"	Sure Step x 48"	Sure Step x 60"
GRAY	SSPS-GR-1236	SSPS-GR-1248	SSPS-GR-1260
KHAKI	SSPS-KA-1236	SSPS-KA-1248	SSPS-KA-1260
TAN	SSPS-TN-1236	SSPS-TN-1248	SSPS-TN-1260

White available as a SPECIAL ORDER



SURE-STEP FEATURES AND BENEFITS

- 3', 4' and 5' lengths in stock; 2' and 6' lengths coming soon
- Impact resistance exceeds competition
- ADA compliant non-slip surface
- Excellent light penetration for environmentally sensitive areas
- Withstands storm surges
- Minimizes damage from wave and wind forces

Our products are:

- Cool and barefoot friendly
- Lightweight and easy to install
- Durable and long lasting
- Recyclable
- Made without fiberglass, less likely to fade


Manufactured since 1989, Sure Step is manufactured to ISO 9001:2015 standards. Robust testing protocols along with a limited lifetime warranty exceeding most competitors offers you the assurance of a quality product.



SURE-STEP™

DOCK & DECKING

Available from **EASTERN METAL SUPPLY**



PLUS SERIES

SPECIFICATIONS AND MEASUREMENTS

- Base material is 100% virgin polypropylene
- Installation instructions available
- Thickness: Plus Series - 1.2" for all sizes (1" thick Standard Series available by Special Order)
- Sizes (Length dimension tolerance +/- 0.125"):

	3' x 1'	4' x 1'	5' x 1'
• Weights:	4.5 lbs	6.0 lbs	7.5 lbs
• Spans:	18"	16"	15"
- Light availability at 18" height, 53%; at 60" height, 82% - High UV stabilizer additives

Independent test data available:

Load Capacity, Impact Strength, Flexural Properties, Light Availability, Creep Recovery, Coefficient of Friction, Coefficient of Linear Thermal Expansion

SPAN CHART

