

D.O.T. Picket Rail

Certs available upon request prior to ordering

Top and Bottom Rail:

18-61-240	2" SCH 40 Pipe x 20' - 2-3/8 x 2.067 x .154	1.264
18-61-241	2" SCH 40 Pipe x 24' - 2-3/8 x 2.067 x .154	1.264
18-61-243	2" SCH 40 Pipe x 30' - 2-3/8 x 2.067 x .154	1.264
DOT-61-170	2-1/2" SCH 10 Pipe x 24' - 2-7/8 X 2.635 X .120	1.246

Top and Bottom Rail Splice:

18-61-235	1-1/2" SCH 40 Pipe x 20' - 1.900 x 1.610 x .145	0.940
17-61-215	2-1/2 OD x .125 x 24' Round Tube (6061-T6)	1.090

Post:

19-61-212	2 x .250 Square Tube x 24' (6061-T6)	2.100
20-61-281	2 x 4 x .250 Rect Tube x 24'	3.300

Picket:

18-61-220	3/4" SCH 40 Pipe x 20' - 1.050 x .824 x .113	0.391
18-61-222	3/4" SCH 40 Pipe x 24' - 1.050 x .824 x .113	0.391
14-61-430	3/4" Solid Round Rod x 12' (6061-T6)	0.530

Post Mount:

52-61-2658	5/8 x 6 Flat Bar x 12' (6061-T6511)	4.500
------------	-------------------------------------	-------

Bent End Return:

18-63-240	2" SCH 40 Pipe x 20' (6063-T52)	1.264
52-61-3454	Inner Sleeve mates with 2" SCH 40 Pipe - (6061-T6)	

Fabbed 2" SCH 40 Pipe x 20' (6061-T6)

18-61-236	with 3/4" SCH 40 Holes (50 holes per piece) - <i>Mates with Fabbed DOT Inner Sleeve (18-61-233)</i>
18-61-233	1-1/2" SCH 40 Pipe - <i>Mates with 18-61-236 - Fabbed DOT Inner Sleeve x 16"</i>



DOT Inner Sleeve



Fabbed 2" SCH 40 Pipe
3.75" between picket walls



Fabbed DOT Inner Sleeve

D.O.T. Round Tube (6061-T6)

Stock Code	Description	Aprox. Wt/Lin ft.	Stock Code	Description	Aprox. Wt/Lin ft.
17-61-200	1-1/2 x 1/8 x 24'	0.648	17-DOT-115	3-1/2 x 3/16 x 15'	2.300
17-61-203	1-1/2 x 1/4 x 24'	1.178	17-DOT-117	3-1/2 x 3/16 x 17'	2.300
17-61-205	1-3/4 x 1/8 x 24'	0.750	17-DOT-116	3-1/2 x 3/16 x 20'	2.300
17-DOT-100	2 x 1/8 x 12'	0.866	17-DOT-120	4 x 3/16 x 17'	2.647
17-61-210	2 x 1/8 x 24'	0.866	17-DOT-121	4 x 3/16 x 20'	2.647
17-DOT-105	2-1/2 x 1/8 x 12' 6"	1.097	17-DOT-123	4 x 1/4 x 24'	3.534
17-DOT-104	2-1/2 x 1/8 x 13' 6"	1.097	17-DOT-125	4 x 1/4 x 20'	3.534
17-DOT-106	2-1/2 x 1/8 x 15'	1.097	17-DOT-130	4-1/2 x 1/4 x 20'	3.924
17-61-215	2-1/2 x 1/8 x 24'	1.097	17-DOT-132	5 x 1/4 x 20'	4.470
17-DOT-110	3 x 1/8 x 13' 6"	1.355	17-DOT-139	6 x 1/4 x 20'	5.419
17-DOT-111	3 x 1/8 x 15'	1.355	17-DOT-140	6 x 1/4 x 24'	5.419
17-DOT-113	3 x 1/8 x 17'	1.355			
17-DOT-112	3 x 1/8 x 20'	1.355			
17-61-220	3 x 1/8 x 24'	1.355			
17-61-715	3 x 1/8 x 15' (Scalloped)	1.259			
17-61-324	3 x 1/8 x 24' (Scalloped)	1.259			

D.O.T. Bullet/Bicycle Rail System - Certs Available upon request

4" Bullet/Bicycle Top Cap 6061 T6 DOT-61-100 x 30' DOT-61-120 x 40' <i>Mates with 3" Splice</i>	3" Bullet Rail Splice x 21' DOT-61-130 6061 T6 <i>Mates with 4" Top Cap</i>	Hand Rail Clamp Bar x 21' DOT-61-140 6061 T6	Splice Insert Bar x 20' DOT-61-150 6061 T6 <i>Mates with 4" Top Cap</i>	5" x 5" Straight H-Beam x 24' DOT-61-240 6061-T6



EASTERN METAL SUPPLY

STANDARDS 21
02/04/24

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

Break Away Sign Pole Bases for Single Column Signs


Sign Pole Bases - Manufactured in accordance with Florida DOT Roadway and Traffic Design Standard Indexes (11860-11865)

(Call Sales for Bolt Kit Contents)

Product Code	Size	Bolt Kit*
<u>DOT-4-BPB</u>	4"	<u>DOT-4-KIT</u>
<u>DOT-4.5-BPB</u>	4-1/2"	<u>DOT-4.5-KIT</u>
<u>DOT-5-BPB</u>	5"	<u>DOT-5-KIT</u>
<u>DOT-6-BPB</u>	6"	<u>DOT-6-KIT</u>



Break Away
Sign Pole Base



Bolt Kit

Sign Pole Bases with Bolt Kits

Bolt Kit Hardware meets requirements of ASTM A325 & ASTM A307

<u>DOT-4-BPBPKG</u>	4"	<u>DOT-5-BPBPKG</u>	5"
<u>DOT-4.5-BPBPKG</u>	4-1/2"	<u>DOT-6-BPBPKG</u>	6"



DOT Shims




Threaded
Transformer Base

Shims (FDOT Approved)

<u>DOT-2-Shim</u>	single column ground signs
<u>DOT-3-Shim</u>	general purpose shim

Threaded Transformer Base – NEW!

<u>DOT-PEDBASE-P</u>	Threaded Transformer Base with Plastic Door
	356-T6 Alloy; ASTM B 36
<u>PEDBASE-DOOR</u>	Plastic Door for TS-1000-L
<u>PEDBASE-BOLTKIT</u>	3/4-10 x 18" J Bolt Anchor w/ Bolts and Washers



Threaded
SCH 40 Pipe

Transformer Base Pole (4" SCH 40 Pipe 6061-T6 MF - Threaded)

<u>DOT-4-84</u>	x 84"
<u>DOT-4-156</u>	x 156"
<u>DOT-4-180</u>	x 180"

U-Bolts

FDOT Approved

**ASTM A-307 Galvanized
U-Bolts with lock
washers and nuts.**

<u>DOT-2-UBOLT</u>	2"
<u>DOT-2.5-UBOLT</u>	2-1/2"
<u>DOT-3-UBOLT</u>	3"
<u>DOT-3.5-UBOLT</u>	3-1/2"
<u>DOT-4-UBOLT</u>	4"
<u>DOT-4.5-UBOLT</u>	4-1/2"
<u>DOT-5-UBOLT</u>	5"
<u>DOT-6-UBOLT</u>	6"




Flat Bar Base Plate x 12' - 6061 T6 M/F


Stock Code	Size (Size x Wall)	Aprox. Wt/Lin ft.
10-61-505	1/2" x 6" x 12'	3.600
52-61-2658	5/8" x 6" x 12'	4.500



DOT-SP-718



Aluminum Soil Plate



Installed Soil Plate: Front
& Back views; shown
attached with FDOT
approved U-bolts

Fabbed Aluminum Soil Plate

<u>DOT-SP-718</u>	1/4" (7" x 18") 6061-T6 – NEW!
<u>DOT-14-SP</u>	1/4" (8" x 12" x 14") 6061-T6

Mill Finish Fabbed D.O.T. Z-Bar

1-3/4 x 1-3/4 x 3/16 (with holes and slots)

<u>12-61-210</u>	x 8"
<u>12-61-211FZ</u>	x 11"
<u>12-61-214FZ</u>	x 14"
<u>12-61-220FZ</u>	x 20"
<u>12-61-226FZ</u>	x 26"
<u>12-61-232FZ</u>	x 32"
<u>12-61-238FZ</u>	x 38"
<u>12-61-242FZ</u>	x 42"
<u>12-61-244FZ</u>	x 44"
<u>12-61-246FZ</u>	x 46"
<u>12-61-252FZ</u>	x 52"
<u>12-61-256FZ</u>	x 56"
<u>12-61-120FZ</u>	x 120"



Fabricated
Z-Bar

Aluminum Zees - 6061-T6 x 25'


Stock Code	Size in Inches (E x M x S)	Approx. Wt/Lin ft.
<u>12-61-200</u>	1-3/4 x 1-3/4 x 3/16	1.076
<u>12-61-216</u>	3 x 2-11/16 x 1/4 x 18'	2.381
<u>12-61-201</u>	3 x 2-11/16 x 1/4	2.381
<u>12-61-221</u>	3 x 2-11/16 x 1/4 x 30'	2.38
<u>52-61-2968</u>	3 x 2-11/16 x 1/4 x 40'	2.381
<u>12-61-220</u>	3 x 2-11/16 x 3/8	3.381
<u>12-61-240</u>	4-1/16 x 3-1/8 x 5/16	3.575
<u>12-61-250</u>	5 x 3-1/4 x .312	4.008



D.O.T. Signage


12" x 2" Sign Panel

MILL ORDER	EMSW14792	Heavy
MILL ORDER	EMSW14794	Medium
MILL ORDER	EMSW14793	Light




6" x 2" Half Sign Panel

MILL ORDER EMSW14795




3" x 2.5" Wind Beam

MILL ORDER EMSW14796




6" Extruded Street Name Blade x 12' 1"

66-33-111 (TX)



9" Extruded Street Name Blade x 12' 1"

66-33-110 (TX)



Round Aluminum Tube

6063-T5 x 24' (Unless noted otherwise)



Stock Code	Size in Inches (Size x Wall)	Approx. Wt/Lin ft.
17-63-100	.75 x .065 (.620 ID) (6063 T52)	0.172
17-63-110	.875 x .062 (.751 ID) (6060 T6 - Furniture Grade)	0.190
17-63-105	1 x .062 (.880 ID) x 20' (6060 T6 - Furniture Grade)	0.229
17-63-115FG	1 x .062 (.880 ID) (6060 T6 - Furniture Grade)	0.229
17-63-120	1 x .125 (.750 ID)	0.404
52-61-3868	1 x .250 (.500 ID) (6005A-T61)	0.707
17-63-132	1.250 x .062 (1.126 ID)	0.278
52-63-1272	1.250 x .062 (1.126 ID) (6060 T6 - Furniture Grade)	0.278
17-63-130	1.250 x .090 (1.070 ID)	0.385
17-63-134	1.250 x .125 x 16' (1.000 ID) (6063-T52)	0.530
17-63-133	1.250 x .125 x 20' (1.000 ID) (6063-T52)	0.530
17-63-116	1.500 x .065 (1.370 ID)	0.351
17-63-117	1.500 x .090 (1.320 ID)	0.478
17-61-195	1.500 x .093 (6061)	0.493
17-63-135	1.500 x .125 (1.250 ID)	0.648
17-61-200	1.500 x .125 (1.250 ID) (6061)	0.648
17-T4-135	1.500 x .125 (6063 T4)	0.648
17-63-136	1.500 x .125 x 20' (1.250 ID) (6063-T52)	0.648
17-63-138	1.500 x .125 x 30' (1.250 ID) (6063-T52)	0.648
52-63-9775	C-Insert x 12' - for 1.500 x .125 Tube (6063-T6)	0.347
17-61-203	1.500 x .250 x 24' (6061-T6)	1.178
17-61-205	1.750 x .125 (1.500 ID) (6061-T6)	0.750
17-63-140	2 x .050 (1.900 ID)	0.360
17-63-142	2 x .065 (1.870 ID)	0.474
17-63-141	2 x .125 (1.750 ID) (6063-T52)	0.883
17-61-210	2 x .125 (1.750 ID) (6061-T6)	0.883
17-DOT-100	2 x .125 x 12'	0.883
17-63-143	2 x .125 x 20' (1.750 ID) (6063-T52)	0.883
17-61-213	2 x .250 (1.500 ID) (6061-T6)	1.650
MILL ORDER	2.125 x .125 (6463-T67) 52-63-7798	0.942
MILL ORDER	2.150 x .125 (6463-T67) 52-63-8437	0.953
17-63-212	2.250 x .120 (2.000 ID) (6063-T52)	0.964
17-61-215	2.500 x .125 (2.250 ID) (6061-T6)	1.097
17-DOT-105	2.500 x .125 x 12' 6" (6061-T6)	1.097
17-DOT-104	2.500 x .125 x 13' 6" (6061-T6)	1.097
17-DOT-106	2.500 x .125 x 15' (6061-T6)	1.097
17-63-150	3 x .083 (2.834 ID)	0.895
17-63-155	3 x .125 (2.750 ID)	1.355
17-61-220	3 x .125 (2.750 ID) (6061-T6)	1.355
17-DOT-110	3 x .125 x 13' 6" (6061-T6)	1.355
17-DOT-111	3 x .125 x 15' (6061-T6)	1.355
17-DOT-113	3 x .125 x 17' (6061-T6)	1.355
17-DOT-112	3 x .125 x 20' (6061-T6)	1.355
52-61-3149	3 x .293 x 20' (2.415 ID) (6061-T6)	2.986
25-61-300	3 x .540 x 20' (1.920 ID) (6061-T6) Winder Tube	5.008
17-DOT-115	3.500 x .1875 x 15' (6061-T6)	2.300
17-DOT-117	3.500 x .1875 x 17' (6061-T6)	2.300
17-DOT-116	3.500 x .1875 x 20' (6061-T6)	2.300
17-63-160	4 x .125 (3.750 ID)	1.826
17-61-160	4 x .125 (3.750 ID) (6061-T6)	1.826
17-DOT-120	4 x .1875 x 17' (6061-T6)	2.647
17-DOT-121	4 x .1875 x 20' (6061-T6)	2.647
17-DOT-123	4 x .250 (6061-T6)	3.534
17-DOT-125	4 x .250 x 20' (6061-T6)	3.534
17-DOT-130	4.500 x .250 x 20' (6061-T6)	3.924
17-63-165	5 x .125 (4.750 ID)	2.251
52-61-2429	5 x .188 (6061-T6)	3.410
17-DOT-132	5 x .250 x 20' (6061-T6)	4.470

Round Aluminum Tube (continued)

Stock Code	Size in Inches (Size x Wall)	Approx. Wt/Lin ft.
17-63-170	6 x .125 (5.750 ID) x 20'	2.713
MILL ORDER	6 x .188 (5.624 ID) 52-61-3925	4.037
17-DOT-139	6 x .250 x 20' (6061-T6)	5.4197
17-DOT-140	6 x .250 (6061-T6)	5.4197
17-63-175	8 x .125 (7.750 ID) (6063-T6)	3.710
MILL ORDER	8 x .156 (7.688 ID) 52-63-6843	4.613

Drawn Tube (6063-T832 x 24')

52-00-004	1.125 x .042 x 16' (1.041 ID)	0.166
	Mates with 17-63-12549 (Clear Anodized)	
MILL ORDER	1.250 x .049 (1.152 ID)	0.217
17-63-12549 (MO)	Mates with 52-00-004 (Clear Anodized)	
MILL ORDER	1.375 x .049 (1.277 ID)	0.240
17-63-137549 (MO)	Mates with 17-63-1549 (Clear Anodized)	
MILL ORDER	1.500 x .049 (1.402 ID)	0.263
17-63-1549 (MO)	Mates with 17-63-137549 (Clear Anodized)	
MILL ORDER	1.875 x .049 (1.777 ID)	0.331
17-63-187549 (MO)	Mates with 17-63-2049 (Clear Anodized)	
MILL ORDER	2.000 x .049 (1.902 ID)	0.353
17-63-2049 (MO)	Mates with 17-63-187549 (Clear Anodized)	

Brite Dipped Drawn Tube

25-BD-460	.750 x .058 x 20'	54 pcs/box
25-BD-463	.875 x .058 x 16'	38 pcs/box
25-BD-465	.875 x .058 x 20'	38 pcs/box

Superbuff Stainless Steel

Tube x 24' 2" - **INCREASED INVENTORIES!**

316 Alloy - best for Saltwater applications

Stock Code	Size in Inches	Lgths./Box
25-316-100	7/8 x 16 GA (.062)	30
25-316-098 (NC)	7/8 x 18 GA (.049) - NEW!	**
25-316-105	1 x 16 GA (.062)	16
25-316-104 (NC)	1 x 18 GA (.049) - NEW!	**
25-316-110	1-1/4 x 16 GA (.062) - NEW!	**

304 Alloy

Stock Code	Size in Inches	Lgths./Box
25-304-100	7/8 x 16 GA (.062)	30
25-304-099 (NC)	7/8 x 18 GA (.049) - NEW!	**
25-304-105	1 x 16 GA (.062)	16
25-304-110	1-1/4 x 16 GA (.062) - NEW!	**

****Individually wrapped pieces shipped per customer order size**

**Serrated & Fluted
Scalloped Round Tube**
See Next Page (Standards 20) for full listing

Items marked as MILL ORDER are non stock but available.
Product codes listed on MILL ORDER items are for die reference only.
Customer must specify length, alloy & temper.



EASTERN METAL SUPPLY

STANDARDS 19
02/02/24

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

Aluminum Sheet & Plate

Aluminum Woven Wire Mesh


2.00" ID; 2.50" OD	<i>Alloy 1350 - H16</i>	
Stock Code	Size in Inches	Approx. Wt/Sheet
50-2X2WM-4896	.236 x 48 x 96	17.60
50-2X2WM-48120	.236 x 48 x 120	21.78

Framing Options


13-63-205	1/2 x 3/4 x 1/8 Channel x 20' (6063-T52)
60-00-205	MP-1A (1 x 1 x 24') - <i>pic at top right</i>
59-63-002 (TX)	MP-1A (1 x 1 x 24') - <i>pic at top right</i>

MP-1A can be inserted into the 3" Universal and 2 x 3 Welded Enclosure Systems (*pic at bottom right*)

2 x 2 Angle cut down to 0.800 can be used as Corner Key for Mechanical Installations (*pic at bottom left*)



2 x 2 x .80 Corner Key inserted into MP-1A mechanically fastened



Wire Mesh Framed out with 1" MP-1A Inserted into 3" Universal Enclosure Post

3003 H14 Flattened Expanded Aluminum

.052" SWD x 1.27" LWD; Opening Sizes: .312 SWO x 1.00 LWO
.060 Strand Thickness x .187 Strand Width 58% Open Area

Stock Code	Size in Inches
50-00-99	.5 x .081 (48 x 96)
51-00-100 (TX)	.5 x .081 (48 x 120)

.923 SWD x 2.13 LWD; Opening Sizes: .625 SWO x 1.75 LWO
.095 Strand Thickness x .187 Strand Width 62% Open Area

Stock Code	Size in Inches
51-00-096	.75 x .125 (48 x 96)
51-00-096R (TX)	.75 x .125 (48 x 96)
51-00-120	.75 x .125 (48 x 120)

Aluminum Rectangular Bar Grating

Special Order Various Sizes Available Upon Request








5052 H38 Alodine Pretreated Sheet

Stock Code	Size in Inches	Approx. Wt/Sheet
50-06-106	.080 x 30 x 96	22.57
50-06-107	.080 x 30 x 120	28.22
50-06-108	.080 x 30 x 144	33.86
50-06-109	.080 x 36 x 96	27.09
50-06-110	.080 x 36 x 120	33.86
50-06-111	.080 x 36 x 144	40.64
50-06-112A	.080 x 48 x 96	36.13
50-06-113A	.080 x 48 x 120	46.10
50-06-114	.080 x 48 x 144	53.51
50-06-115	.125 x 30 x 96	35.28
50-06-116	.125 x 30 x 120	44.10
50-06-117	.125 x 30 x 144	52.92
50-06-118	.125 x 36 x 96	41.65
50-06-119	.125 x 36 x 120	52.07
50-06-120	.125 x 36 x 144	62.48
50-06-121	.125 x 48 x 96	56.44
50-06-122	.125 x 48 x 120	70.56
50-06-123	.125 x 48 x 144	84.67

Contact your EMS Sales Representative for SPECIAL ORDER Sign Blanks

**See Standards pp 17-22 (Tubes & D.O.T.) for additional items*


D.O.T. Signage

12" x 2" Sign Panel MILL ORDER EMSW14792 Heavy MILL ORDER EMSW14794 Medium MILL ORDER EMSW14793 Light 	6" x 2" Half Sign Panel MILL ORDER EMSW14795 	3" x 2.5" Wind Beam MILL ORDER EMSW14796 
6" Extruded Street Name Blade x 12' 1" 66-33-111 (TX) 	9" Extruded Street Name Blade x 12' 1" 66-33-110 (TX) 	<i>Items marked as MILL ORDER are non stock but available. Product codes listed on MILL ORDER items are for die reference only. Customer must specify length, alloy & temper.</i>



Aluminum Zees - 6061-T6 x 25'

<u>Stock Code</u>	<u>(E x M x S)</u> <u>Size in Inches</u>	<u>Approx.</u> <u>Wt/Lin ft.</u>	
12-61-200	1-3/4 x 1-3/4 x 3/16	1.076	
12-61-216	3 x 2-11/16 x 1/4 x 18'	2.381	
12-61-201	3 x 2-11/16 x 1/4	2.381	
12-61-221	3 x 2-11/16 x 1/4 x 30'	2.381	
52-61-2968	3 x 2-11/16 x 1/4 x 40'	2.381	
12-61-220	3 x 2-11/16 x 3/8	3.381	
MILL ORDER	4 x 3-1/16 x 1/4	2.848	12-61-302 (NC)
12-61-240	4-1/16 x 3-1/8 x 5/16	3.575	
MILL ORDER	4-1/8 x 3-3/16 x 3/8	4.318	
12-61-250	5 x 3-1/4 x .312	4.008	
MILL ORDER	5-1/16 x 3-5/16 x 3/8	4.844	



Mill Finish Fabbred Z-Bar (D.O.T. with holes and slots)

1-3/4 x 1-3/4 x 3/16


<u>Stock Code</u>	<u>Size in Inches</u>	<u>Wt/Lin ft.</u>
12-61-210	x 8"	1.076
12-61-211FZ	x 11"	1.076
12-61-214FZ	x 14"	1.076
12-61-220FZ	x 20"	1.076
12-61-226FZ	x 26"	1.076
12-61-232FZ	x 32"	1.076
12-61-238FZ	x 38"	1.076
12-61-242FZ	x 42"	1.076
12-61-244FZ	x 44"	1.076
12-61-246FZ	x 46"	1.076
12-61-252FZ	x 52"	1.076
12-61-256FZ	x 56"	1.076
12-61-120FZ	x 120"	1.076



Aluminum Tees


Architectural Aluminum Tees - 6063-T5 x 20'

<u>Stock Code</u>	<u>(E x M x S)</u> <u>Size in Inches</u>	<u>Approx.</u> <u>Wt/Lin ft.</u>
12-63-205	1 x 1 x 1/8	0.280
25-BD-305	2 x 2 x 1/4 (BDA Polished 6463-T67)	1.097



Structural Aluminum Tees - 6061-T6 x 25'


MILL ORDER	1 x 1 x 1/8	0.313	
12-61-205	1-1/2 x 1-1/2 x 3/16	0.700	
MILL ORDER	1-1/2 x 1-1/2 x 1/4	0.869	52-61-163
12-61-215	2 x 2 x 1/4	1.280	
12-61-218	2 x 2 x 1/4 (x 32')	1.280	
MILL ORDER	2-1/2 x 2-1/2 x 5/16	1.912	12-61-309 (NC)
MILL ORDER	3 x 2-1/2 x 5/16	2.129	52-61-1104
MILL ORDER	4 x 3 x 3/8	3.220	



Gunwale/Gunnel - 6061-T6 Mill Finish

Suggested Applications: Boat Gunwales/Gunnels, Airboat applications

52-61-672	2.2 x 2 x 1/8 x 32'	0.850
-----------	---------------------	-------



*Items marked as MILL ORDER are non stock but available.
Product codes listed on MILL ORDER items are for die reference on.y.
Customer must specify length, alloy & temper.*