


Rectangular Aluminum Bar - 6061-T6511 x 12'

<u>Stock Code</u>	<u>Size in Inches (E x M)</u>	<u>Approx. Wt/Lin ft.</u>		<u>Stock Code</u>	<u>Size in Inches (E x M)</u>	<u>Approx. Wt/Lin ft.</u>
10-61-200	1/8 x 1/2	0.074		10-61-828	1/2 x 3/4	0.441
MILL ORDER	1/8 x 5/8	0.092	52-61-4303	10-61-475	1/2 x 1	0.600
10-61-201	1/8 x 3/4	0.110		MILL ORDER	1/2 x 1-1/4	0.734 10-61-477 (NC)
10-61-215	1/8 x 1	0.150		10-61-480	1/2 x 1-1/2	0.900
10-61-220	1/8 x 1-1/4	0.188		10-61-485	1/2 x 2	1.200
10-61-225	1/8 x 1-1/2	0.225		10-61-487	1/2 x 2-1/4	1.323
10-61-230	1/8 x 2	0.300		10-61-486	1/2 x 2-1/2	1.500
10-61-231 (TX)	1/8 x 2-1/2	0.375		10-61-490	1/2 x 3	1.800
MILL ORDER	3/16 x 3/4	0.169		10-61-500	1/2 x 4	2.400
10-61-265	3/16 x 1	0.226		10-61-501	1/2 x 5	2.940
MILL ORDER	3/16 x 1-1/4	0.275	10-61-270 (TX)	10-61-505	1/2 x 6	3.600
10-61-275	3/16 x 1-1/2	0.338		52-61-3400	1/2 x 7	4.116
10-61-285	3/16 x 2	0.451		10-61-511	1/2 x 8	4.704
MILL ORDER	3/16 x 2-1/2	0.561	10-61-286 (NC)	MILL ORDER	1/2 x 9	5.292 52-61-2037 (NC)
10-61-615	3/16 x 4	0.884		10-61-515	1/2 x 10	5.880
10-61-324	1/4 x 1/2	0.147		33-61-110	1/2 x 12	7.056
10-61-300	1/4 x 3/4	0.221		33-61-112	1/2 x 14	8.470
10-61-325	1/4 x 1	0.300		10-61-516	5/8 x 2	1.470
10-61-330	1/4 x 1-1/4	0.376		10-61-518	5/8 x 3	2.205
10-61-335	1/4 x 1-1/2	0.450		10-61-517	5/8 x 4	2.940
MILL ORDER	1/4 x 1-3/4	0.524	10-61-800 (NC)	52-61-2658	5/8 x 6	4.500
10-61-340*	1/4 x 2	0.600		10-61-545	3/4 x 1	0.881
10-61-345	1/4 x 2-1/2	0.735		10-61-725	3/4 x 1-1/4	1.102
10-61-350*	1/4 x 3	0.900		10-61-550	3/4 x 1-1/2	1.350
10-61-353	1/4 x 3-1/2	1.050		10-61-551	3/4 x 1-3/4	1.544
10-61-355*	1/4 x 4	1.200		10-61-560	3/4 x 2	1.800
10-61-360	1/4 x 5	1.500		10-61-561	3/4 x 2-1/4	1.985
10-61-365	1/4 x 6	1.800		10-61-562	3/4 x 2-1/2	2.205
10-61-366	1/4 x 7	2.058		10-61-565	3/4 x 3	2.700
10-61-370	1/4 x 8	2.352		10-61-567	3/4 x 3-1/2	3.087
10-61-375	1/4 x 10	2.940		10-61-570	3/4 x 4	3.528
33-61-100	1/4 x 12	3.528		10-61-571	3/4 x 5	4.500
10-61-380	5/16 x 3	1.101		10-61-575	3/4 x 6	5.400
10-61-414	3/8 x 1/2	0.221		10-61-576	3/4 x 8	7.056
10-61-415	3/8 x 1	0.450		MILL ORDER	3/4 x 10	7.200 EMS505039
10-61-416	3/8 x 1-1/4	0.563		33-61-120	3/4 x 12	10.584
10-61-420	3/8 x 1-1/2	0.675		10-61-763	1 x 1-1/4	1.486
10-61-426	3/8 x 2	0.900		10-61-620	1 x 1-1/2	1.800
10-61-417	3/8 x 2-1/2	1.126		10-61-621	1 x 1-3/4	2.058
10-61-435	3/8 x 3	1.350		10-61-600	1 x 2	2.350
10-61-440*	3/8 x 4	1.800		10-61-604	1 x 2-1/4	2.646
10-61-442	3/8 x 4-1/2	1.985		10-61-603	1 x 2-1/2	2.940
10-61-443*	3/8 x 5	2.205		10-61-601	1 x 3	3.528
10-61-445	3/8 x 6	2.645		10-61-606	1 x 3-1/2	4.155
10-61-446	3/8 x 7	3.087		10-61-602	1 x 4	4.800
10-61-450	3/8 x 8	3.528		10-61-610	1 x 6	7.200
10-61-455	3/8 x 10	4.410		10-61-611	1 x 8	9.600
33-61-105	3/8 x 12	5.292		10-61-612	1 x 10	11.760
				33-61-125	1 x 12	14.400

Additional Sizes on next page (Standards p02) →

Items marked as MILL ORDER are non stock but available. Product codes listed on MILL ORDER items are for die reference only. Customer must specify length, alloy & temper.



EASTERN METAL SUPPLY

STANDARDS 01
03/16/23

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061



Rectangular Aluminum Bar - 6061-T6511 x 12' (con't)



Stock Code	Size in Inches (E x M)	Approx. Wt/Lin ft.	Stock Code	Size in Inches (E x M)	Approx. Wt/Lin ft.
10-61-630	1-1/4 x 1-1/2	2.205	MILL ORDER	1-1/2 x 6	10.672 EMS550646
10-61-640	1-1/4 x 1-3/4	2.597	MILL ORDER	1-1/2 x 12	21.168 EMS505068
10-61-631	1-1/4 x 2	2.940	52-61-1161	2 x 3	7.056
10-61-706	1-1/4 x 6	8.820	10-61-700	2 x 4	9.408
10-61-690	1-1/2 x 1-3/4	3.087	10-61-702	2 x 6	14.100
10-61-701	1-1/2 x 3	5.292	52-61-2459	3 x 5	17.640
10-61-704	1-1/2 x 4	7.056	MILL ORDER	3 x 6	21.331 EMS550649
11386-9	1-1/2 x 5	8.820	MILL ORDER	4 x 6	28.448 EMS550651

Rectangular Aluminum Bar - 6063-T52 x 20'

Stock Code	Size in Inches (E x M)	Approx. Wt/Lin ft.	Stock Code	Size in Inches (E x M)	Approx. Wt/Lin ft.
10-63-100	.085 x 2" x 12'1"	0.198	10-63-375	3/8 x 1-1/4	0.563
10-63-200	1/8 x 1/2	0.078	10-63-380	3/8 x 1-1/2	0.675
MILL ORDER	1/8 x 5/8	0.092 52-63-12436	10-63-385	3/8 x 2	0.900
10-63-210	1/8 x 3/4	0.113	10-63-386	3/8 x 3	1.350
10-63-215	1/8 x 1	0.15	10-63-390*	3/8 x 4	1.800
10-63-220	1/8 x 1-1/4	0.188	10-63-400	1/2 x 3/4	0.450
10-63-225	1/8 x 1-1/2	0.225	10-63-405	1/2 x 1	0.600
10-63-230	1/8 x 1-3/4	0.263	MILL ORDER	1/2 x 1-1/4	0.734 52-63-1627
10-63-235	1/8 x 2	0.300	10-63-410	1/2 x 1-1/2	0.900
10-63-240	1/8 x 3	0.450	10-63-415	1/2 x 2	1.200
10-63-245*	1/8 x 4	0.600	10-63-420	1/2 x 2-1/2	1.500
10-63-250	1/8 x 6	0.900	10-63-425	1/2 x 3	1.800
50-06-127	1/8 x 12 x 10'	1.833	MILL ORDER	1/2 x 4	2.400 10-63-431 (NC)
	<i>Gusset Plate (5052 H38 Alodine)</i>		MILL ORDER	3/4 x 1-1/2	1.350 10-63-540 (NC)
10-63-255	3/16 x 1/2	0.113	MILL ORDER	3/4 x 2	1.800 10-63-501 (NC)
10-63-260	3/16 x 3/4	0.169	MILL ORDER	1 x 1-1/2	1.500 10-63-440 (NC)
10-63-265	3/16 x 1	0.226	MILL ORDER	1 x 2	2.350 52-63-035
10-63-270	3/16 x 1-1/4	0.283			
10-63-275	3/16 x 1-1/2	0.338			
10-63-280	3/16 x 2	0.451			
MILL ORDER	3/16 x 2-1/2	0.551 52-63-12417			
10-63-285	3/16 x 3	0.677			
52-63-12927	3/16 x 3-1/2 x 8'	0.790			
10-63-290	3/16 x 4	0.902			
10-63-300	3/16 x 12 x 12'	2.707			
10-63-324	1/4 x 1/2 x 12'	0.150			
10-63-305	1/4 x 1/2	0.150			
10-63-308	1/4 x 5/8	0.188			
10-63-310	1/4 x 3/4	0.226			
10-63-315	1/4 x 1	0.300			
10-63-320	1/4 x 1-1/4	0.376			
10-63-325	1/4 x 1-1/2	0.450			
MILL ORDER	1/4 x 1-3/4	0.524			
10-63-335*	1/4 x 2	0.600			
MILL ORDER	1/4 x 2-1/2	0.734 52-63-4171			
10-63-340*	1/4 x 3	0.900			
10-63-345*	1/4 x 4	1.200			
10-63-350	1/4 x 6	1.800			
10-63-355	3/8 x 1/2	0.225			
10-63-357	3/8 x 5/8	0.281			
10-63-365	3/8 x 3/4	0.337			
10-63-370	3/8 x 1	0.450			

Rectangular Aluminum Bar

6463-T6 Flat Bar x 12' Mill Finish; Sharp Corner

Stock Code	Size in Inches (E x M)
10-64-340	1/4 x 2
10-64-345	1/4 x 2-1/2
10-64-350	1/4 x 3
10-64-353	1/4 x 3-1/2
10-64-355	1/4 x 4
10-64-358	1/4 x 4-1/2
10-64-360	1/4 x 5
10-64-362	1/4 x 5-1/2
10-64-365	1/4 x 6
10-64-435	3/8 x 3
10-64-440	3/8 x 4
10-64-443	3/8 x 5
10-64-445	3/8 x 6



Aluminum Rectangular Bar Grating

Special Order Various Sizes Available Upon Request

Items marked as MILL ORDER are non stock but available. Product codes listed on MILL ORDER items are for die reference only. Customer must specify length, alloy & temper.



EASTERN METAL SUPPLY

STANDARDS 02
04/27/23


www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061



Square Aluminum Bar - 6061-T6511 x 12'

<u>Stock Code</u>	<u>Size in Inches</u>	<u>Approx. Wt/Lin ft.</u>	
MILL ORDER	1/4	0.074	<u>52-61-1636</u>
MILL ORDER	3/8	0.169	<u>15-61-100</u>
15-61-200	1/2	0.300	
15-61-201 (NC)	5/8	0.459	
15-61-205	3/4	0.674	
15-61-210	1	1.200	
15-61-215	1-1/4	1.888	
15-61-225	1-1/2	2.745	
<u>15-61-226</u>	1-3/4	3.602	
15-61-220	2	4.699	
<u>15-61-221</u>	2-1/4	5.947	
<u>15-61-222</u>	2-1/2	7.350	
<u>15-61-223</u>	3	10.584	
MILL ORDER	3-1/4	12.409	<u>15-61-307 (NC)</u>
MILL ORDER	3-1/2	14.396	<u>15-61-250 (NC)</u>
MILL ORDER	4	18.797	<u>15-61-260 (NC)</u>
MILL ORDER	5	29.600	<u>EMS550607</u>
MILL ORDER	6	42.647	<u>EMS550600</u>




Square Aluminum Bar - 6063-T52 x 20'

<u>Stock Code</u>	<u>Size in Inches</u>	<u>Approx. Wt/Lin ft.</u>	
MILL ORDER	1/4	0.073	<u>15-63-200 (NC)</u>
15-63-205	3/8	0.169	
15-63-210	1/2	0.300	
15-63-215	5/8	0.468	
15-63-220	3/4	0.674	
15-63-225	1	1.200	
MILL ORDER	1-1/4	1.875	<u>15-63-230 (NC)</u>
MILL ORDER	1-1/2	2.745	<u>52-63-13074</u>

*Items marked as MILL ORDER are non stock but available.
Product codes listed on MILL ORDER items are for die reference only.
Customer must specify length, alloy & temper.*



Round Aluminum Rod - 6061-T6511 x 12'



<u>Stock Code</u>	<u>Size in Inches</u>	<u>Approx. Wt/Lin ft.</u>	<u>Stock Code</u>	<u>Size in Inches</u>	<u>Approx. Wt/Lin ft.</u>
MILL ORDER	1/8	0.015 <i>14-61-543 (NC)</i>	14-61-455	2	3.691
MILL ORDER	7/32	0.044	MILL ORDER	2-1/8	4.166
14-61-410	1/4	0.058	<u>14-61-454</u>	2-1/4	4.676
MILL ORDER	5/16	0.090 <i>14-61-517 (NC)</i>	14-61-457	2-3/8	5.210
14-61-415	3/8	0.133	14-61-456	2-1/2	5.733
14-61-419	7/16	0.178	<u>14-61-458</u>	2-5/8	6.364
14-61-420	1/2	0.235	<u>14-61-459</u>	2-3/4	6.985
MILL ORDER	9/16	0.292 <i>14-61-426</i>	14-61-460	3	8.304
14-61-425	5/8	0.368	<u>14-61-461</u>	3-1/4	9.756
14-61-430	3/4	0.530 (DOT-61-180)	<u>14-61-462</u>	3-1/2	11.314
<u>14-61-431</u>	7/8	0.707	MILL ORDER	3-5/8	12.140
14-61-435	1	0.942	<u>14-61-464</u>	3-3/4	12.989
<u>14-61-436</u>	1-1/16	1.042	14-61-470	4	14.763
MILL ORDER	1-1/8	1.169 <i>14-61-542 (NC)</i>	<u>14-61-472</u>	4-1/2	18.703
14-61-440	1-1/4	1.472	<u>14-61-480</u>	5	23.091
<u>14-61-442</u>	1-5/16	1.590	MILL ORDER	5-1/2	27.998 <i>14-61-508 (NC)</i>
14-61-441	1-3/8	1.745	14-61-485	6	33.250
MILL ORDER	1-7/16	1.925 <i>52-61-3717</i>	MILL ORDER	6-1/2	38.988 <i>14-61-535 (NC)</i>
14-61-445	1-1/2	2.110	MILL ORDER	7	45.214 <i>14-61-495 (NC)</i>
<u>14-61-447</u>	1-5/8	2.439	MILL ORDER	7-1/2	51.961 <i>14-61-206 (TX)</i>
14-61-450	1-3/4	2.826	MILL ORDER	8	59.091 <i>52-61-1749</i>
MILL ORDER	1-13/16	3.042 <i>52-61-3305</i>			
<u>14-61-453</u>	1-7/8	3.247			

Round Aluminum Rod - 6063-T52 x 20'

<u>Stock Code</u>	<u>Size in Inches</u>	<u>Approx. Wt/Lin ft.</u>
14-63-205	1/4 x 12'	0.059
14-63-211	3/8	0.133
14-63-215	1/2	0.235
14-63-220	5/8	0.368
14-63-225	3/4	0.530
MILL ORDER	7/8	0.722 <i>14-63-226</i>
14-63-230	1	0.942
MILL ORDER	1-1/4	1.443
MILL ORDER	1-1/2	2.077 <i>14-63-240</i>
MILL ORDER	3	8.484 <i>14-63-310 (NC)</i>

*Items marked as MILL ORDER are non stock but available.
Product codes listed on MILL ORDER items are for die reference only.
Customer must specify length, alloy & temper.*



EASTERN METAL SUPPLY

STANDARDS 04
07/30/21

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061



Aluminum Sheet & Plate - 5052 H32 Mill Finish *Federal Spec. QQA-250/8*

Stock Code	Size in Inches	Approx Wt/Sheet	Stock Code	Size in Inches	Approx Wt/Sheet
50-03-103	.032 x 48 x 120	17.88	50-03-174	.125 x 48 x 120	70.00
50-03-135	.032 x 48 x 144	21.456	50-03-174PVC*	.125 x 48 x 120	70.00
50-03-137	.040 x 48 x 120	22.35	50-03-175	.125 x 48 x 144	84.00
50-03-137LPVC*	.040 x 48 x 120 (Laser PVC)	22.35	50-03-175PVC*	.125 x 48 x 144	84.00
50-03-140	.040 x 48 x 144	27.37	50-03-176*	.125 x 48 x 168	98.00
50-03-487 (MO)	.050 x 48 x 120	27.92	50-03-178*	.125 x 48 x 192	112.00
50-03-144	.050 x 60 x 144	42.34	50-03-12548240	.125 x 48 x 240	140.00
50-03-144PVC*	.050 x 60 x 144	42.34	50-03-179	.125 x 60 x 96	69.84
50-03-146	.063 x 48 x 96	27.09	50-03-011 (OH)	.125 x 60 x 96	69.84
50-03-149	.063 x 48 x 120	35.20	50-03-181	.125 x 60 x 120	87.50
50-03-150	.063 x 48 x 144	42.24	50-03-180	.125 x 60 x 144	105.00
50-03-150PVC*	.063 x 48 x 144	42.24	50-03-182*	.125 x 60 x 192	140.00
50-03-154	.063 x 60 x 120	44.00	50-03-652 (NC)	.125 x 72 x 120	104.67
50-03-155	.063 x 60 x 144	52.80	50-03-12572120	.125 x 72 x 120	104.67
50-03-155PVC*	.063 x 60 x 144	52.80	50-03-184	.125 x 72 x 144	126.00
50-03-161	.080 x 48 x 96	35.20	50-5052-4896	.190 x 48 x 96	85.12
50-03-159	.080 x 48 x 120	44.40	50-52-48120 (FL/MO)	.190 x 48 x 120	106.40
50-03-160	.080 x 48 x 144	53.28	50-03-183 (NC/TX)	.190 x 48 x 120	106.40
50-03-760 (NC/TX)	.080 x 60 x 96	44.40	50-03-185	.190 x 48 x 144	127.68
50-03-792	.080 x 60 x 120	55.50	50-03-1906096	.190 x 60 x 96	106.40
50-03-158	.080 x 60 x 144	66.60	50-03-186	.190 x 60 x 120	133.00
50-03-630	.080 x 72 x 144	79.92	50-03-215 (NC/DE)	.190 x 60 x 120	133.00
50-03-168	.090 x 48 x 96	41.18	50-03-187	.190 x 60 x 144	159.60
50-03-164	.090 x 48 x 120	50.40	50-03-19072144	.190 x 72 x 144	191.52
50-03-164PVC*	.090 x 48 x 120	50.40	50-03-300	.250 x 48 x 96	111.68
50-03-165	.090 x 48 x 144	60.48	50-03-188	.250 x 48 x 120	139.60
50-03-358 (NC/DE)	.090 x 60 x 96	50.40	50-03-190	.250 x 48 x 144	167.52
50-03-368	.090 x 60 x 120	63.00	50-03-617 (NC/TX)	.250 x 60 x 120	174.50
50-03-170	.090 x 60 x 144	75.60	50-52-60120	.250 x 60 x 120	174.50
50-03-171	.090 x 72 x 144	90.15	50-03-191	.250 x 60 x 144	209.40
50-03-369 (MO)	.100 x 48 x 120	55.88	50-5052-375	.375 x 48 x 96	167.68
50-03-100596 (TX)	.100 x 60 x 96	56.00	50-03-031 (NC)	.375 x 48 x 96	167.68
50-03-100510 (TX)	.100 x 60 x 120	69.85	50-00-48144	.375 x 48 x 144	251.52
50-03-368 (MO)	.100 x 60 x 120	69.85	50-03-688	.500 x 48 x 96	223.36
50-03-173	.125 x 48 x 96	56.00	50-03-647	.500 x 48 x 144	335.04
50-03-173PVC*	.125 x 48 x 96	56.00			

Aluminum Sheet & Plate - 3003 H14 Mill Finish *Federal Spec. QQA-250/2*

Stock Code	Size in Inches	Approx Wt/Sheet	Stock Code	Size in Inches	Approx Wt/Sheet
50-03-090	.032 x 48 x 96	14.59	50-03-113 (MO)	.100 x 48 x 120	57.04
50-03-100	.032 x 48 x 120	18.24	50-03-116 (MO)	.100 x 48 x 144	68.45
50-03-100LPVC*	.032 x 48 x 120 (Laser PVC)	18.24	50-03-270 (MO)	.100 x 60 x 120	71.30
50-03-104	.040 x 48 x 96	18.24	50-03-271 (MO)	.100 x 60 x 144	85.56
50-03-105	.040 x 48 x 120	22.80	50-03-132	.125 x 48 x 96	56.96
50-03-109	.050 x 48 x 96	22.816	50-03-096 (MO)	.125 x 48 x 96	56.96
50-03-110	.050 x 48 x 120	28.52	50-03-132PVC*	.125 x 48 x 96	56.96
50-03-114	.063 x 48 x 96	28.736	50-03-131	.125 x 48 x 120	71.20
50-03-115	.063 x 48 x 120	35.92	50-03-131PVC*	.125 x 48 x 120	71.20
50-03-120	.063 x 48 x 144	43.50	50-03-039 (NC)	.125 x 48 x 144	85.44
88-00-263	.063 x 60 x 120	44.90	51-00-48144	.125 x 48 x 144	85.44
88-00-634	.063 x 60 x 144	54.00	88-00-767	.125 x 60 x 96	69.84
50-03-124	.080 x 48 x 96	36.48	88-00-767 (MO)	.125 x 60 x 96	69.84
50-03-125	.080 x 48 x 120	45.60	88-00-767PVC*	.125 x 60 x 96	69.84
50-03-126 (NC)	.080 x 48 x 144	54.76	88-00-666	.125 x 60 x 120	89.00
50-03-280 (NC)	.080 x 60 x 96	45.60	88-00-799	.125 x 60 x 144	106.80
50-03-214	.080 x 60 x 120	57.00	88-00-220 (NC/MO)	.125 x 72 x 144	128.00
50-03-304	.080 x 60 x 144	68.40	50-03-1339	.1875 x 48 x 96	84.28
50-03-780	.080 x 72 x 144	82.08	50-03-1340	.1875 x 48 x 120	106.92
50-03-129	.090 x 48 x 96	41.28	50-03-1360	.1875 x 60 x 120	133.60
50-03-163 (NC/TX/DE/GA)	.090 x 48 x 96	41.28	50-03-1359	.190 x 60 x 96	108.40
50-03-130	.090 x 48 x 120	51.60	50-03-1380	.190 x 60 x 144	162.54
50-03-767 (NC/MO/OH)	.090 x 48 x 144	61.92	50-03-222	.250 x 48 x 96	114.01
88-00-365 (NC)	.090 x 60 x 96	51.60	50-3003-48144	.250 x 48 x 144	170.88
88-00-367	.090 x 60 x 120	64.50			
88-00-240	.090 x 60 x 144	77.40			

3 Mil PVC Film Application

50-00-003 3 Mil for 48" Sheet
50-00-002 3 Mil for 60" Sheet

4 Mil PVC Film (LASER CUTTING)

50-00-007 4 Mil for 48" Sheet
50-00-006 4 Mil for 60" Sheet



EASTERN METAL SUPPLY

STANDARDS 05
02/04/24

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

Aluminum Sheet & Plate

6061 T6 Mill Finish

Federal Specs QQA-250/11

Stock Code	Size in Inches	Approx Wt/Sheet
50-03-533	.063 x 48 x 144	42.50
50-61-1254896 (NC)	.125 x 48 x 96	56.32
50-61-144	.125 x 48 x 144	84.48
50-6061-190	.190 x 48 x 144	128.64
50-61-2504896	.250 x 48.5 x 96.5	114.82
50-6061-250	.250 x 48.5 x 144.5	171.80
50-60-4896	.375 x 48.5 x 96.5	176.62
<u>50-6061-375</u>	.375 x 48.5 x 144.5	257.94
50-61-048	.500 x 48.5 x 96.5	232.00
50-6061-500	.500 x 48.5 x 144.5	343.11

Anodized 5005 (PVC Coating one side)

Exterior Class 1 Anodized Coating

Anodized Thickness: 0.0002 - 0.0003

Stock Code	Anodize	Size in Inches	Approx Wt/Sheet
<u>50-CA-99</u>	Clear	.032 x 48 x 96	14.45
<u>50-CA-100</u>	Clear	.032 x 48 x 120	18.00
<u>50-03-178</u>	Clear	.032 x 48 x 120	18.00 (5052)
<u>50-CA-104</u>	Clear	.040 x 48 x 96	17.98
50-ANOD-140 (NC)	Clear	.040 x 48 x 96	17.98
50-03-179 (NC)	Clear	.040 x 48 x 120	22.80
<u>50-CA-105</u>	Clear	.040 x 48 x 120	22.80
<u>50-CA-114</u>	Clear	.063 x 48 x 96	28.44
50-CA-149	Clear	.063 x 48 x 120	35.40
50-CL-235P (TX)	Clear	.063 x 48 x 120	35.40
<u>50-CA-150</u>	Clear	.063 x 48 x 144	42.70
50-CA-125	Clear	.080 x 48 x 120	45.60
50-BRZ-317 (NC)	Bronze	.040 x 48 x 120	23.00
<u>50-LADB-105</u>	Extra Dark	.040 x 48 x 120	22.80
<u>50-CA-131</u>	Clear	.125 x 48 x 120	70.40

3003 H22/24 Tread Brite

Stock Code	Size in Inches	Approx Wt/Sheet
50-03-520	.063 x 48 x 96	33.31
50-03-220	.063 x 48 x 120	42.80
50-03-199	.063 x 48 x 144	9.75
<u>50-03-250</u>	.080 x 48 x 84	36.17
50-03-252	.080 x 48 x 96	40.50
50-03-251	.080 x 48 x 120	51.668
50-03-195	.080 x 48 x 144	61.30
50-03-203	.100 x 48 x 96	46.03
50-03-194	.100 x 48 x 144	75.08
50-03-198	.125 x 48 x 96	61.46
50-03-196	.125 x 48 x 120	77.36
51-00-193	.125 x 48 x 144	92.19
50-03-197	.125 x 48 x 192	122.91
50-03-204	.125 x 60 x 120	96.708
50-00-198	.125 x 60 x 144	112.80
50-03-210	.125 x 60 x 192	154.73
50-03-578	.190 x 48 x 96	91.24
51-03-193	.190 x 48 x 120	113.048
50-03-577	.190 x 48 x 144	137.50
50-03-193	.190 x 48 x 192	182.48
50-03-224	.190 x 60 x 120	139.17
50-03-226	.190 x 60 x 144	171.07
50-03-230	.250 x 48 x 96	115.19
50-03-231	.250 x 48 x 120	143.99

6061 T6 Tread Plate

50-61-000	.250 x 48 x 96	117.44
50-61-25048TP	.250 x 48 x 192	234.88

For extruded 6061 Mini Plate See Bar & Rod Section



EASTERN METAL SUPPLY

STANDARDS 06
11/17/23

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061



Aluminum Sheet & Plate

Painted Aluminum Sheet - all items with PVC

FL White = Polar White; NC/TX White = Bright White

<u>Stock Code</u>	<u>Size in Inches</u>	<u>Wt/Sheet</u>
White/White		
50-03-090W	.032 x 48 x 96	14.60
50-03-100W	.032 x 48 x 120	18.25
<u>50-03-095W</u>	.032 x 48 x 144	22.66
50-03-103W	.040 x 48 x 96	18.25
50-03-105W	.040 x 48 x 120	23.40
<u>50-03-48144W</u>	.040 x 48 x 144	28.00
50-WH-112 (NC)	.040 x 48 x 144	28.00
50-WH-285P (TX)	.040 x 48 x 144	28.00
50-03-108W	.040 x 60 x 120	28.22
50-WH-236 (TX)	.040 x 60 x 120	28.22
50-WH-109 (NC)	.050 x 48 x 96	23.02
50-WH-109P (TX)	.050 x 48 x 96	23.02
50-03-110W	.050 x 48 x 120	28.51
50-WH-200P (TX)	.050 x 48 x 120	28.51
50-03-406 (MO)	.050 x 48 x 120	28.51
50-03-114W	.063 x 48 x 96	29.00
50-WH-245P (TX)	.063 x 48 x 96	29.00
50-03-115W	.063 x 48 x 120	35.93
50-03-121W	.063 x 60 x 120	44.40
50-WH-124	.080 x 48 x 96	36.48
50-WH-279P (TX)	.080 x 48 x 96	36.48
50-03-125W	.080 x 48 x 120	46.00
50-WH-125P (TX)	.080 x 48 x 120	46.00
<u>50-03-126W</u>	.080 x 48 x 144	55.20
Bronze/White		
<u>50-03-100B</u>	.032 x 48 x 120	18.25
50-03-105B	.040 x 48 x 120	23.40
50-BW-105P (TX)	.040 x 48 x 120	23.40
50-03-115BRW	.063 x 48 x 120	35.92
50-BW-235P (TX)	.063 x 48 x 120	35.92
Red/White		
50-03-105R	.040 x 48 x 120	23.40
50-RED-240 (NC)	.040 x 48 x 120	23.40
50-RWH-105 (TX)	.040 x 48 x 120	23.40
Yellow/White		
MILL ORDER <u>50-YEL-105 (NC)</u>	.040 x 48 x 120	22.58
Gloss Black/Gloss White		
50-BL-298 (NC)	.040 x 48 x 96	18.43
50-03-105BK	.040 x 48 x 120	23.40
50-GBW-105P (TX)	.040 x 48 x 120	23.40
50-GBW-245P (TX)	.063 x 48 x 96	29.00
50-03-115BK	.063 x 48 x 120	35.93
50-GBW-235P (TX)	.063 x 48 x 120	35.93
Matte Black/Matte White		
<u>50-BLK-303</u>	.040 x 48 x 120	23.40
50-BKW-245P (NC/TX)	.063 x 48 x 96	29.00
50-BKW-235P (NC/TX)	.063 x 48 x 120	35.93
Matte Black/Gloss White		
50-BLK-303 (NC)	.040 x 48 x 120	23.40
Gloss Black/Gloss Black		
50-03-428	.040 x 48 x 120	23.40

Channel Letter Coil

PVC Mask One Side Coil In Stock (20" ID Coil)

<u>Stock Code</u>	<u>Size in Inches</u>
WHITE/WHITE	
49-WH-004	.040 x 5.50 (5.3") x 270'
BRONZE/WHITE	
49-DB-004	.040 x 5.50 (5.3") x 270'
RED/WHITE	
<u>49-RD-004</u>	.040 x 5.50 (5.3") x 270'
BLACK/WHITE	
49-BK-004	.040 x 5.50 (5.3") x 270'
BRIGHT BRUSHED CLEAR	
50-CL-742C (NC)	.040 x 5.50 (5.3") x 270'
MILL FINISH (No PVC Mask)	
49-MF-007 (TX)	.063 x 2.00 x 270'
49-MF-005 (TX)	.063 x 3.00 x 270'
49-MF-006 (TX)	.063 x 3.50 x 270'
49-MF-008 (TX)	.063 x 4.00 x 270'
49-MF-009 (TX)	.063 x 6.00 x 270'

Aluminum Composite Material (ACM)


PolyMetal - UL Listed (.008 Skin Thickness; 55° Gloss)

	<u>Size</u>	<u>Color</u>
50-PM-100	3mm x 4' x 8'	White/White
50-PM-105	3mm x 4' x 8'	Black/Black
50-PM-110	3mm x 4' x 8'	White One Side
50-PM-115	3mm x 4' x 10'	White/White
50-PM-120	3mm x 4' x 10'	Black/Black
50-PM-125	3mm x 5' x 10'	White/White
50-PM-130	6mm x 4' x 8'	White/White
<u>50-PM-135</u>	6mm x 4' x 8'	Black/Black
50-PM-140	6mm x 4' x 10'	White/White

ValuMetal - Non-UL (.004 Skin Thickness; 55° Gloss)

	<u>Size</u>	<u>Color</u>
50-VM-100	3mm x 4' x 8'	White/White



Aluminum Composite Material (ACM)



Aluminum Sheet & Plate

Aluminum Woven Wire Mesh

2.00" ID; 2.50" OD	Alloy 1350 - H16	
Stock Code	Size in Inches	Approx. Wt/Sheet
50-2X2WM-4896	.236 x 48 x 96	17.60
50-2X2WM-48120	.236 x 48 x 120	21.78




Framing Options


13-63-205	1/2 x 3/4 x 1/8 Channel x 20' (6063-T52)
60-00-205	MP-1A (1 x 1 x 24') - pic at top right
59-63-002 (TX)	MP-1A (1 x 1 x 24') - pic at top right

MP-1A can be inserted into the 3" Universal and 2 x 3 Welded Enclosure Systems (pic at bottom right)

2 x 2 Angle cut down to 0.800 can be used as Corner Key for Mechanical Installations (pic at bottom left)



2 x 2 x .80 Corner Key inserted into MP-1A mechanically fastened



Wire Mesh Framed out with 1" MP-1A Inserted into 3" Universal Enclosure Post

3003 H14 Flattened Expanded Aluminum

.052" SWD x 1.27" LWD; Opening Sizes: .312 SWO x 1.00 LWO
.060 Strand Thickness x .187 Strand Width 58% Open Area

Stock Code	Size in Inches
50-00-99	.5 x .081 (48 x 96)
51-00-100 (TX)	.5 x .081 (48 x 120)

.923 SWD x 2.13 LWD; Opening Sizes: .625 SWO x 1.75 LWO
.095 Strand Thickness x .187 Strand Width 62% Open Area

Stock Code	Size in Inches
51-00-096	.75 x .125 (48 x 96)
51-00-096R (TX)	.75 x .125 (48 x 96)
51-00-120	.75 x .125 (48 x 120)

Aluminum Rectangular Bar Grating

Special Order Various Sizes Available Upon Request



5052 H38 Alodine Pretreated Sheet

Stock Code	Size in Inches	Approx. Wt/Sheet
50-06-106	.080 x 30 x 96	22.57
50-06-107	.080 x 30 x 120	28.22
50-06-108	.080 x 30 x 144	33.86
50-06-109	.080 x 36 x 96	27.09
50-06-110	.080 x 36 x 120	33.86
50-06-111	.080 x 36 x 144	40.64
50-06-112A	.080 x 48 x 96	36.13
50-06-113A	.080 x 48 x 120	46.10
50-06-114	.080 x 48 x 144	53.51
50-06-115	.125 x 30 x 96	35.28
50-06-116	.125 x 30 x 120	44.10
50-06-117	.125 x 30 x 144	52.92
50-06-118	.125 x 36 x 96	41.65
50-06-119	.125 x 36 x 120	52.07
50-06-120	.125 x 36 x 144	62.48
50-06-121	.125 x 48 x 96	56.44
50-06-122	.125 x 48 x 120	70.56
50-06-123	.125 x 48 x 144	84.67

Contact your EMS Sales Representative for SPECIAL ORDER Sign Blanks

*See Standards pp 17-22 (Tubes & D.O.T.) for additional items

D.O.T. Signage


<p>12" x 2" Sign Panel MILL ORDER EMSW14792 Heavy MILL ORDER EMSW14794 Medium MILL ORDER EMSW14793 Light</p>	<p>6" x 2" Half Sign Panel MILL ORDER EMSW14795</p>	<p>3" x 2.5" Wind Beam MILL ORDER EMSW14796</p>
<p>6" Extruded Street Name Blade x 12' 1" 66-33-111 (TX)</p>	<p>9" Extruded Street Name Blade x 12' 1" 66-33-110 (TX)</p>	<p>Items marked as MILL ORDER are non stock but available. Product codes listed on MILL ORDER items are for die reference only. Customer must specify length, alloy & temper.</p>



Architectural Aluminum Angle

6063-T52 x 20' Equal Leg

<u>Stock Code</u>	<u>Size in Inches (E x M x S)</u>	<u>Approx. Wt/Lin ft.</u>
11-63-200	1/2 x 1/2 x 1/16	0.069
11-63-205	3/4 x 3/4 x 1/16	0.107
11-63-210	3/4 x 3/4 x 1/8	0.206
11-63-220	1 x 1 x 1/16	0.144
24-63-206	1 x 1 x 1/16 (x 24' 6" - 6063-T6)	0.144
11-63-225	1 x 1 x 1/8	0.281
11-63-230	1 x 1 x 3/16	0.408
11-63-255	1-1/4 x 1-1/4 x 1/8	0.356
11-63-260	1-1/4 x 1-1/4 x 3/16	0.519
11-63-270	1-1/2 x 1-1/2 x 1/16	0.219
11-63-373 (NC)	1-1/2 x 1-1/2 x 1/16	0.219
24-63-216	1-1/2 x 1-1/2 x 1/16 (x 24' 6" - 6063-T6)	0.219
11-63-275	1-1/2 x 1-1/2 x 1/8	0.431
24-63-236	1-1/2 x 1-1/2 x 1/8 (x 24' 6" - 6063-T6)	0.431
11-63-280	1-1/2 x 1-1/2 x 3/16	0.633
11-63-295	1-3/4 x 1-3/4 x 1/8	0.506
11-63-310	2 x 2 x 1/16	0.293
<u>52-63-5805A</u>	2 x 2 x 0.093 (x 24' 3")	0.440
11-63-315	2 x 2 x 1/8	0.581
11-63-320	2 x 2 x 3/16	0.859
11-63-325	2 x 2 x 1/4	1.124
11-63-330	3 x 3 x 1/8	0.881
11-63-335	3 x 3 x 1/4	1.725



6063-T52 x 20' Unequal Leg

<u>Stock Code</u>	<u>Size in Inches (E x M x S)</u>	<u>Approx. Wt/Lin ft.</u>
11-63-350	1 x 1/2 x 1/8	0.206
MILL ORDER 11-63-479 (NC)	1-1/4 x 1/2 x 1/8	0.244
MILL ORDER 11-63-351 (NC)	1-1/2 x 1/2 x 1/8	0.281
<u>11-63-351A</u>	1-1/2 x 1/2 x 0.093 Table Rim	0.208
11-63-355	1-1/2 x 3/4 x 1/8	0.319
11-63-269	1-1/2 x 1 x 1/8	0.356
11-63-365	2 x 1 x 1/16	0.218
11-63-370	2 x 1 x 1/8	0.431
11-63-410	2 x 1-1/2 x 1/8	0.506
40-63-128	2 x 1-1/2 x 1/8 (x 24' 6" - 6063-T6)	0.506
11-63-309	2 x 1-1/2 x 3/16	0.731
11-63-375	3 x 1 x 1/8	0.582
11-63-390	3 x 2 x 1/8	0.750
<u>11-61-520</u>	3 x 2 x 3/16 x 25' (6061-T6)	1.085
65-63-072 (DE)	3.160 x 1.73 x 0.055 (x 24' - 6063-T6)	0.317
11-63-393 (DE)	3-1/2 x 1-1/4 x 1/8 (x 16')	0.693
11-63-395	4 x 2 x 1/8	0.881
11-63-396	4 x 2 x 1/4	1.725
11-63-405	5 x 2 x 1/8	1.031
11-63-415	7 x 2 x 1/4 (6063-T6)	2.624




Table Rim Angle
11-63-351A

*Items marked as MILL ORDER are non stock but available.
Product codes listed on MILL ORDER items are for die reference only.
Customer must specify length, alloy & temper.*



EASTERN METAL SUPPLY

STANDARDS 09
11/05/19

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061



Structural Aluminum Angle

6061-T6 x 25'


Equal Leg

<u>Stock Code</u>	<u>(E x M x S)</u> <u>Size in Inches</u>	<u>Approx.</u> <u>Wt/Lin ft.</u>	
MILL ORDER	3/4 x 3/4 x 1/8	0.201	<u>11-61-200</u>
11-61-205	1 x 1 x 1/8	0.280	
11-61-210	1 x 1 x 3/16	0.406	
11-61-215	1 x 1 x 1/4	0.514	
MILL ORDER	1-1/4 x 1-1/4 x 1/8	0.343	<u>11-61-220</u>
11-61-225	1-1/4 x 1-1/4 x 3/16	0.522	
MILL ORDER	1-1/4 x 1-1/4 x 1/4	0.656	<u>11-61-230 (NC)</u>
11-61-235	1-1/2 x 1-1/2 x 1/8	0.440	
11-61-240	1-1/2 x 1-1/2 x 3/16	0.640	
11-61-245	1-1/2 x 1-1/2 x 1/4	0.830	
MILL ORDER	1-1/2 x 1-1/2 x 3/8	1.176	
MILL ORDER	1-3/4 x 1-3/4 x 1/8	0.497	
<u>11-61-255</u>	1-3/4 x 1-3/4 x 3/16	0.744	
11-61-260	1-3/4 x 1-3/4 x 1/4	0.980	
MILL ORDER	1-3/4 x 1-3/4 x 3/8	1.378	
11-61-265	2 x 2 x 1/8	0.588	
11-61-270	2 x 2 x 3/16	0.870	
11-61-275	2 x 2 x 1/4	1.110	
11-61-280	2 x 2 x 3/8	1.606	
MILL ORDER	2-1/2 x 2-1/2 x 1/8	0.739	<u>52-61-1103</u>
11-61-282	2-1/2 x 2-1/2 x 3/16	1.070	
11-61-285	2-1/2 x 2-1/2 x 1/4	1.404	
MILL ORDER	2-1/2 x 2 1/2 x 3/8	2.047	<u>52-61-1101</u>
11-61-295	3 x 3 x 3/16	1.275	
11-61-300	3 x 3 x 1/4	1.730	
11-61-305	3 x 3 x 3/8	2.474	
<u>11-61-302</u>	3 x 3 x 1/2	3.227	
11-61-310	3-1/2 x 3-1/2 x 1/4	1.989	
MILL ORDER	3-1/2 x 3-1/2 x 3/8	2.926	<u>52-61-3776</u>
<u>MILL ORDER</u>	3-1/2 x 3-1/2 x 1/2	3.826	<u>11-61-511 (TX)</u>
11-61-315	4 x 4 x 1/4	2.350	
11-61-320	4 x 4 x 3/8	3.366	
11-61-325	4 x 4 x 1/2	4.414	
11-61-330	5 x 5 x 3/8	4.237	
<u>11-61-335</u>	5 x 5 x 1/2	5.578	
11-61-340	6 x 6 x 3/8	5.119	
11-61-345	6 x 6 x 1/2	6.754	
<u>52-61-575</u>	8 x 8 x 1/2	9.141	
MILL ORDER	8 x 8 x 3/4	13.478	

6061-T6 x 25'

Unequal Leg

<u>Stock Code</u>	<u>(E x M x S)</u> <u>Size in Inches</u>	<u>Approx.</u> <u>Wt/Lin ft.</u>	
MILL ORDER	1-1/2 x 1 x 1/8	0.356	
MILL ORDER	1-1/2 x 1 x 1/4	0.662	<u>11-61-835 (NC)</u>
MILL ORDER	2 x 1-1/2 x 1/8	0.496	
<u>11-61-17269</u>	2 x 1-1/2 x 3/16	0.728	
<u>11-61-17270</u>	2 x 1-1/2 x 1/4	0.956	
MILL ORDER	2 x 1-1/2 x 3/8	1.378	<u>11-61-825 (NC)</u>
11-61-615	2-1/2 x 2 x 3/8	1.828	
11-61-620	3 x 2 x 3/16	1.090	
11-61-625	3 x 2 x 1/4	1.405	
11-61-630	3 x 2 x 3/8	2.046	
MILL ORDER	3 x 2-1/2 x 1/4	1.537	<u>11-61-805 (NC)</u>
MILL ORDER	3 x 2-1/2 x 3/8	2.253	
<u>11-61-660</u>	3-1/2 x 3 x 1/4	1.842	
MILL ORDER	3-1/2 x 3 x 3/8	2.705	
MILL ORDER	3-1/2 x 3 x 1/2	3.532	
11-61-680	4 x 3 x 1/4	1.988	
11-61-685	4 x 3 x 3/8	2.926	
MILL ORDER	4 x 3 x 1/2	3.826	<u>11-61-690 (MO)</u>
11-61-710	5 x 3 x 3/8	3.349	
MILL ORDER	5 x 3 x 1/2	4.396	<u>11-61-842 (NC)</u>
11-61-735	6 x 4 x 3/8	4.237	
11-61-740	6 x 4 x 1/2	5.578	
MILL ORDER	8 x 6 x 1/2	7.952	<u>52-61-3082</u>
MILL ORDER	8 x 6 x 3/4	11.679	<u>52-61-2216</u>



*Items marked as MILL ORDER are non stock but available.
Product codes listed on MILL ORDER items are for die reference only.
Customer must specify length, alloy & temper.*



EASTERN METAL SUPPLY


STANDARDS 10
02/04/24

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

Aluminum Zees - 6061-T6 x 25'


<u>Stock Code</u>	<u>(E x M x S)</u> <u>Size in Inches</u>	<u>Approx.</u> <u>Wt/Lin ft.</u>	
12-61-200	1-3/4 x 1-3/4 x 3/16	1.076	
12-61-216	3 x 2-11/16 x 1/4 x 18'	2.381	
12-61-201	3 x 2-11/16 x 1/4	2.381	
12-61-221	3 x 2-11/16 x 1/4 x 30'	2.381	
52-61-2968	3 x 2-11/16 x 1/4 x 40'	2.381	
12-61-220	3 x 2-11/16 x 3/8	3.381	
MILL ORDER	4 x 3-1/16 x 1/4	2.848	12-61-302 (NC)
12-61-240	4-1/16 x 3-1/8 x 5/16	3.575	
MILL ORDER	4-1/8 x 3-3/16 x 3/8	4.318	
12-61-250	5 x 3-1/4 x .312	4.008	
MILL ORDER	5-1/16 x 3-5/16 x 3/8	4.844	



Mill Finish Fabbed Z-Bar (D.O.T. with holes and slots)

1-3/4 x 1-3/4 x 3/16


<u>Stock Code</u>	<u>Size in Inches</u>	<u>Wt/Lin ft.</u>
12-61-210	x 8"	1.076
12-61-211FZ	x 11"	1.076
12-61-214FZ	x 14"	1.076
12-61-220FZ	x 20"	1.076
12-61-226FZ	x 26"	1.076
12-61-232FZ	x 32"	1.076
12-61-238FZ	x 38"	1.076
12-61-242FZ	x 42"	1.076
12-61-244FZ	x 44"	1.076
12-61-246FZ	x 46"	1.076
12-61-252FZ	x 52"	1.076
12-61-256FZ	x 56"	1.076
12-61-120FZ	x 120"	1.076



Aluminum Tees


Architectural Aluminum Tees - 6063-T5 x 20'

<u>Stock Code</u>	<u>(E x M x S)</u> <u>Size in Inches</u>	<u>Approx.</u> <u>Wt/Lin ft.</u>
12-63-205	1 x 1 x 1/8	0.280
25-BD-305	2 x 2 x 1/4 (BDA Polished 6463-T67)	1.097



Structural Aluminum Tees - 6061-T6 x 25'


MILL ORDER	1 x 1 x 1/8	0.313	
12-61-205	1-1/2 x 1-1/2 x 3/16	0.700	
MILL ORDER	1-1/2 x 1-1/2 x 1/4	0.869	52-61-163
12-61-215	2 x 2 x 1/4	1.280	
12-61-218	2 x 2 x 1/4 (x 32')	1.280	
MILL ORDER	2-1/2 x 2-1/2 x 5/16	1.912	12-61-309 (NC)
MILL ORDER	3 x 2-1/2 x 5/16	2.129	52-61-1104
MILL ORDER	4 x 3 x 3/8	3.220	



Gunwale/Gunnel - 6061-T6 Mill Finish

Suggested Applications: Boat Gunwales/Gunnels, Airboat applications

52-61-672	2.2 x 2 x 1/8 x 32'	0.850
-----------	---------------------	-------





*Items marked as MILL ORDER are non stock but available.
Product codes listed on MILL ORDER items are for die reference on.y.
Customer must specify length, alloy & temper.*




Architectural Aluminum Channel - 6063-T52 x 20'

<u>Stock Code</u>	<u>(E x M x S)</u> <u>Size in Inches</u>	<u>Approx.</u> <u>Wt/Lin ft.</u>
MILL ORDER <u>52-63-4193</u>	1/2 x 3/8 x 1/8	0.150
13-63-200	1/2 x 1/2 x .093	0.148
13-63-205	1/2 x 3/4 x 1/8	0.263
MILL ORDER <u>13-63-608 (TX)</u>	3/4 x 3/8 x 1/8	0.187
13-63-209	3/4 x 1/2 x 1/8	0.226
13-63-211	3/4 x 3/4 x 1/8	0.300
13-63-215	1 x 1/2 x 1/8	0.263
13-63-220	1 x 1 x 1/8	0.431
13-63-225	1-1/4 x 1/2 x 1/8	0.300
13-63-226	1-1/4 x 3/4 x 1/8	0.376
MILL ORDER <u>13-63-228 (NC)</u>	1-1/4 x 1 x 1/8	0.431
<u>13-63-229</u>	1-1/4 x 1-1/4 x .100 x 19' 3-1/8"	0.425
13-63-230	1-1/4 x 1-1/4 x 1/8	0.526
13-63-235	1-1/2 x 1/2 x 1/8	0.337
13-63-236	1-1/2 x 3/4 x 1/8	0.413
13-63-255	1-1/2 x 1 x 1/8	0.487
<u>13-63-256</u>	1-1/2 x 1 x 1/8 x 24'	0.487
13-63-237	1-1/2 x 1-1/2 x 1/8	0.637
65-05-039 (NC/MO)	1.70 x 1.90 x .080 x 24' (w/rad 6005A-T61)	0.510
13-63-250	1-3/4 x 3/4 x 1/8	0.450
13-63-306	1-3/4 x 1 x 1/8	0.524
<u>13-63-307</u>	1-3/4 x 1-3/4 x .093 x 24'	0.565
<u>30-63-135</u>	1.796 x 1-1/2 x 1/8 x 24'	0.666
<u>13-63-261</u>	2 x 7/16 x .093 x 25' 2"	0.294
13-63-260	2 x 1/2 x 1/8	0.413
13-63-262	2 x 3/4 x .093 leg/.125 web x 23' 10"	0.440
<u>13-63-279</u>	2 x 1 x .093 x 24'	0.426
13-63-265	2 x 1 x 1/8	0.563
13-63-274	2 x 1 x 1/8 x 24'	0.563
13-63-272	2 x 2 x 1/8	0.861
13-63-270	2-1/4 x 7/8 x 1/8	0.563
<u>200-MF-103</u>	2.325 x 2.38 x 0.125 x 24'	1.008 (see pic at right)
52-61-3798	2-1/2 x 1-1/2 x 1/8 x 25'	0.787
MILL ORDER <u>13-63-280</u>	3 x 1/2 x 1/8	0.563
13-63-285	3 x 1 x 1/8	0.713
13-61-517	3 x 2-1/4 x 1/4 x 25' (6061-T6)	2.100
13-61-518	3-1/2 x 2-1/4 x 1/4 x 25' (6061-T6)	2.249
13-63-273	4 x 1 x .105 leg/.080 web (w/radius)	0.613
MILL ORDER <u>13-63-724 (NC)</u>	4" x 1.5" x .125"	0.992
<u>30-63-140</u>	10 x 1-1/4 x .188 x 24'	2.726




30-63-135
End Cap Channel
tapered legs



200-MF-103
tapered legs

J Molding Channel - 6063 T6 Mill Finish

<u>Stock Code</u>	<u>Size</u>	<u>Approx.</u> <u>Wt/Lin ft.</u>
MILL ORDER <u>52-63-12993</u>	5/16"	0.080



1/16" J Molding
Channel

*Items marked as MILL ORDER are non stock but available.
Product codes listed on MILL ORDER items are for die reference only.
Customer must specify length, alloy & temper.*



EASTERN METAL SUPPLY


STANDARDS 13
09/19/23

www.easternmetal.com


FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061



Structural Aluminum Channel x 25' - 6061-T6



Aluminum Association



American Standard

Aluminum Association

Stock Code	(E x M x S / W) Size in Inches	Approx. Wt/Lin ft.	
13-61-500	2 x 1 x .130 / .130	0.577	
13-61-503	2 x 1.25 x .260 / .170 x 20'	1.071	
13-61-510	3 x 1.50 x .200 / .130	1.135	
13-61-515	3 x 1.75 x .260 / .170	1.597	
52-61-3806	4 x 2 x .230 / .150 x 12' 6"	1.772	
13-61-519	4 x 2 x .230 / .150 x 16'	1.772	
13-61-520	4 x 2 x .230 / .150	1.772	
13-61-525	4 x 2.25 x .290 / .190	2.331	
52-61-1153	5 x 2.25 x .260 / .150 x 12' 6"	2.212	
52-61-3728	5 x 2.25 x .260 / .150 x 12' 9"	2.212	
52-61-440	5 x 2.25 x .260 / .150 x 20'	2.212	
13-61-530	5 x 2.25 x .260 / .150	2.212	
13-61-535	5 x 2.75 x .320 / .190	3.089	
52-61-3427	6 x 2.50 x .290 / .170 x 12' 6"	2.834	
52-61-3729	6 x 2.50 x .290 / .170 x 12' 9"	2.834	
13-61-541	6 x 2.50 x .290 / .170 x 14' 6"	2.834	
13-61-540	6 x 2.50 x .290 / .170	2.834	
13-61-545	6 x 3.25 x .350 / .210	4.030	
13-61-575	7 x 2.75 x .290 / .170	3.205	
13-61-574	7 x 2.75 x .290 / .170 x 12' 6"	3.205	
52-61-1450	7 x 2.75 x .290 / .170 x 15' 6"	3.205	
52-61-0017	7 x 2.75 x .290 / .170 x 17'	3.205	
52-61-593	7 x 3.50 x .380 / .210	4.715	
52-61-1417	8 x 3 x .350 / .190 x 12' 9"	4.147	
13-61-560	8 x 3 x .350 / .190	4.147	
52-61-4329	8 x 3 x .350 / .190 x 40'	4.147	
52-61-1707	8 x 3.75 x .410 / .250 x 14' 9"	5.787	
13-61-561	8 x 3.75 x .410 / .250 x 15'	5.787	
52-61-1503	8 x 3.75 x .410 / .250 x 16' 9"	5.787	
13-61-563	8 x 3.75 x .410 / .250	5.787	
13-61-565	8 x 3.75 x .410 / .250 x 30'	5.787	
13-61-562	8 x 3.75 x .410 / .250 x 32'	5.787	
13-61-564	8 x 3-3/4 x .410 / .250 x 40'	5.787	
MILL ORDER	9 x 3.25 x .350 / .230	4.983	13-61-565 (NC)
MILL ORDER	9 x 4 x .440 / .290	6.970	13-61-590 (NC)
13-61-570	10 x 3.5 x .410 / .250 x 25'	6.136	
13-61-571	10 x 3.5 x .410 / .250 x 40'	6.136	
13-61-572	10 x 3.5 x .410 / .250 x 45'	6.136	
MILL ORDER	10 x 4-1/4 x .500 / .310	8.360	52-61-2272
13-61-580	12 x 4 x .470 / .290 x 50'	8.274	
MILL ORDER	12 x 5 x .620 / .350	11.822	51-61-107

American Standard

Stock Code	(E x M x S) Size in Inches	Approx. Wt/Lin ft.	
13-61-200	3 x 1.41 x .170	1.417	
13-61-205	3 x 1.498 x .258	1.729	
13-61-210	3 x 1.596 x .356	2.074	
13-61-215	4 x 1.58 x .180	1.846	
13-61-220 (TX)	4 x 1.647 x .247	2.161	
13-61-216	4 x 1.72 x .320	2.504	
13-61-225 (MO)	4 x 1.72 x .320	2.504	
13-61-230	5 x 1.75 x .190	2.316	
13-61-235	5 x 1.885 x .325	3.108	
MILL ORDER	5 x 2.032 x .472	3.975	52-61-802
13-61-245	6 x 1.920 x .200	2.826	
13-61-250 (NC)	6 x 1.945 x .225	3.002	
52-61-1080	6 x 2.034 x .314	3.631	
52-61-419	6 x 2.157 x .437	4.498	
13-61-265 (NC)	7 x 2.110 x .230	3.541	
MILL ORDER	7 x 2.194 x .314	4.232	52-61-4138
13-61-275	8 x 2.29 x .250	4.252	
MILL ORDER	8 x 2.343 x .303	4.951	13-61-280 (NC)
MILL ORDER	8 x 2.435 x .395	5.617	13-61-285 (NC)
13-61-290	8 x 2.527 x .487	6.484	
MILL ORDER	9 x 2.43 x .230	4.604	
MILL ORDER	9 x 2.648 x .448	6.911	13-61-668 (NC)
13-61-310	10 x 2.6 x .240	5.278	
MILL ORDER	10 x 2.739 x .379	6.915	52-61-561
13-61-320	10 x 2.886 x .526	8.641	
13-61-325	12 x 2.960 x .300	7.415	
52-61-455	12 x 3.047 x .387	8.644	
MILL ORDER	12 x 3.17 x .510	10.374	52-61-420
MILL ORDER	15 x 3.40 x .400	11.708	52-61-025

<p>10" Industrial Channel Fascia x 24' 52-63-14715 Mill Finish Mates with 4 x 6, 4 x 8, 4 x 10 and 4 x 12 Gutter Fascias</p> <p>See schematic Arch p 06</p>	<p>12" Industrial Channel Fascia x 24' 52-63-14284 Mill Finish Mates with 4 x 6, 4 x 8, 4 x 10 and 4 x 12 Gutter Fascias</p> <p>See schematic Arch p 06</p>
--	--

Items marked as MILL ORDER are non stock but available.
Product codes listed on MILL ORDER items are for die reference only. Customer must specify length, alloy & temper.















EASTERN METAL SUPPLY

STANDARDS 14
02/04/24


www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061


Railing Channel

<p>1.5 x 1 (.093/.056) Railing Channel x 25' 13-63-300 wt/ft: 0.332 6063-T5 Receives .750 picket; Mates with 13-63-305</p>  <p>Accepts Casting: Wall Mount HR-12A #68: 21-00-183</p>	<p>1.75 x .75 (.093/.062) Railing Channel x 24' 13-63-264 wt/ft: 0.330 6063-T5 Receives .750 picket;</p> 	<p>2 x 1 (.093/.056) Railing Channel x 25' 13-63-266 wt/ft: 0.395 6063-T5 Receives .750 picket; Mates with 13-63-227</p> 	<p>2 x 1 (.090/.056) Railing Channel x 25' 13-63-267 wt/ft: 0.395 6063-T5 Receives 1" picket; Mates with 13-63-227</p>  <p>Accepts Casting: Wall Mount #15: 21-00-190</p>
<p>1.5" Railing Channel Cover Plate x 20' 13-63-305 wt/ft: 0.146 6063-T5 Mates with 13-63-300</p> 	<p>2" Railing Channel Cover Plate x 16' 13-63-227 wt/ft: 0.175 6063-T5 Mates with 13-63-266 & 13-63-267</p> 	<p>2 x 7/16 x .093 Railing Channel x 25' 2" 13-63-261 wt/ft: 0.294 6063-T5 No Legs</p> 	<p>2 x .75 (.125/.093) Railing Channel x 23' 10" 13-63-262 wt/ft: 0.440 6063-T5 No Legs</p> 
<p>2 x 1 x .125 Channel 13-63-265 x 20' 13-63-274 x 24' wt/ft: 0.563 6063-T5</p> 	<p>2 x 1 Mid Rail Tube x 24' 52-63-11317 wt/ft: 0.858 6063-T52</p>  <p>Accepts Casting: Wall Mount #15: 21-00-190</p>	<p>2.252 x 1.280 Outside Sleeve x 12' 52-63-4808 wt/ft: 0.562 6063-T6 Sleeves 2 x 1 Channel and Rectangular Tube</p> 	<p>2 x 2 x .125 Channel x 20' 13-63-272 wt/ft: 0.861 6063-T5</p> 

Pre-Punched Arch Aluminum Railing Channel (Mill Finish 6063-T6)


Stock Code	Size in Inches	Picket	
13-63-26620P*	2 x 1 x .093/.056 x 20'	3/4"	 <p>3.75" spacing between holes inside edge to inside edge</p>
13-63-265P	2 x 1 x .125 x 20' (6063 T5)	3/4"	
13-63-26720P*	2 x 1 x .093/.056 x 20'	1"	
13-63-274PP	2 x 1 x .125 x 24'	1"	

*with welding legs **for pickets with radius corners





Stairwell Punched Channels (Mill Finish 6063-T6)

13-63-26620SWP	2 x 1 x .093/.056 x 20'	3/4"
13-63-265SWP1	2 x 1 x .125 x 20' (6063 T5)	3/4"
13-63-26720SWP	2 x 1 x .093/.056 x 20'	1"
13-63-265SWP2	2 x 1 x .125 x 20' (6063 T5)	1"



Picket Spears (Mill Finish 6063-T52)

19-63-105PS1	3/4 x .062 x 58"	3/4" & 1" Spears
19-63-105PS2	3/4 x .062 x 70"	
19-63-130PS1	1 x .060 x 58"	
19-63-130PS2	1 x .060 x 70"	



3.75 Decorative Aluminum Rings Casting
21-00-377

Custom sizes and hole locations available as **SPECIAL ORDER**

Mill Order Items: Not in Stock - Custom Sizes & Lengths Available Minimum Order Required



EASTERN METAL SUPPLY

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

STANDARDS 15
01/13/23

www.easternmetal.com




Ladder Rung Extrusions

Ladder Rung

40-05-100	2 x 1 Ladder Rung x 20'	0.622
MILL ORDER <u>40-05-105K</u>	2 x 1 Ladder Rung (Knurled)	0.622
25-BD-226	3" Knurled Ladder Rung x 12' (6005A T61 BDA)	
<u>DVLDR</u>	Black Dive Ladder End Caps; Mates with 25-BD-226	




Ladder Rung



3" Knurled Ladder Rung



Ladder End Cap: DVLDR



Polished and Bright Dipped

Oval Tube x 20' (6463-T67) - Commonly used as Ladder Steps

Available: Polished and Bright Dipped, Brushed and Bright Dipped and Mill Finish

<u>Stock Code</u>	<u>Size in Inches</u>	<u>Lgths./Box</u>	<u>Stock Code</u>	<u>Size in Inches</u>	<u>Lgths./Box</u>
52-63-6354	1 x 1-1/2 (Mill Finish)	10	25-BD-210	1-1/4 x 3 (BDA Polished)	6
25-BD-200	1 x 1-1/2 (BDA Polished)	10	25-BR-210	1-1/4 x 3 (BDA Brushed)	6
25-BR-200	1 x 1-1/2 (BDA Brushed)	10	25-MF-210	1-1/4 x 3 (Mill Finish)	6
25-MF-220	1 x 1-7/8 (Mill Finish) x 22'	8	25-BD-215	1-1/4 x 4 (1/8" wall - BDA Polished)	4
25-BR-205	1 x 1-7/8 (BDA Brushed)	8	25-BR-215	1-1/4 x 4 (1/8" wall - BDA Brushed)	4
25-BD-205	1 x 1-7/8 (BDA Polished)	8	25-64-216	1-1/4 x 4 (1/8" wall - Mill Finish)	4
<u>25-BD-208</u>	1-1/4 x 2-3/8 (BDA Polished)	6	<u>25-BRW-217</u>	1-1/4 x 4 (.140" wall - BDA Brushed)	4

Oval Tube End Caps

AOC-150	1 x 1.50 Oval End Cap BDA - NEW!
AOC-150-MF	1 x 1.50 Oval End Cap Mill Finish - NEW!



Oval Tube End Caps

Slotted Oval Tube x 20' (Polished and Bright Dipped 6463-T67)


25-BD-250	1 x 1-1/2 (small insert VI-SM)	10
25-BD-255	1 x 1-7/8 (large insert VL-LG)	8
<u>25-BD-212</u>	1-1/4 x 3 (double slot; small insert VI-SM)	6
<u>25-BD-206</u>	1 x 1-7/8 (3 slots 40-63-2060; polished)	8
<u>25-MF-206</u>	1 x 1-7/8 (3 slots 40-63-2060; Mill Finish)	8



Slotted Oval Tubes (left to right):
25-BD-250, 25-BD-255, 25-BD-212, 25-BD-206

Insert Material

<u>VI-SM</u>	1-1/2 (mates with 25-BD-250 & 25-BD-212)
VI-LG	1-7/8 (mates with 25-BD-255)
40-63-2060	3 Groove Tread Insert (bagged 20' sections; mates with 25-BD/MF-206)



3 Slotted Oval Tube with Insert

Polished and Bright Dipped Oval Tube with Ribs x 20' (6463-T66)


<u>25-BD-225</u>	1 x 1-1/2 (3 Ribs)	10
25-BD-245	1 x 1-1/2 (7 Ribs)	10

Insert Material (top to bottom):
VI-SM, VI-LG, 40-63-2060


Polished and Bright Dipped Oval Tube x 20' - Non Skid (6463-T67)

Non-Skid Finish on Both Flat Surfaces, All other surfaces are Polished

25-NS-200	1 x 1-1/2 (Non Skid)	10
25-NS-205	1 x 1-7/8 (Non Skid)	8
<u>25-NS-215</u>	1.29 x 1.757 Tower Step x 20'	8



Polished and Bright Dipped Oval
(3 Ribs: left; 7 Ribs: right)



Tower Step

Grip Rail (6463-T66) - **NEW!**

<u>Stock Code</u>	<u>Description</u>	<u>Stock Code</u>	<u>Description</u>
GR-12	12" Polished & Anodized	GRM-12	12" Mill Finish
GR-14	14" Polished & Anodized	GRM-14	14" Mill Finish
GR-18	18" Polished & Anodized	GRM-18	18" Mill Finish
GR-24	24" Polished & Anodized	GRM-24	24" Mill Finish
GR-36	36" Polished & Anodized	GRM-36	36" Mill Finish



Grip Rails

Items marked as MILL ORDER are non stock but available.
Product codes listed on MILL ORDER items are for die reference only.
Customer must specify length, alloy & temper.



EASTERN METAL SUPPLY

STANDARDS 16
01/09/19

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061



Square Aluminum Tube



6063-T52 x 24' (Unless noted otherwise)

Stock Code	Size in Inches (E x M x S)	Approx. Wt/Lin ft.
19-63-100	.500 x .062 x 20'	0.131
19-63-471	.625 x .062 x 20'	0.168
19-63-095	.735 x .045	0.145
19-63-085	.750 x .040 (w/ .093 radius)	0.131
19-63-089	.750 x .045 x 16' 8" (w/radius)	0.146
19-63-101	.750 x .045 x 18' 8" (w/radius)	0.146
19-63-525 (NC)	.750 x .062 x 16'	0.206
19-63-638 (NC)	.750 x .062 x 21' (w/radius)	0.196
19-63-106 (MO)	.750 x .062 x 21' (w/radius)	0.196
19-63-108 (MO)	.750 x .062 x 22' (w/radius)	0.196
19-63-105	.750 x .062	0.206
19-63-107	.750 x .062 (w/.090 radius)	0.206
19-63-110	.750 x .093	0.293
19-63-113	.750 x .093 (w/radius)	0.293
19-63-115	.750 x 1/8	0.374
19-63-116	.750 x 1/8 (.062 radius)	0.374
19-63-821 (DE)	1 x .047	0.214
19-63-130	1 x .062	0.278
19-63-131 (NC/MO/TX)	1 x .062 (w/radius)	0.268
19-63-131 (FL)	1 x .062 (w/radius - 6060-T6)	0.268
19-63-136 (NC/MO)	1 x .075 (.140 OR/.062 IR)	0.317
19-63-121 (TX)	1 x .075 (.062 OR/.031 IR)	0.330
19-63-341	1 x .093	0.405
19-63-345	1 x .093 (w/radius)	0.392
19-63-140	1 x .125	0.524
19-61-140	1 x .125 (6061-T6)	0.524
19-63-141	1 x .125 (w/radius)	0.509
25-BD-310	1 x .125 x 20' Polished BDA (w/rad)	0.509
19-61-1064 (DE)	1 x .125 (6061-T6 w/.125 radius)	0.526
19-63-153	1.250 x .062	0.353
19-63-150	1.250 x .093	0.516
19-61-150	1.250 x .093 (6061-T6)	0.516
19-63-152	1.250 x .093 (w/ .062 radius)	0.506
19-63-155	1.250 x .125	0.675
19-61-758 (NC)	1.250 x .125 (6061-T6)	0.675
19-63-157	1.250 x .125 x 20' (w/radius)	0.643
19-63-160	1.500 x .060	0.430
19-63-161	1.500 x .062 (w/ .093 radius)	0.420
19-63-168	1.500 x .090 (.188 radius)	0.582
19-63-165	1.500 x .090	0.632
19-61-165	1.500 x .090 (6061-T6)	0.632
19-63-170	1.500 x .125	0.824
19-63-305 (NC)	1.500 x .125 x 21' 1"	0.824
19-61-170	1.500 x .125 (6061-T6)	0.824
19-63-172	1.500 x .125 (w/.125 radius)	0.809
19-61-1065 (DE)	1.500 x .125 (6061-T6 w/.125 radius)	0.812
19-63-174	1.500 x .188	1.184
19-61-173	1.500 x .250 (6061-T6)	1.500
52-61-1045	1.500 x .250 x 18' (w/.125 rad; 6061-T6)	1.461
19-63-180	1.750 x .093	0.732
19-61-180	1.750 x .093 (6061-T6)	0.732
19-63-185	1.750 x .125	0.975
19-63-192	2 x .062	0.604
19-63-191	2 x .062 x 26'	0.604
52-61-11425	2 x .090 (w/.125 rad; 6061-T6)	0.790
19-61-206	2 x .093 (6005 T5)	0.851
19-61-205	2 x .093 x 26' (6005-T5)	0.851
19-63-210	2 x .125	1.126
52-61-936	2 x .125 (6061-T6)	1.126
19-61-210	2 x .125 x 22' 6" (6061-T6)	1.126
19-63-208	2 x .125 (w/.25 Out Rad - .125 In Rad)	1.076
19-63-209	2 x .125 (w/.125 radius)	1.109
19-61-1066 (DE)	2 x .125 (6061-T6 w/.125 radius)	1.109
19-61-208	2 x .188 (6061-T6)	1.634
19-63-211	2 x .188	1.627
52-61-1128	2 x .188 x 20' (w/.406 radius/6061-T6)	1.530
19-61-212	2 x .250 (6061-T6)	2.100
52-61-1520	2 x .250 (6061-T6 - w/.250 rad)	2.052
19-63-215	2.25 x .095	0.982
52-61-1040	2.45 x .250 x 18' (w/radius/6061-T6)	2.640
19-63-714	2.50 x .075	0.855
19-63-807 (DE)	2.50 x .093	1.074
19-63-221	2.50 x .125	1.425
28-60-735	2.50 x .125/.375 (6005A-T61)	2.774
MILL ORDER	2.50 x .188 52-61-3402	2.076
19-61-425	2.50 x .250 (6061-T6)	2.634
28-60-730	2.50 x .375 (6005A-T61)	3.824
52-61-4450	2.69 x .125 (w/.250 radius/6061-T6)	1.490
19-61-534 (NC/MO/DE/AL)	2.69 x .125 x 20' (w/.250 radius/6061-T6)	1.490
19-63-230	3 x .093	1.298
19-63-231	3 x .093 x 27'	1.298
19-63-235	3 x .125	1.726
19-61-535 (NC/TX/MO)	3 x .125 x 20' (w/rad/6061-T6)	1.670
19-63-237	3 x .125 (w/.125 radius)	1.774
30-05-205 (NC/DE) #	3 x .125 x 20' (Ribbed Dock Tube, w/rad)	1.546
52-61-749	3 x .188 x 18' (w/radius 6061-T6)	2.502
52-63-8188	3 x .188 x 25' (w/radius 6063-T6)	2.502
19-63-240	3 x .188	2.533
19-61-340	3 x .250 (6061-T6)	3.300
51-63-897	3 x .250 x 18' 3" (w/rad)	3.204
52-63-8441	3 x .250 x 25' (w/radius 6063-T6)	3.204
52-61-750*	3 x .250 x 18' (w/radius 6061-T6)	3.204
*52-61-750 slide fits into 28-60-765		
28-60-765	3.5 x .230 (6005A-T61)	3.610
19-63-245	4 x .125	2.324
56-MF-003	4 x .125 x 24' 2" (w/radius 6063-T6 MF)	2.374
56-63-003	4 x .125 x 24' 2" (w/radius 204R1 Anod)	2.374
56-MF-010	4 x .150 x 22' (w/radius 6063-T6 MF)	2.772
56-63-010	4 x .150 x 22' (w/radius 204R1 Anod)	2.772
MILL ORDER	4 x .156 (w/rad; 4 screw bosses) 21929-997 (TX)	4.282
19-61-717	4 x .1875 (6061-T6)	3.440
19-61-250	4 x .250 (6061-T6)	4.500
19-61-251	4 x .250 (w/.375 radius; 6061-T6)	4.500
56-MF-035	4.5 x .093 x 24' w/.125 radius 6063-T6 MF	1.955
19-63-255	5 x .125	2.925
19-61-258	5 x .250 (6061-T6)	5.700
19-63-260	6 x .125	3.525
56-MF-037	6 x .150 x 24' 6" (6063-T6 w/rad)	4.204
56-63-037	6 x .150 x 24' 6" (6063-T6 w/rad 204R1 Anod)	4.204
19-63-302 (TX)	6 x .180 (w/.250 rad; 6005-T5 MF)	5.028
MILL ORDER	6 x .180 (w/rad; 4 screw bosses) 21929-998 (TX)	6.929
19-61-260	6 x .25 (6061-T6)	6.900
19-61-261	6 x .50 (6061-T6)	12.936
19-63-262	7 x .156 (6063-T6)	5.120
19-63-265	8 x .188	7.050
19-61-270	8 x .250 (6061-T6)	9.114
52-61-4983	8 x .500 x 26' (6061-T6)	17.640
19-63-300	10 x .250 (6063-T6 w/rad)	11.700
19-63-400	12 x .250 (w/.125 rad)	13.803
52-61-2163+	Stiffener I-Beam for 2" x .125 Sq Tube 6061-T6	0.976
52-61-4452+	Stiffener I-Beam for 2" x .188 Sq Tube 6061-T6	0.995
52-61-2811+	Stiffener I-Beam for 2.5" x .125 Sq Tube 6061-T6	0.961

+ Square Tube Post Stiffener



Square Tube Ribbed Dock



EASTERN METAL SUPPLY


STANDARDS 17
02/02/24

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

Rectangular Aluminum Tube

6063-T52 x 24' (Unless noted otherwise)



Typical fabrication services available through EMS: Scalloped End Trellis Tube



Stock Code	Size in Inches (E x M x S)	Approx. Wt./Lin ft.	Stock Code	Size in Inches (E x M x S)	Approx. Wt./Lin ft.
20-63-200	.500 x 1 x .093	0.293	52-63-13710	2 x 6 x .125 (202-R1 Anodized)	2.327
52-63-13578	.500 x 2 x .125 (w/.062 radius)	0.672	MILL ORDER	2 x 6 x .188 20-63-688 (NC)	3.440
20-63-203 (DE)	.750 x 1.500 x .062	0.319	20-61-292	2 x 6 x .250 (6061-T6)	4.500
20-63-205	.750 x 1.500 x .125	0.600	52-63-13711	2 x 6 x .250 (202-R1 Anodized)	4.500
20-61-206	.750 x 1.500 x .125 (w/radius; 6061-T6)	0.600	MILL ORDER	2 x 7 x .125 20-63-693 (MO)	2.624
20-63-210	.750 x 1.750 x .125	0.675	20-63-295	2 x 8 x .125	2.925
40-63-722	.938 x 3 x .062 (Rad. Tube 2 screw bosses)	0.590	20-61-296	2 x 8 x .250 (6061-T6)	5.700
40-63-724	.938 x 4 x .062 (Rad. Tube 2 screw bosses)	0.734	20-63-400	2 x 10 x .125 (6063-T6)	3.541
40-63-723	.938 x 5 x .062 (Rad. Tube 2 screw bosses)	0.920	MILL ORDER	2 x 10 x .156 (w/4 screw rec) EMSW42987 (TX)	4.633
20-63-220	1 x 1.500 x .125	0.676	MILL ORDER	2 x 10 x .250 20-63-450 (TX)	6.900
20-63-221	1 x 1.500 x .125 (w/.125 radius)	0.659	MILL ORDER	2 x 12 x .156 (w/4 screw rec) 2178-008 (MO)	5.383
20-63-222	1 x 2 x .062 (w/.125 radius)	0.416	20-63-500	2 x 12 x .188	6.210
20-63-223	1 x 2 x .062	0.428	MILL ORDER	2.5 x 7 x .125 20-63-810 (NC)	3.115
20-63-233 (NC)	1 x 2 x .075 (w/radius)	0.499	MILL ORDER	2.5 x 9 x .250 52-63-13117	6.468
20-63-228 (TX)	1 x 2 x .083 (w/radius)	0.554	MILL ORDER	2.5 x 12 x .250 52-63-13551	8.400
20-63-229	1 x 2 x .093 x 24'	0.628	MILL ORDER	2.75 x 3.5 x .125 52-63-12953	1.800
20-63-224	1 x 2 x .093 x 26'	0.628	20-63-300	3 x 4 x .125	2.026
20-63-227	1 x 2 x .093 (w/radius)	0.613	20-63-303	3 x 6 x .125 (6063-T6)	2.625
20-63-226	1 x 2 x .125 (w/.125 radius)	0.817	20-61-300	3 x 6 x .188 (6061-T6)	3.891
20-63-225	1 x 2 x .125	0.826	52-61-3007	3 x 6 x .250 (6061-T6)	5.100
20-61-225	1 x 2 x .125 (6061-T6)	0.826	20-63-302	3 x 8 x .110 (6063-T6)	2.862
25-BD-320	1 x 2 x .125 Polished BDA	0.826	MILL ORDER	3 x 8 x .188 20-63-615 (NC)	4.794
20-61-1243 (DE)	1 x 2 x .125 (w/.250 radius; 6061-T6)	0.776	20-63-700	3 x 10 x .125 (6063-T6)	3.824
20-63-219	1 x 3 x .062	0.577	20-63-305	3 x 12 x .188 (6005 T5)	6.613
52-63-8803	1 x 3 x .062 (6063 T6-w/.125 radius)	0.546	20-63-803	4 x 6 x .125	2.925
20-63-231	1 x 3 x .093	0.851	20-63-543 (NC)	4 x 6 x .125 (6063-T6)	2.925
20-63-230	1 x 3 x .125	1.125	56-MF-004	4 x 6 x .15 x 24' 2" (w/radius 6063-T6 MF)	3.480
20-63-689	1 x 3 x .125 (w/radius)	1.125	56-63-004	4 x 6 x .15 x 24' 2" (w/rad 204R1 Anod)	3.480
20-63-234	1 x 4 x .062	0.725	20-63-306	4 x 6 x .188	4.256
20-63-235	1 x 4 x .125	1.425	20-61-480	4 x 6 x .250 (6061-T6)	5.700
20-ANOD-235	1 x 4 x .125 (202R1 Anodized)	1.425	52-61-804	4 x 6 x .250 x 28' (6061-T6)	5.700
20-63-236	1 x 5 x .125 x 20'	1.720	20-63-308	4 x 8 x .188 (6063-T6)	5.244
20-63-237	1 x 6 x .125 (6005-T5)	2.026	56-63-014	4 x 8 x .19/.15 x 24' 2" (w/rad 204R1 Anod)	4.567
20-63-240	1.250 x 2.500 x .125	1.050	20-61-524 (NC/DE)	4 x 8 x .250 (6061-T6)	6.900
20-63-805	1.46 x 2.25 x .100 x 20' 6063-T6	0.842	52-61-805	4 x 8 x .250 x 28' (6061-T6)	6.900
20-63-245	1.500 x 2 x .125	0.976	20-63-499	4 x 10 x .188 (w/.031 rad 6063-T6)	6.146
20-61-245	1.500 x 2 x .125 (6061-T6)	0.976	20-61-500	4 x 10 x .250 (w/.25 radius; 6005A-T61)	8.036
20-63-246	1.500 x 2 x .125 (w/.125 radius)	0.967	20-61-505	4 x 12 x .250 x 26' (6005A-T5)	9.300
MILL ORDER	1.500 x 2 x .188 52-61-4126	1.406	52-61-2715	5 x 10 x .250/.350 x 16' (w/.35 radius 6061-T6)	9.752
20-63-250	1.500 x 3 x .125	1.272	56-63-019*	6 x 8 x .188 (w/rad) 6063-T6 x 25'	6.196
20-63-255	1.750 x 3 x .125	1.350	56-63-020*	6 x 8 x .188 (w/rad) 6063-T6 x 30'	6.196
20-63-265	1.750 x 4 x .093	1.242	56-63-017*	6 x 8 x .188 x 25' (w/rad) 204R1 6063-T6	6.196
20-63-270	1.750 x 4 x .125	1.650	56-63-018*	6 x 8 x .188 x 30' (w/rad) 204R1 6063-T6	6.196
20-61-270	2 x 2.50 x .125 (6061-T6)	1.275	MILL ORDER*	6 x 8 x .500 (w/.062 radius) 20-61-600	15.286
20-63-272	2 x 3 x .093	1.075	56-63-027*	6 x 10 x .19 (w/rad) 6063-T6 x 25'	7.171
20-63-275	2 x 3 x .125	1.426	56-63-028*	6 x 10 x .19 (w/rad) 6063-T6 x 30'	7.171
20-61-275	2 x 3 x .125 (6061-T6)	1.426	56-63-025*	6 x 10 x .19 x 25' (w/rad) 204R1 6063-T6	7.171
20-63-274	2 x 3 x .125 (w/.125 radius)	1.426	56-63-026*	6 x 10 x .19 x 30' (w/rad) 204R1 6063-T6	7.171
20-61-276 (TX)	2 x 3 x .188 (6005 T5)	2.086	61-63-035*+ (TX)	6 x 10 x .250/.188 (w/radius)	8.047
52-61-194	2 x 3 x .250 (6061-T6)	2.700	20-63-800	6 x 12 x .250 (w/.125 radius) 6063-T6	10.500
20-61-279	2 x 3 x .250 (6061-T6 w/.250 radius)	2.636	20-63-900	6 x 14 x .250 (w/.125 radius) 6063-T6	11.700
20-63-279	2 x 4 x .093	1.260	52-61-5210	8 x 12 x .50 x 26' (w/.062 rad; 6061-T6)	22.800
20-63-280	2 x 4 x .125	1.724			
20-63-281 (NC/TX/DE)	2 x 4 x .250	3.300			
20-61-281	2 x 4 x .250 (6061-T6)	3.300			
20-61-282	2 x 4 x .250 (6061-T6 w/.250 radius)	3.235			
MILL ORDER	2 x 5 x .093 20-WH-100	1.520			
20-63-285	2 x 5 x .125	2.025			
20-61-287	2 x 5 x .250 (6061-T6)	3.900			
20-63-290	2 x 6 x .125	2.327			

*0.125" Outside Radius and 0.25" Inside Radius +ID configuration allows saw adaptation into a gutter beam

Items marked as MILL ORDER are non stock but available.
Product codes listed on MILL ORDER items are for die reference only.
Customer must specify length, alloy & temper.



EASTERN METAL SUPPLY

STANDARDS 18
09/19/23

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061



Round Aluminum Tube

6063-T5 x 24' (Unless noted otherwise)



Stock Code	Size in Inches (Size x Wall)	Approx. Wt/Lin ft.
17-63-100	.75 x .065 (.620 ID) (6063 T52)	0.172
17-63-110	.875 x .062 (.751 ID) (6060 T6 - Furniture Grade)	0.190
17-63-105	1 x .062 (.880 ID) x 20' (6060 T6 - Furniture Grade)	0.229
17-63-115FG	1 x .062 (.880 ID) (6060 T6 - Furniture Grade)	0.229
17-63-120	1 x .125 (.750 ID)	0.404
52-61-3868	1 x .250 (.500 ID) (6005A-T61)	0.707
17-63-132	1.250 x .062 (1.126 ID)	0.278
52-63-1272	1.250 x .062 (1.126 ID) (6060 T6 - Furniture Grade)	0.278
17-63-130	1.250 x .090 (1.070 ID)	0.385
17-63-134	1.250 x .125 x 16' (1.000 ID) (6063-T52)	0.530
17-63-133	1.250 x .125 x 20' (1.000 ID) (6063-T52)	0.530
17-63-116	1.500 x .065 (1.370 ID)	0.351
17-63-117	1.500 x .090 (1.320 ID)	0.478
17-61-195	1.500 x .093 (6061)	0.493
17-63-135	1.500 x .125 (1.250 ID)	0.648
17-61-200	1.500 x .125 (1.250 ID) (6061)	0.648
17-T4-135	1.500 x .125 (6063 T4)	0.648
17-63-136	1.500 x .125 x 20' (1.250 ID) (6063-T52)	0.648
17-63-138	1.500 x .125 x 30' (1.250 ID) (6063-T52)	0.648
52-63-9775	C-Insert x 12' - for 1.500 x .125 Tube (6063-T6)	0.347
17-61-203	1.500 x .250 x 24' (6061-T6)	1.178
17-61-205	1.750 x .125 (1.500 ID) (6061-T6)	0.750
17-63-140	2 x .050 (1.900 ID)	0.360
17-63-142	2 x .065 (1.870 ID)	0.474
17-63-141	2 x .125 (1.750 ID) (6063-T52)	0.883
17-61-210	2 x .125 (1.750 ID) (6061-T6)	0.883
17-DOT-100	2 x .125 x 12'	0.883
17-63-143	2 x .125 x 20' (1.750 ID) (6063-T52)	0.883
17-61-213	2 x .250 (1.500 ID) (6061-T6)	1.650
MILL ORDER	2.125 x .125 (6463-T67) 52-63-7798	0.942
MILL ORDER	2.150 x .125 (6463-T67) 52-63-8437	0.953
17-63-212	2.250 x .120 (2.000 ID) (6063-T52)	0.964
17-61-215	2.500 x .125 (2.250 ID) (6061-T6)	1.097
17-DOT-105	2.500 x .125 x 12' 6" (6061-T6)	1.097
17-DOT-104	2.500 x .125 x 13' 6" (6061-T6)	1.097
17-DOT-106	2.500 x .125 x 15' (6061-T6)	1.097
17-63-150	3 x .083 (2.834 ID)	0.895
17-63-155	3 x .125 (2.750 ID)	1.355
17-61-220	3 x .125 (2.750 ID) (6061-T6)	1.355
17-DOT-110	3 x .125 x 13' 6" (6061-T6)	1.355
17-DOT-111	3 x .125 x 15' (6061-T6)	1.355
17-DOT-113	3 x .125 x 17' (6061-T6)	1.355
17-DOT-112	3 x .125 x 20' (6061-T6)	1.355
52-61-3149	3 x .293 x 20' (2.415 ID) (6061-T6)	2.986
25-61-300	3 x .540 x 20' (1.920 ID) (6061-T6) Winder Tube	5.008
17-DOT-115	3.500 x .1875 x 15' (6061-T6)	2.300
17-DOT-117	3.500 x .1875 x 17' (6061-T6)	2.300
17-DOT-116	3.500 x .1875 x 20' (6061-T6)	2.300
17-63-160	4 x .125 (3.750 ID)	1.826
17-61-160	4 x .125 (3.750 ID) (6061-T6)	1.826
17-DOT-120	4 x .1875 x 17' (6061-T6)	2.647
17-DOT-121	4 x .1875 x 20' (6061-T6)	2.647
17-DOT-123	4 x .250 (6061-T6)	3.534
17-DOT-125	4 x .250 x 20' (6061-T6)	3.534
17-DOT-130	4.500 x .250 x 20' (6061-T6)	3.924
17-63-165	5 x .125 (4.750 ID)	2.251
52-61-2429	5 x .188 (6061-T6)	3.410
17-DOT-132	5 x .250 x 20' (6061-T6)	4.470

Round Aluminum Tube (continued)

Stock Code	Size in Inches (Size x Wall)	Approx. Wt/Lin ft.
17-63-170	6 x .125 (5.750 ID) x 20'	2.713
MILL ORDER	6 x .188 (5.624 ID) 52-61-3925	4.037
17-DOT-139	6 x .250 x 20' (6061-T6)	5.4197
17-DOT-140	6 x .250 (6061-T6)	5.4197
17-63-175	8 x .125 (7.750 ID) (6063-T6)	3.710
MILL ORDER	8 x .156 (7.688 ID) 52-63-6843	4.613

Drawn Tube (6063-T832 x 24')

52-00-004	1.125 x .042 x 16' (1.041 ID)	0.166
	Mates with 17-63-12549 (Clear Anodized)	
MILL ORDER	1.250 x .049 (1.152 ID)	0.217
17-63-12549 (MO)	Mates with 52-00-004 (Clear Anodized)	
MILL ORDER	1.375 x .049 (1.277 ID)	0.240
17-63-137549 (MO)	Mates with 17-63-1549 (Clear Anodized)	
MILL ORDER	1.500 x .049 (1.402 ID)	0.263
17-63-1549 (MO)	Mates with 17-63-137549 (Clear Anodized)	
MILL ORDER	1.875 x .049 (1.777 ID)	0.331
17-63-187549 (MO)	Mates with 17-63-2049 (Clear Anodized)	
MILL ORDER	2.000 x .049 (1.902 ID)	0.353
17-63-2049 (MO)	Mates with 17-63-187549 (Clear Anodized)	

Brite Dipped Drawn Tube

25-BD-460	.750 x .058 x 20'	54 pcs/box
25-BD-463	.875 x .058 x 16'	38 pcs/box
25-BD-465	.875 x .058 x 20'	38 pcs/box

Superbuff Stainless Steel

Tube x 24' 2" - **INCREASED INVENTORIES!**

316 Alloy - best for Saltwater applications

Stock Code	Size in Inches	Lgths./Box
25-316-100	7/8 x 16 GA (.062)	30
25-316-098 (NC)	7/8 x 18 GA (.049) - NEW!	**
25-316-105	1 x 16 GA (.062)	16
25-316-104 (NC)	1 x 18 GA (.049) - NEW!	**
25-316-110	1-1/4 x 16 GA (.062) - NEW!	**

304 Alloy

Stock Code	Size in Inches	Lgths./Box
25-304-100	7/8 x 16 GA (.062)	30
25-304-099 (NC)	7/8 x 18 GA (.049) - NEW!	**
25-304-105	1 x 16 GA (.062)	16
25-304-110	1-1/4 x 16 GA (.062) - NEW!	**

***Individually wrapped pieces shipped per customer order size*

**Serrated & Fluted
Scalloped Round Tube**
See Next Page (Standards 20) for full listing

*Items marked as MILL ORDER are non stock but available.
Product codes listed on MILL ORDER items are for die reference only.
Customer must specify length, alloy & temper.*



EASTERN METAL SUPPLY

STANDARDS 19
02/02/24

www.easternmetal.com



FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

Miscellaneous Tube

Serrated and Fluted/Scalloped Round Tube

Serrated Tube

Stock Code	Description	Aprox. Wt/Lin ft.
52-63-537	.875 x .049 x 20' (0.777 ID) 6063-T6	0.142
51-63-381	1 x .049 x 20' (0.902 ID) 6063-T6	0.156
51-00-051	1.375 x .093 x 20' (1.188 ID) 6063-T5	0.408
17-63-149	3 x .074 x 24' (2.852 ID) 6063-T5	0.752
17-63-151	3 x .120 x 24' (2.760 ID) 6063-T5	1.201



Fluted/Scalloped Round Tube - Multiple Flute Designs are available; Please request prints

MILL ORDER <u>52-63-6106</u>	2.940 x .105	1.158
MILL ORDER <u>52-63-10152</u>	3 x .062	0.732
<u>17-61-715</u>	3 x .125 x 15' (6061-T6)	1.259
17-63-300	3 x .125 x 24' (6063 T5)	1.259
<u>17-61-324</u>	3 x .125 x 24' (6061-T6)	1.259
<u>17-63-310</u>	4 x .120 x 24' (6063 T5)	1.891
17-63-310 (NC)	4 x .125 x 24' (6063 T5)	1.985
17-63-510 (MO)	4 x .125 x 24' (6063 T5)	1.985
MILL ORDER <u>17-61-315</u>	4 x .188	2.898
MILL ORDER <u>17-63-429 (TX)</u>	5 x .190	3.727




Grip Rail - **NEW!** Polished & Anodized

Stock Code	Description
GR-12	12"
GR-14	14"
GR-18	18"
GR-24	24"
GR-36	36"

Bullnose Tube (with Screw Bosses)

MILL ORDER <u>56-63-2200</u>	2 x .072 Full Round	0.659
56-63-204	4 x .093 Full Round x 24'	1.526
56-63-202	4 x .083 Half Round x 24'	1.148
<u>56-63-205</u>	6 x .100 Half Round x 24'	1.970



Full Round and Half Round Bullnose w/screw bosses

Elliptical Air Foil Tube (with Screw Bosses) See Architectural p 01 for Air Foil profiles

Stock Code	Description
56-63-200	2-1/8" Air Foil x 16'
56-63-400	4" Air Foil x 24' (Wall: .080)
56-63-600	6" Air Foil x 24' (Wall: .085/.100)
52-63-1020 (MO)	6" Air Foil x 24' (Wall: .085)
MILL ORDER <u>52-63-12534</u>	7" Air Foil
56-63-800	8" Air Foil x 24' (Wall: .110; 2 screw bosses)
56-63-825	8" Air Foil x 24' (Wall: .110; 2 screw bosses & support beam)
MILL ORDER <u>011494</u>	8" Air Foil (Wall: .100; 4 screw bosses)
MILL ORDER <u>FH03082 (TX)</u>	8" Air Foil (8 screw bosses)
MILL ORDER <u>56-63-1000</u>	10" Air Foil (Wall: .125)
MILL ORDER <u>52-63-11852</u>	12" Air Foil (Wall: .188)



Elliptical Air Foil Tube

Mill Finish

Stock Code	Description
GRM-12	12"
GRM-14	14"
GRM-18	18"
GRM-24	24"
GRM-36	36"

Oval Tube x 20' (6463-T67)

See Marine p 03 for Bright Dipped Anodized Oval Tube

52-63-6354	1 x 1-1/2	0.562
25-MF-220	1 x 1-7/8	0.674
25-MF-210	1-1/4 x 3	1.055
25-64-216	1-1/4 x 4 (.125" wall)	1.355
<u>25-64-217</u>	1-1/4 x 4 (.140" wall)	1.509



Oval Tube

Oval Tube End Caps - - **NEW**

AOC-150	1 x 1.50 BDA
AOC-150-MF	1 x 1.50 Mill Finish
AOC-1875	1 x 1.875 BDA
AOC-1875-MF	1 x 1.875 Mill Finish



D-Tube & Frames

Items marked as MILL ORDER are non stock but available.
Product codes listed on MILL ORDER items are for die reference only. Customer must specify length, alloy & temper.

D-Tube/Frame x 24'	D-Tube/Frame x 24'	D-Tube/Frame x 24'	D-Tube/Frame x 23'
52-63-14617 (FL/MO) 6063-T52 3.375 x 2.340	52-63-14617W (NC) 6063-T52 3.365 x 2.335	52-63-14618 6063-T52 4.000 x 3.000	52-63-14432 6063-T66 5.008 x 3.504



SCH 40 Aluminum Pipe

6063-T52 x 20' (Unless noted otherwise)

Stock Code	Size in Inches		Approx. Wt/Lin ft.
	(Size)	OD x ID x Wall	
18-63-200	1/8	.405 x .269 x .068 x 12'	0.085
18-63-205	1/4	.540 x .364 x .083 x 12'	0.147
18-63-210	3/8	.675 x .493 x .091	0.196
18-63-215	1/2	.840 x .622 x .109	0.294
18-63-220	3/4	1.050 x .824 x .113	0.391
18-63-221	3/4	1.050 x .824 x .113 x 23'	0.391
18-63-225	1	1.315 x 1.049 x .133	0.581
18-63-226	1	1.315 x 1.049 x .133 x 23'	0.581
18-63-230	1-1/4	1.660 x 1.380 x .140	0.786
18-63-233	1-1/4	1.660 x 1.380 x .140 x 23'	0.786
18-63-232	1-1/4	1.660 x 1.380 x .140 x 24'	0.786
18-63-231	1-1/4	1.660 x 1.380 x .140 x 24' (6063-T4)	0.786
18-63-235	1-1/2	1.900 x 1.610 x .145	0.940
18-63-236	1-1/2	1.900 x 1.610 x .145 x 23'	0.940
18-T4-500	1-1/2	1.900 x 1.610 x .145 x 24' (6063-T4)	0.940
18-63-240	2	2-3/8 x 2.067 x .154	1.264
18-63-241	2	2-3/8 x 2.067 x .154 x 23'	1.264
18-63-245	2-1/2	2-7/8 x 2.469 x .203	2.004
18-63-250	3	3-1/2 x 3.068 x .216	2.621
18-63-255	3-1/2	4 x 3.548 x .226	3.151

6061-T6 x 20' (Unless noted otherwise)

18-61-215	1/2	.840 x .622 x .109	0.294
18-61-220	3/4	1.050 x .824 x .113	0.391
18-61-222	3/4	1.050 x .824 x .113 x 24'	0.391
18-61-225	1	1.315 x 1.049 x .133	0.581
18-61-230	1-1/4	1.660 x 1.380 x .140	0.786
18-61-235	1-1/2	1.900 x 1.610 x .145	0.940
18-61-240	2	2-3/8 x 2.067 x .154	1.264
18-61-241	2	2-3/8 x 2.067 x .154 x 24'	1.264
18-61-243	2	2-3/8 x 2.067 x .154 x 30'	1.264
18-61-245 (NC/DE)	2-1/2	2-7/8 x 2.469 x .203	2.004
18-61-246	2-1/2	2-7/8 x 2.469 x .203 x 22'	2.004
18-61-250	3	3-1/2 x 3.068 x .216	2.621
18-61-255	3-1/2	4 x 3.548 x .226	3.151
18-61-260	4	4-1/2 x 4.026 x .237	3.733
18-61-265	5	5.563 x 5.047 x .258	5.057
18-61-270	6	6-5/8 x 6.065 x .280	6.564
18-61-280	8	8-5/8 x 7.981 x .322	9.878
18-61-290	10	10-3/4 x 10.020 x .365	14.288
18-61-295	12	12-3/4 x 11.938 x .406	18.893

Pipe Inserts for SCH 40 Pipe

18-63-259	for 1-1/4 SCH 40 x 10'	0.492
51-00-051	for 1-1/4 pipe - 1-3/8 Serrated Tube x 20'	0.408
18-63-260	for 1-1/2 SCH 40 x 10'	0.582
52-61-3454	for 2 SCH 40 x 20' (6061)	0.698

Elbows for SCH 40 Pipe

21-63-230	Elbow for 1-1/4" SCH 40
21-63-235	Elbow for 1-1/2" SCH 40



SCH 10 Aluminum Pipe

6063-T52 x 20'

MILL ORDER	1	1.315 x 1.097 x .109 32-63-200 (NC)	0.486
32-63-204	1-1/4	1.660 x 1.442 x .109	0.625
32-63-205	1-1/2	1.900 x 1.682 x .109	0.721
32-63-205S	1-1/2	1.902 x 1.702 x .100 (Special ID)	0.679
MILL ORDER	2	2-3/8 x 2.157 x .109 52-63-10742	0.913
DOT-61-170	2-1/2	2-7/8 x 2.635 x .120 x 24' (6061-T6)	1.221
MILL ORDER	3	3-1/2 x 3.260 x .120 32-63-220 (NC)	1.498
MILL ORDER	4	4-1/2 x 4.260 x .120	1.942
MILL ORDER	5	5.563 x 5.295 x .134 32-63-311 (NC)	2.686
MILL ORDER	6	6-5/8 x 6.357 x .134	3.214

SCH 80 Aluminum Pipe

6063-T52 x 20' (Unless noted otherwise)

Stock Code	Size in Inches		Approx. Wt/Lin ft.
	(Size)	OD x ID x Wall	
MILL ORDER	1	1.315 x .957 x .179 26-63-201 (TX)	0.751
26-63-105	1-1/4	1.660 x 1.278 x .191	1.037
26-63-100	1-1/2	1.900 x 1-1/2 x .200	1.256
26-63-200	2	2-3/8 x 1.939 x .218	1.737
MILL ORDER	3	3-1/2 x 2.900 x .300	3.547
MILL ORDER	4	4-1/2 x 3.826 x .337 52-63-8819	5.183


6061-T6 x 20'

26-61-025	1/4	0.540 x .287 x .119 x 12'	0.182
26-61-200	1	1.315 x .957 x .179	0.751
26-61-205	1-1/4	1.660 x 1.278 x .191	1.037
26-61-210	1-1/2	1.900 x 1-1/2 x .200	1.256
26-61-215	2	2-3/8 x 1.939 x .218	1.737
26-61-215S	2	2-3/8 x 1.910 x .233	1.878
26-61-220	2-1/2	2-7/8 x 2.323 x .276	2.705
26-61-225	3	3-1/2 x 2.900 x .300	3.547
26-61-230	3-1/2	4.000 x 3.364 x .318	4.414
26-61-235	4	4-1/2 x 3.826 x .337	5.288
52-61-2343	5	5.563 x 4.813 x 3/8 (T6)	7.188
26-61-250	6	6-5/8 x 5.761 x .432 (T6)	9.884
26-61-255	8	8-5/8 x 7.625 x 1/2	15.010

Grooved End Pipe Available by Mill Order

2" SCH 40 - 10" SCH 40

Accepts Victaulic® Couplings www.victaulic.com




<p>2.25" x 3.875" Centerline Projected Pipe Bracket x 16' 31-63-135 163 wt/ft: 1.940</p>	<p>2.50" x 3.875" Centerline Projected Pipe Bracket x 16' 31-63-120 162 wt/ft: 2.012</p>
<p>2.875" x 3.50" Centerline Projected Pipe Bracket x 16' 31-63-105 160 wt/ft: 1.853</p>	<p>2.50" x 4.375" Centerline Projected Pipe Bracket x 16' 31-63-140 164 wt/ft: 2.154</p>
<p>3.080" x 3.875" Centerline Projected Pipe Bracket x 16' 31-61-145 165 wt/ft: 2.1815</p>	<p>3.125" x 4.375" Centerline Projected Pipe Bracket x 12' 31-61-150 wt/ft: 2.264 Meets NFPA 101 Life Safety Code</p>

High Quality Marine Pipe

6463 Marine Pipe comes Boxed and Poly-Sleeved

Suggested Applications: T-Tops, Tuna Towers, Half Towers, Marlin Towers, Leaning Posts, Bow Rails, Poling Platforms, etc.



Polished and Bright Dipped

Lite Brushed and Bright Dipped

POLISHED Bright Dipped Anodized

SCH 40 Pipe x 23'

<u>WESTERN</u> (6463-T66)	<u>BON-L</u> (6463-T67)	Size in Inches	Pcs/Box (Lin Ft/Box)
25-BDW-100	25-BD-100	1/2	16 (368')
25-BDW-105A*	25-BD-105A*	3/4	10 (230')
25-BDW-110A*	25-BD-110A*	1	6 (138')
25-BDW-115	25-BD-115	1-1/4	6 (138')
25-BDW-120	25-BD-120	1-1/2	5 (115')
25-BDW-125	25-BD-125	2	4 (92')
25-BDW-130	25-BD-130	2-1/2	2 (46')
25-BDW-135	N/A	3	2 (46')

* Designed for 3/4" and 1" Sleeve Together - Pipe Aligners Available: Marine p15

LITE BRUSHED Bright Dipped Anodized

SCH 40 Pipe x 23' (320 grit)

<u>WESTERN</u> (6463-T66)	<u>BON-L</u> (6463-T67)	Size in Inches	Pcs/Box (Lin Ft/Box)
Special Order	25-BR-100	1/2	16 (368')
25-BRW-105B*	25-BR-105B*	3/4	10 (230')
25-BRW-110B*	25-BR-110B*	1	6 (138')
25-BRW-115	25-BR-115	1-1/4	6 (138')
25-BRW-120	25-BR-120	1-1/2	5 (115')
25-BRW-125	25-BR-125	2	4 (92')
25-BRW-130	25-BR-130	2-1/2	2 (46')
25-BRW-135	N/A	3	2 (46')

* Designed for 3/4" and 1" Sleeve Together - Pipe Aligners Available: Marine p15

POLISHED Bright Dipped Anodized


SCH 80 Pipe x 23'

<u>WESTERN</u> (6463-T66)	<u>BON-L</u> (6463-T67)	Size in Inches	Pcs/Box (Lin Ft/Box)
Special Order	26-BD-110	1	6 (138')
26-BDW-115	N/A	1-1/4	6 (138')
26-BDW-120	26-BD-120	1-1/2	5 (115')
25-BD-125C	26-BD-125C	2	2 (46')
26-BDW-130	N/A	2-1/2	2 (46')

LITE BRUSHED Bright Dipped Anodized

SCH 80 Pipe x 23' (320 Grit)

<u>WESTERN</u> (6463-T66)	<u>BON-L</u> (6463-T67)	Size in Inches	Pcs/Box (Lin Ft/Box)
26-BRW-115	N/A	1-1/4	6 (138')
26-BRW-120	N/A	1-1/2	5 (115')
26-BRW-215	26-BR-215	2	4 (92')



SCH 40 Aluminum Pipe End Caps
Mill Finish


APC-100-MF	1
APC-125-MF	1-1/4
APC-150-MF	1-1/2
APC-200-MF	2

Anodized

APC-750	3/4
APC-100	1
APC-125	1-1/4
APC-150	1-1/2
APC-200	2


SCH 40 Flat End Caps
Mill Finish

FEC-100-MF	1"
------------	----



SCH 40 Black Plastic End Caps

RN1DBK1	3/4"
RN1-1/4DBK1	1"
RN1625DBK1	1-1/4"






Structural Aluminum I-Beams

6061-T6 x 25' Aluminum Association


Stock Code	Size in Inches (E x M x S / T)	Approx. Wt/Lin ft.
MILL ORDER	3.00 x 2.50 x .20 / .13 <i>16-61-200 (NC)</i>	1.637
<u>16-61-018</u>	3.00 x 2.50 x .26 / .15 (18')	2.030
<u>10578-20</u>	3.00 x 2.50 x .26 / .15 (20')	2.030
<u>16-61-205</u>	3.00 x 2.50 x .26 / .15	2.030
<u>16-61-210</u>	4.00 x 3.00 x .23 / .15	2.357
<u>52-61-3219</u>	4.00 x 3.00 x .29 / .17	2.793
<u>16-61-220</u>	5.00 x 3.50 x .32 / .19 (25')	3.775
<u>16-61-225</u>	6.00 x 4.00 x .29 / .19	4.030
<u>52-61-2036</u>	6.00 x 4.00 x .35 / .21 (11')	4.700
<u>52-61-354</u>	6.00 x 4.00 x .35 / .21 (12' 6")	4.700
<u>16-61-230</u>	6.00 x 4.00 x .35 / .21	4.700
<u>16-61-235</u>	7.00 x 4.50 x .38 / .23	5.800
<u>52-61-1700</u>	8.00 x 5.00 x .35 / .23 (12' 6")	6.307
<u>16-61-240</u>	8.00 x 5.00 x .35 / .23	6.307
<u>52-61-2026</u>	8.00 x 5.00 x .41 / .25 (12' 6")	7.023
<u>52-61-775</u>	8.00 x 5.00 x .41 / .25	7.023
<u>52-61-4255</u>	8.00 x 5.00 x .41 / .25 (26')	7.023
<u>52-61-791</u>	8.00 x 5.00 x .41 / .25 (30')	7.023
<u>52-61-4409</u>	8.00 x 5.00 x .41 / .25 (32')	7.023
<u>52-61-2312</u>	8.00 x 5.00 x .41 / .25 (40')	7.023
<u>16-61-262</u>	9.00 x 5.50 x .44 / .27	8.360
<u>52-61-4171</u>	9.00 x 5.50 x .44 / .27 (32')	8.360
<u>52-61-3121</u>	10.00 x 6.00 x .41 / .25 (14')	8.646
<u>52-61-1408</u>	10.00 x 6.00 x .41 / .25 (16')	8.646
<u>16-61-263</u>	10.00 x 6.00 x .41 / .25	8.646
<u>16-61-264</u>	10.00 x 6.00 x .41 / .25 (28')	8.646
<u>16-61-265</u>	10.00 x 6.00 x .41 / .25 (32')	8.646
<u>52-61-5327</u>	10.00 x 6.00 x .50 / .29 (16')	10.286
<u>52-61-911</u>	10.00 x 6.00 x .50 / .29	10.286
<u>52-61-1410</u>	10.00 x 6.00 x .50 / .29 (32')	10.286
<u>52-61-1389</u>	10.00 x 6.00 x .50 / .29 (40')	10.286
<u>52-61-4600</u>	10.00 x 6.00 x .50 / .29 (50')	10.286
<u>52-61-2382</u>	12.00 x 7.00 x .47 / .29	11.910
<u>52-61-3839</u>	12.00 x 7.00 x .47 / .29 (20')	11.910
<u>52-61-2945</u>	12.00 x 7.00 x .47 / .29 (32')	11.910
<u>52-61-1171</u>	12.00 x 7.00 x .62 / .31 (20')	14.292
<u>52-61-1855</u>	12.00 x 7.00 x .62 / .31	14.292
<u>16-61-309 (NC)</u>	12.00 x 7.00 x .62 / .31	14.292
<u>52-61-2301</u>	12.00 x 7.00 x .62 / .31 (32')	14.292
<u>52-61-2872</u>	12.00 x 7.00 x .62 / .31 (40')	14.292
<u>16-61-267</u>	12.00 x 7.00 x .62 / .31 (45')	14.292
<u>16-61-266</u>	12.00 x 7.00 x .62 / .31 (50')	14.292
<u>16-61-270</u>	14.00 x 8.00 x .60 / .30 (30')	15.967

American Standard I-Beam - 6061-T6 x 25'

MILL ORDER <i>16-61-303 (NC)</i>	3 x 2.330 x .170	1.944
MILL ORDER <i>52-61-1964</i>	3 x 2.509 x .349	2.670
MILL ORDER <i>52-61-317</i>	4 x 2.660 x .190	2.642
MILL ORDER <i>52-61-1204</i>	4 x 2.796 x .326	3.373
MILL ORDER <i>16-61-120 (MO)</i>	5 x 3.000 x .210	3.508
MILL ORDER <i>16-61-257 (NC)</i>	5 x 3.284 x .494	5.250
MILL ORDER <i>16-61-617 (TX)</i>	6 x 3.330 x .230	4.421
MILL ORDER <i>52-61-3366</i>	6 x 3.443 x .343	5.220
MILL ORDER <i>52-61-4104</i>	6 x 3.565 x .465	6.072
MILL ORDER	7 x 3.755 x .345	6.230
MILL ORDER <i>16-61-256 (MO)</i>	8 x 4.000 x .270	6.510
MILL ORDER <i>16-61-631 (TX)</i>	10 x 4.680 x .310	8.981
MILL ORDER	10 x 4.944 x .594	12.450
MILL ORDER <i>16-61-170 (NC)</i>	12 x 5.000 x .350	11.220




American Standard I-Beam




Aluminum Association I-Beam


6" Pulley Ear Bracket x 12'
25-61-599 6005
for 6 x 4 I-Beams for Boat Lifts



8" Pulley Ear Bracket x 11'
25-61-611 6005
for 8 x 5 I-Beams for Boat Lifts



10" Pulley Ear Bracket x 12'
25-61-601 6005
for 10 x 6 I-Beams for Boat Lifts




Double I-Beam

6 x 8 x .190/.290

6061-T6 8.771 #/ft

52-61-4158 x 20' 8.771

52-61-4159 x 30' 8.771



Double I-Beam

Adjustable Light Aluminum I-Beam

Frequently used for HVAC/AC Frames (see pic below)

I-Beam slides within AC Clamp Channel to adjust spacing between uprights

Size in Inches (E x M x S / T1)

3 x 1.374 x 2.5 x .093 / .124

6061-T6 0.994 #/ft

10578-36 x 36"

10578-72 x 72"

16-61-009 x 108"

16-61-012 x 144"


16-61-015 x 180"

16-61-018 x 216"

10578-20 x 240"

16-61-028 x 336"

52-AC-CLAMP Channel x 12' (accepts Light I-Beam)



Light I-Beam



AC Clamp Channel



HVAC/AC Frame

Items marked as MILL ORDER are non stock but available. Product codes listed on MILL ORDER items are for die reference only. Customer must specify length, alloy & temper.



EASTERN METAL SUPPLY

STANDARDS 25
12/06/23

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061




Boat Trailer Aluminum I-Beam - FULL SIZE

Size in Inches (E x M x S / A) - 6061-T6 Full Radius



4 x 3 x .285 / .170 16-64-205 x 18' 6" 16-64-207 x 20'	2.774 #/ft 51.319 #/pc 55.480 #/pc	7 x 4.5 x .380 / .230 16-64-255 x 28' 16-64-259 x 31'	5.499 #/ft 153.97 #/pc 170.47 #/pc
6 x 4 x .350 / .210 16-64-240 x 25' 16-64-245 x 28'	4.681 #/ft 117.00 #/pc 131.04 #/pc	10 x 6 x .500 / .290 16-64-330 x 40' 16-64-340 x 45'	10.286 #/ft 411.44 #/pc 462.87 #/pc
8 x 5 x .410 / .250 16-64-300 x 30' 16-64-308 x 32' 16-64-310 x 35' 52-61-1711 x 37' 16-64-320 x 40' 52-61-1436 x 45'	7.020 #/ft 210.60 #/pc 224.64 #/pc 245.70 #/pc 259.74 #/pc 280.80 #/pc 315.90 #/pc	12 x 7 x .620/.310 16-64-445 x 45' 16-64-450 x 50' 16-64-455 x 55'	14.098 #/ft 634.41 #/pc 704.90 #/pc 775.39 #/pc



Boat Trailer Aluminum I-Beam - HALF SIZE

Size in Inches (E x M x S / A) - 6061-T6 Full Radius

3.5 x 2.5 x .25 / .15 52-61-4205B x 18' 6" 52-61-2489B x 25'	2.033 #/ft 37.611 #/pc 50.825 #/pc	3.570 x 3 x .260/.175 MILL ORDER x 16' 16-61-307 (NC)	2.478 #/ft 39.648 #/pc
4.5 x 3 x .260/.175 16-61-289 x 13' 16-61-290 x 14' 16-61-295 x 15' 16-61-300 x 16' 16-61-308 x 17' 16-61-310 x 18' 16-61-320 x 18' 6" 16-61-325 x 19' (TX) 16-61-330 x 20' 16-61-335 x 21' 16-61-340 x 22' 16-61-345 x 30'	2.713 #/ft 35.269 #/pc 37.982 #/pc 40.695 #/pc 43.408 #/pc 46.121 #/pc 48.834 #/pc 50.191 #/pc 51.547 #/pc 54.260 #/pc 56.973 #/pc 59.686 #/pc 81.39 #/pc	5.5 x 3.5 x .280/.195 16-61-380 x 16' 16-61-390 x 18' 16-61-395 x 19' 16-61-400 x 20' 16-61-410 x 21' 16-61-415 x 22' 16-61-420 x 23' 16-61-430 x 25' 16-61-435 x 30'	3.524 #/ft 56.384 #/pc 63.432 #/pc 66.956 #/pc 70.480 #/pc 74.004 #/pc 77.528 #/pc 81.052 #/pc 88.100 #/pc 105.72 #/pc
6.5 x 4 x .310/.220 52-61-4587 x 19' 16-61-490 x 20' 16-61-495 x 21' 16-61-500 x 22' 16-61-510 x 23' 16-61-520 x 25' 16-61-525 x 26' 16-61-530 x 27' 16-61-535 x 28' 16-61-540 x 30'	4.561 #/ft 86.659 #/pc 91.220 #/pc 95.781 #/pc 100.342 #/pc 104.903 #/pc 114.025 #/pc 118.586 #/pc 123.147 #/pc 127.708 #/pc 136.830 #/pc	7.5 x 4.375 x .350/.230 16-61-600 x 25' 16-61-605 x 26' 52-61-1379 x 27' 16-61-608 x 28' 16-61-610 x 30' 16-61-620 x 32' 52-61-1339 x 33' 16-61-630 x 35' 16-61-635 x 38'	5.584 #/ft 139.600 #/pc 145.184 #/pc 150.768 #/pc 156.352 #/pc 167.520 #/pc 178.688 #/pc 184.272 #/pc 195.440 #/pc 212.192 #/pc



I-Beam Tie Strap (7/16" holes)

52-63-9356	8-1/2 x 2 x 1/4
52-63-9355	7-3/4 x 2 x 1/4
52-63-9354	6-3/4 x 2 x 1/4
Special Order	5-7/8 x 2 x 1/4

Miscellaneous Fender Brackets
& Tie Plate Spacers are available upon
request

Items marked as MILL ORDER
are non stock but available.
Product codes listed on MILL ORDER
items are for die reference only.
Customer must specify
length, alloy & temper.



Painted Aluminum Extrusions

Painted Flat Bar

Stock Code	Size in Inches (E x M x S Color)	Approx. Wt/Lin ft.
<u>10-WH-115*</u>	.062 x 1 x 10' (with radius) White	0.073
<u>10-MB-115*</u>	.062 x 1 x 10' (with radius) Bronze	0.073
<u>200-WH-030</u>	.125 x 2 x 20' White	0.300
<u>200-MB-030</u>	.125 x 2 x 20' Bronze	0.300
<u>200-WH-087</u>	.125 x 4 x 20' White	0.600
<u>200-MB-087</u>	.125 x 4 x 20' Bronze	0.600

* Mutton Bar

Painted Architectural Angle - 6063-T6 Equal Leg

<u>200-WH-340</u>	.75 x .75 x .062 x 20' White	0.107
<u>200-MB-340</u>	.75 x .75 x .062 x 20' Bronze	0.107
<u>11-WH-220</u>	1 x 1 x .062 x 20' White	0.144
<u>11-MB-220</u>	1 x 1 x .062 x 20' Bronze	0.144
<u>11-IV-220</u>	1 x 1 x .062 x 20' Ivory	0.144
<u>11-BG-220</u>	1 x 1 x .062 x 20' Beige	0.144
<u>11-WH-222</u>	1 x 1 x .125 x 20' White	0.276
<u>11-MB-200</u>	1 x 1 x .125 x 20' Bronze	0.276
<u>11-IV-200</u>	1 x 1 x .125 x 20' Ivory	0.276
<u>11-BG-200</u>	1 x 1 x .125 x 20' Beige	0.276
<u>11-WH-210</u>	1.50 x 1.50 x .125 x 20' White	0.431
<u>11-MB-210</u>	1.50 x 1.50 x .125 x 20' Bronze	0.431
<u>11-IV-210</u>	1.50 x 1.50 x .125 x 20' Ivory	0.431
<u>11-BG-210</u>	1.50 x 1.50 x .125 x 20' Beige	0.431
<u>51-63-544</u>	2 x 2 x .093 x 20' White	0.440
<u>51-63-543</u>	2 x 2 x .093 x 20' Bronze	0.440
<u>52-63-013</u>	2 x 2 x .093 x 20' Ivory	0.440
<u>52-63-5804A</u>	2 x 2 x .093 x 24' 3" White	0.440
<u>52-63-5806A</u>	2 x 2 x .093 x 24' 3" Bronze	0.440
<u>11-COLOR-376</u>	2 x 2 x .125 x 20' **	0.581
<u>11-WH-325</u>	2 x 2 x .250 x 20' White	1.124
<u>11-WH-300</u>	3 x 3 x .250 x 20' White	1.725

Painted Architectural Angle - 6063-T6 Unequal Leg

<u>11-WH-365</u>	1 x 2 x .062 x 20' White	0.218
<u>11-MB-365</u>	1 x 2 x .062 x 20' Bronze	0.218
<u>11-IV-365</u>	1 x 2 x .062 x 20' Ivory	0.218
<u>11-BG-365</u>	1 x 2 x .062 x 20' Beige	0.218
<u>51-63-671</u>	1 x 2 x .093 x 16' White	0.324
<u>11-WH-370</u>	1 x 2 x .125 x 20' White	0.431
<u>11-MB-370</u>	1 x 2 x .125 x 20' Bronze	0.431
<u>11-IV-370</u>	1 x 2 x .125 x 20' Ivory	0.431
<u>11-BG-370</u>	1 x 2 x .125 x 20' Beige	0.431
<u>11-COLOR-372</u>	1 x 3 x .062 x 20' **	0.293
<u>11-WH-375</u>	1 x 3 x .125 x 20' White	0.582
<u>11-MB-375</u>	1 x 3 x .125 x 20' Bronze	0.582
<u>11-IV-375</u>	1 x 3 x .125 x 20' Ivory	0.582
<u>11-BG-375</u>	1 x 3 x .125 x 20' Beige	0.582
<u>51-63-518</u>	1.50 x 3 x .093 x 20' White	0.492
<u>51-63-519</u>	1.50 x 3 x .093 x 20' Bronze	0.492
<u>51-63-878</u>	1.50 x 3 x .093 x 20' Ivory	0.492
<u>51-63-884</u>	1.50 x 3 x .093 x 20' Beige	0.492
<u>11-WH-390</u>	2 x 3 x .125 x 20' White	0.750
<u>11-MB-380</u>	2 x 3 x .125 x 20' Bronze	0.750
<u>11-IV-380</u>	2 x 3 x .125 x 20' Ivory	0.750
<u>11-BG-380</u>	2 x 3 x .125 x 20' Beige	0.750
<u>11-WH-395</u>	2 x 3 x .250 x 20' White	1.425
<u>11-COLOR-400</u>	2 x 4 x .125 x 20' **	0.881
<u>11-WH-396</u>	2 x 4 x .250 x 20' White	1.725

Painted Architectural Angle - (continued)

Stock Code	Size in Inches (E x M x S Color)	Approx. Wt/Lin ft.
<u>11-WH-410</u>	2 x 5 x 1/8 x 20' White	1.031
<u>11-MB-410</u>	2 x 5 x 1/8 x 20' Bronze	1.031
<u>11-IV-410</u>	2 x 5 x 1/8 x 20' Ivory	1.031
<u>11-BG-410</u>	2 x 5 x 1/8 x 20' Beige	1.031
<u>11-COLOR-413</u>	2 x 5 x .190 x 20' (inside radius)**	1.568
<u>11-WH-412</u>	2 x 5 x .250 x 20' White	2.024
<u>11-COLOR-420</u>	2.50 x 7 x .190 x 20' **	2.138

Painted Structural Angle - 6063-T6 Equal Leg

<u>11-WH-305</u>	3 x 3 x .375 x 20' White	2.474
------------------	--------------------------	-------

Painted Architectural Channel - 6063-T5

<u>52-63-8905</u>	2.375 x 2.125 x .125 x 24' 6" White	0.955
<u>52-63-8694</u>	2.625 x 2.125 x .125 x 24' White	0.994

Painted Square Tube - 6063-T6

<u>19-WH-204</u>	2 x .093 x 24' White	0.851
<u>19-MB-204</u>	2 x .093 x 24' Bronze	0.851
<u>19-BK-204</u>	2 x .093 x 24' Black	0.851
<u>19-IV-300</u>	2 x .125 x 24' Ivory	1.125
<u>19-WH-305</u>	2 x .125 x 24' 6" White	1.125
<u>19-MB-305</u>	2 x .125 x 24' 6" Bronze	1.125
<u>19-BG-305</u>	2 x .125 x 24' 6" Beige	1.125
<u>19-COLOR-212</u>	2 x .250 x 24' **	2.100
<u>19-WH-003</u>	3 x .093 x 24' White	1.298
<u>19-MB-003</u>	3 x .093 x 24' Bronze	1.298
<u>200-WH-027</u>	3 x .093 x 30' White	1.298
<u>200-MB-027</u>	3 x .093 x 30' Bronze	1.298
<u>19-WH-225</u>	3 x .125 x 20' White	1.726
<u>19-WH-220</u>	3 x .125 x 24' White	1.726
<u>19-MB-235</u>	3 x .125 x 24' Bronze	1.726
<u>19-IV-235</u>	3 x .125 x 24' Ivory	1.726
<u>19-BG-235</u>	3 x .125 x 24' Beige	1.726
<u>19-BK-235</u>	3 x .125 x 24' Black	1.726
<u>19-COLOR-240</u>	3 x .250 x 24' **	3.300
<u>19-WH-245</u>	4 x .125 x 20' White	2.325
<u>19-WH-400</u>	4 x .125 x 24' White	2.325
<u>19-MB-246</u>	4 x .125 x 24' Bronze	2.325
<u>19-IV-400</u>	4 x .125 x 24' Ivory	2.325
<u>19-BG-400</u>	4 x .125 x 24' Beige	2.325
<u>19-BK-400</u>	4 x .125 x 24' Black	2.325
<u>200-WH-028</u>	4 x .125 x 30' White	2.325
<u>200-MB-028</u>	4 x .125 x 30' Bronze	2.325
<u>19-WH-2500</u>	4 x .250 x 20' White	4.500
<u>19-MB-2500</u>	4 x .250 x 24' Bronze	4.500
<u>19-IV-2500</u>	4 x .250 x 24' Ivory	4.500
<u>19-BG-2500</u>	4 x .250 x 24' Beige	4.500
<u>19-WH-2501</u>	4 x .250 x 24' 6" White	4.500
<u>56-WH-035</u>	4.50 x .093 x 24' White (.125 Radius)	1.955
<u>56-MB-035</u>	4.50 x .093 x 24' Bronze (.125 Radius)	1.955
<u>200-WH-260</u>	6 x .125 x 24' White	3.525
<u>200-WH-265</u>	6 x .125 x 30' White	3.525
<u>200-MB-260</u>	6 x .125 x 24' Bronze	3.525
<u>200-MB-265</u>	6 x .125 x 30' Bronze	3.525

**COLOR - Available in:

White (WH), Bronze (MB), Ivory (IV), Beige (BG)

Painted Scalloped Square Tube, Rectangular & Round Tubes are listed next page (Stand 38)



EASTERN METAL SUPPLY

STANDARDS 37
11/17/23

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061



Painted Aluminum Extrusions

3" Fluted/Scalloped Square Tube

Stock Code	Size in Inches (E x M x S Color)	Approx. Wt/Lin ft.
200-WH-017	3" x .045 x 24' White	0.757
200-MB-017	3" x .045 x 24' Bronze	0.757
200-WH-018	3" x .045 x 30' White	0.757
200-MB-018	3" x .045 x 30' Bronze	0.757

Rect. Aluminum Painted Tube - 6063-T6

20-WH-226	1 x 2 x .062 x 24' White	0.428
20-MB-226	1 x 2 x .062 x 24' Bronze	0.428
20-WH-227	1 x 2 x .093 x 24' White	0.628
20-MB-228	1 x 2 x .093 x 24' Bronze	0.628
20-BK-227	1 x 2 x .093 x 24' Black	0.628
20-WH-231	1 x 2 x .125 x 24' White	0.824
20-MB-231	1 x 2 x .125 x 24' Bronze	0.824
20-IV-231	1 x 2 x .125 x 24' Ivory	0.824
20-BG-231	1 x 2 x .125 x 24' Beige	0.824
20-WH-2320	1 x 2-3/4 x .375/.125 x 24'	1.508
20-MB-2320	1 x 2-3/4 x .375/.125 x 24'	1.508
20-WH-230	1 x 3 x .125 x 24' White	1.125
20-MB-232	1 x 3 x .125 x 24' Bronze	1.125
20-IV-230	1 x 3 x .125 x 24' Ivory	1.125
20-BG-230	1 x 3 x .125 x 24' Beige	1.125
20-COLOR-235	1 x 4 x .125 x 24' **	1.425
610236-MBP-1	1 x 4 x .25 x 24' Bronze	2.700
610236-WHP-1	1 x 4 x .25 x 24' White	2.700
20-WH-2350	1 x 4 x .375/.125 White	1.874
20-MB-2350	1 x 4 x .375/.125 Bronze	1.874
20-WH-229	2 x 3 x .090 x 24' White	1.041
20-MB-229	2 x 3 x .090 x 24' Bronze	1.041
20-WH-290	2 x 3 x .125 x 24' 6" White	1.426
20-MB-290	2 x 3 x .125 x 24' 6" Bronze	1.426
20-IV-290	2 x 3 x .125 x 24' 6" Ivory	1.426
20-BG-290	2 x 3 x .125 x 24' 6" Beige	1.426
20-WH-280	2 x 4 x .125 x 24' White	1.725
20-MB-280	2 x 4 x .125 x 24' Bronze	1.725
20-IV-280	2 x 4 x .125 x 24' Ivory	1.725
20-BG-280	2 x 4 x .125 x 24' Beige	1.725
20-COLOR-281	2 x 4 x .250 x 24' **	3.300
MILL ORDER 20-WH-100	2 x 5 x .093 x 24' White	1.520
20-WH-250	2 x 5 x .125 x 24' White	2.025
20-MB-250	2 x 5 x .125 x 24' Bronze	2.025
52-63-1955	2 x 6 x .125 x 24' 6" White	2.327
20-MB-260	2 x 6 x .125 x 24' Bronze	2.327
20-IV-260	2 x 6 x .125 x 24' Ivory	2.327
20-BG-260	2 x 6 x .125 x 24' Beige	2.327
20-WH-293	2 x 6 x .250 x 24' White	4.500
20-MB-293	2 x 6 x .250 x 24' Bronze	4.500
20-WH-295	2 x 8 x .125 x 24' White	2.962
20-MB-295	2 x 8 x .125 x 24' Bronze	2.962
20-BG-295	2 x 8 x .125 x 24' Beige	2.962
20-WH-300	3 x 4 x .125 x 24' White	2.074
52-63-4427	3 x 4 x .125 x 24' Bronze	2.074
52-BG-6761	3 x 4 x .125 x 24' Beige	2.074
52-IV-6761	3 x 4 x .125 x 24' Ivory	2.074
20-WH-303	3 x 6 x .125 x 24' White	2.625
20-COLOR-803	4 x 6 x .125 x 24' **	2.925
20-COLOR-805	4 x 6 x .250 x 20' **	5.700

**COLOR - Available in:

White (WH), Bronze (MB), Ivory (IV), Beige (BG)

Painted Round Tube - 6063-T52

Stock Code	Size in Inches (E x M x S Color)	Approx. Wt/Lin ft.
17-WH-135	1-1/2 x 1/8 x 24' White	0.635
17-MB-135	1-1/2 x 1/8 x 24' Bronze	0.635
52-63-9775	Insert for 1-1/2 x 1/8 Tube (Mill Finish)	0.347
52-WH-11796	3 x .055 x 12' White	0.611
52-WH-11797	3 x .055 x 17' White	0.611

Touch Up Spray Paint - 16 ounce cans

Stock Code	Color
35-00-100	White
35-00-100G	White Gloss
35-00-105	Bronze
35-00-105G	Bronze Gloss
35-00-110	Ivory Gloss
35-00-115 (TX)	Beige
35-00-115G	Beige Gloss
35-00-120	Black
35-00-120G	Black Gloss

Anodized Extrusions & Sheet

Anodized Square Aluminum Tube

56-63-003	4 x .125 (w/rad 204R1 Anod) x 24' 2"	2.374
56-63-010	4 x .150 (w/rad 204R1 Anod) x 22'	2.772
56-63-037	6 x .150 x 24' 6" (6063-T6 w/rad 204R1 Anod)	4.204

Anodized Rectangular Aluminum Tube

20-ANOD-235	1 x 4 x .125 (202R1 Anodized)	1.425
52-63-13710	2 x 6 x .125 (202-R1 Anodized)	2.327
52-63-13711	2 x 6 x .250 (202-R1 Anodized)	4.500
56-63-004	4 x 6 x .15 x 24' 2" (w/rad 204R1 Anod)	3.480
56-63-014	4 x 8 x .19/.15 (w/rad 204R1 Anod)	4.567
56-63-017	6 x 8 x .188 (w/rad) 204R1 6063-T6 x 25'	6.196
56-63-018	6 x 8 x .188 (w/rad) 204R1 6063-T6 x 30'	6.196
56-63-025	6 x 10 x .19 (w/rad) 204R1 6063-T6 x 25'	7.171
56-63-026	6 x 10 x .19 (w/rad) 204R1 6063-T6 x 30'	7.171

Anodized 5005 Sheet (PVC Coating one side)

Exterior Class 1 Anodized Coating Anodized Thickness: 0.0002 - 0.0003

Approx.

Stock Code	Anodize	Size in Inches	Approx Wt/Sheet
50-CA-99	Clear	.032 x 48 x 96	14.45
50-CA-100	Clear	.032 x 48 x 120	18.00
50-03-178	Clear	.032 x 48 x 120	18.00 (5052)
50-CA-104	Clear	.040 x 48 x 96	17.98
50-ANOD-140 (NC)	Clear	.040 x 48 x 96	17.98
50-03-179 (NC)	Clear	.040 x 48 x 120	22.80
50-CA-105	Clear	.040 x 48 x 120	22.80
50-CA-114	Clear	.063 x 48 x 96	28.44
50-CA-149	Clear	.063 x 48 x 120	35.40
50-CL-235P (TX)	Clear	.063 x 48 x 120	35.40
50-CA-150	Clear	.063 x 48 x 144	42.70
50-CA-125	Clear	.080 x 48 x 120	45.60
50-CA-131	Clear	.125 x 48 x 120	70.40
50-BRZ-317 (NC)	Bronze	.040 x 48 x 120	23.00
50-LADB-105	Extra Dark	.040 x 48 x 120	22.80

Other ANODIZED items:

- Architectural Canopies, Walkways & Carports (Arch section)
- Marine Grade Pipe, Extrusions & Accessories (Marine section)
- Window Treatments (Window Treatments section)

Also see Alodine Sheet & Blanks (Standards 08)



EASTERN METAL SUPPLY

STANDARDS 38
11/17/23

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

